



June 24, 2022

Project No. 19119232

Ms. Maureen Hatfield

MC-127
VCP-CA Section, Remediation Division
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, TX 78711-3087

**RE: DNAPL RECOVERY ACTIVITIES QUARTERLY REPORT – 1ST QUARTER 2022
UNION PACIFIC RAILROAD HOUSTON WOOD PRESERVING WORKS FACILITY
4910 LIBERTY ROAD FACILITY, HOUSTON, TEXAS
POST-CLOSURE CARE PERMIT NO. HW-50343; INDUSTRIAL SWR NO. 31547**

Dear Ms. Hatfield:

Golder Associates USA Inc. (Golder), a member of WSP, on behalf of Union Pacific Railroad Company (UPRR), submits this 1st Quarter 2022 summary report for the dense non-aqueous phase liquid (DNAPL) recovery activities conducted at the UPRR Houston Wood Preserving Works Facility (the Site).

DNAPL Recovery Summary – 1st Quarter 2022

Below is a summary of the DNAPL recovery activities for 1st Quarter 2022:

- Of the 15 wells used for DNAPL recovery, 7 wells had greater than a trace of DNAPL measured during the 1st Quarter 2022. Two wells were either damaged (MW-44C) or not accessible (MW-75B) during the quarter.
- Overall DNAPL thicknesses in the wells decreased during the quarter. By the end of the 1st Quarter 2022, only one well had measurable DNAPL (MW-32B).
- Approximately 6.4 gallons of DNAPL were recovered during the 1st Quarter 2022.

DNAPL Recovery Procedures

As detailed in the Response Action Plan (RAP) dated November 24, 2014, a 24-month DNAPL recovery pilot test, consisting of manual DNAPL recovery from selected wells on a monthly basis, was conducted at the Site. Following the 24-month pilot testing period, the DNAPL recovery activities have continued monthly following the same procedures detailed in the RAP. In response to the Texas Commission on Environmental Quality (TCEQ) Technical Notice of Deficiency dated April 11, 2019, the DNAPL recovery frequency was increased to bi-monthly (twice a month) in June 2019.

The following monitoring wells are part of the current DNAPL recovery activities:

Well Name	Zone
MW-57A	A-TZ
MW-78A	A-TZ
MW-12B	B-TZ
MW-32B	B-CZ
MW-41B	B-TZ
MW-49B	B-CZ
MW-57B	B-CZ
MW-68B	B-TZ
MW-70B	B-CZ
MW-74B*	B-TZ
MW-75B	B-CZ
MW-23C	C-TZ
MW-34CR	C-TZ
MW-44C	C-TZ
MW-45C	C-TZ
MW-46C	C-TZ

* Well MW-74B was added to the list of recovery wells beginning in May 2021 after measurable DNAPL was noted during site-wide gauging activities. The locations of the DNAPL recovery wells are shown on Figure 1.

DNAPL recovery activities consist of measuring the depth to groundwater surface, the depth to groundwater/DNAPL interface, and the total depth of the well relative to the top of casing prior to DNAPL recovery. DNAPL recovery from each well is then performed using a peristaltic pump or submersible pump. Beginning in October 2019, the DNAPL encountered in MW-12B and MW-41B was too thick for the submersible pump to efficiently recover. Two stainless steel pneumatic pulse pumps (gas displacement pumps) from QED Environmental Systems (model LP1301) were installed in MW-12B and MW-41B on March 30, 2020. These pumps are designed for recovering the more viscous liquids observed in these wells. DNAPL is pumped from the bottom of each well until groundwater returns in the pump discharge. The volume of recovered DNAPL is estimated from each well based on the volume pumped, and the well is gauged to measure the total depth of the well and depth to DNAPL following pumping. Recovered DNAPL from all the wells is consolidated into a 55-gallon drum and temporarily stored at the Containment Storage Area at the Site pending disposal at the Clean Harbors Deer Park TCEQ-permitted facility in La Porte, Texas or the US Ecology Robstown facility in Robstown, Texas. The most recent waste manifest for the disposal of recovered DNAPL and groundwater is provided in Attachment 1.

1st Quarter 2022 DNAPL Recovery Activities

A summary of the DNAPL recovery measurements from February 2013 through March 2022 is provided in Table 1. DNAPL thicknesses listed on the table and referenced in this letter are “in-well thicknesses”. A graph of DNAPL thicknesses prior to each recovery effort over time from February 2013 through March 2022 is presented on Figure 2, with individual graphs for each zone and/or portion of the Site (Figures 3 through 7) discussed below. Observations from the 1st Quarter 2022 gauging and recovery activities are provided below for each of the groundwater bearing units (GWBUs):

-
- **A-TZ Wells:** Recovery wells MW-57A and MW-78A completed in the A-TZ were evaluated for DNAPL recovery during this period (graph of DNAPL thickness from July 2018 through March 2022 shown on Figure 3).
 - o **MW-57A:** No DNAPL was detected in MW-57A during the 1st Quarter of 2022. DNAPL has not been detected in this well since May 2019 where a trace was measured.
 - o **MW-78A:** A trace amount of DNAPL was detected but not measurable during the January 14, 2022 and January 26, 2022 events. No DNAPL was detected in MW-78A during February or March 2022 events.
 - **B-TZ Wells (West Side):** Recovery wells MW-12B and MW-41B completed in the B-TZ were evaluated for DNAPL recovery during this period (graph of DNAPL thickness from July 2018 through March 2022 shown on Figure 4).

MW-12B: During the two January 2022 recovery events, a trace amount of DNAPL was detected but not measurable in MW-12B. On February 10, 2022 a DNAPL thickness of 2.20 feet was detected. During the final three recovery events of 1st Quarter 2022, the groundwater/DNAPL interface was below the top of the pneumatic pulse pump at MW-12B. As a result, the interface probe could not get past the pump assembly and it was not possible to record a DNAPL thickness in the well. On October 8, 2021 the pump was removed in order to verify the total depth of the well and length of the pump. The pump length was measured to be 1.55 feet. Based on the measured length of the pump assembly, the assumption is there is less than 1.55 feet of DNAPL in the well. Approximately 0.5 gallons of DNAPL were recovered using the pneumatic pump from MW-12B during the 1st Quarter 2022.

 - o **MW-41B:** During the two January 2022 recovery events, a trace amount of DNAPL was detected but not measurable in MW-41B. During events on February 10, 2022 and February 24, 2022 a DNAPL thickness of 3.26 feet was detected. DNAPL thickness decreased to 3.23 feet on March 10, 2022. Similar to MW-12B, the top of the groundwater/DNAPL interface in MW-41B was below the top of the pneumatic pulse pump during the final recovery event of 1st Quarter 2022 on March 24, 2022, so it was not possible to record a DNAPL thickness. On October 8, 2021 the pump length was measured to be 1.55 feet. Based on measured length of the pump assembly, the assumption is there is less than 1.55 feet of DNAPL in the well. Approximately 0.7 gallons of DNAPL were recovered using the pneumatic pump from MW-41B during the 1st Quarter 2022.
 - **B-TZ/B-CZ Wells (North (on-site and off-site)):** Recovery wells MW-32B, MW-57B, MW-68B, and MW-70B completed in either the B-TZ or B-CZ on the north side of the Site or off-site to the north were evaluated for DNAPL recovery during this period (graph of DNAPL thickness from July 2018 through March 2022 shown on Figure 5).
 - o **MW-32B (off-site):** During the 1st Quarter 2022, DNAPL thicknesses in MW-32B decreased from approximately 2.26 feet in early January to 0.93 feet in late March. The measurement in January is the least amount of DNAPL measured in MW-32B since December 2019. Approximately 4.3 gallons of DNAPL were recovered from MW-32B during the 1st Quarter 2022.

- o **MW-57B (on-site):** Since June 2016, no measurable DNAPL has been detected in MW-57B. A trace amount of DNAPL was noted in MW-57B in January 2019 through May 2019. Through December 16, 2021 no DNAPL was detected. A trace amount was noted at the end of 4th quarter 2021. A trace amount was noted during the January 14, 2022 and January 26, 2022 events. No DNAPL was detected for the remainder of 1st Quarter 2022.
- o **MW-68B (off-site):** No measurable DNAPL has been detected in MW-68B since July 2021. No DNAPL was detected during 1st Quarter 2022.
- o **MW-70B (off-site):** During the two recovery events in January 2022, a trace amount of DNAPL was detected in MW-70B. DNAPL thickness increased to approximately 0.60 feet on February 24, 2022; however, no DNAPL was detected in MW-70B for the remainder of 1st Quarter 2022. Approximately 0.2 gallons of DNAPL was recovered from MW-70B during the 1st Quarter 2022 (on February 24, 2022).
- **B-TZ/B-CZ Wells (Englewood Intermodal Yard):** Recovery wells MW-49B, MW-74B, and MW-75B in the Englewood Intermodal Yard completed in the B-CZ and B-TZ were evaluated for DNAPL recovery during this period (graph of DNAPL thickness from July 2018 through March 2022 shown on Figure 6).
 - o **MW-49B:** DNAPL was detected in MW-49B during only one of the six recovery events during the 1st Quarter 2022. A DNAPL thickness of 2.76 feet was detected on February 10, 2022. Approximately 0.3 gallons of DNAPL were recovered from MW-49B (February 10th) during the 1st Quarter 2022.
 - o **MW-74B:** During the January 2021 site-wide gauging event, DNAPL was first detected in MW-74B with an in-well thickness of 1.30 feet. DNAPL recovery events for MW-74B began during the 2nd Quarter 2021. During the 1st Quarter 2022, only a trace amount of DNAPL was detected on January 14, 2022, and January 26, 2022. No DNAPL was detected for the remainder of 1st Quarter 2022 and no DNAPL was recovered from MW-74B during the 1st Quarter 2022.
 - o **MW-75B:** Measurable DNAPL has only been detected once in MW-75B since June 2021. However, the well was inaccessible during the 1st Quarter 2022 DNAPL recovery events due to ongoing container operations in the intermodal yard.
- **C-TZ Wells:** Wells MW-23C, MW-34CR, MW-44C, MW-45C, and MW-46C completed in the C-TZ were evaluated for DNAPL recovery (graph of DNAPL thickness from July 2018 through March 2022 shown on Figure 7).
 - o **MW-23C:** A trace amount of DNAPL was detected during both January 2022 recovery events. Measurable DNAPL was detected in MW-23C at a thickness of 1.2 feet on February 10, 2022 and 0.99 feet on February 24, 2022. However, DNAPL thickness decreased and no DNAPL was detected during the March 2022 events. After low DNAPL recovery volumes at MW-23C were noted for the 4th Quarter of 2022, tubing was replaced in the well on February 24, 2022.

Approximately 0.2 gallons of DNAPL was recovered from MW-23C (February 24th) during the 1st Quarter 2022.

- o **MW-34CR:** In May 2014, replacement well MW-34CR was installed and gauged as part of the recovery program. However, no DNAPL has been detected in this well. Given the absence of DNAPL in this well, a graph for MW-34CR is not included in Figure 7.
- o **MW-44C:** No measurable DNAPL had been detected in MW-44C from June 2019 (trace DNAPL noted in mid-June 2019) through May 2020. DNAPL was noted (0.39 feet thick) in MW-44C at the end of May 2020. However, it was discovered that the total depth measurement at MW-44C was approximately 10 feet higher than the well construction depth, suggesting that the well had appeared to have silted up. MW-44C was re-developed on July 24, 2020 during the site-wide monitoring activities. Over 10 feet of silt was removed, and the final measured depth of the well was within a foot of the original total depth. During the next recovery event in early August, the well appeared to have silted up again. Redevelopment was attempted a second time on October 1, 2020, but it was unsuccessful. The well will be plugged, abandoned, and replaced with a proposed recovery well as detailed in the Revised Response Action Plan (RAP) dated August 31, 2020.
- o **MW-45C:** A trace amount of DNAPL was detected in MW-45C on January 14, 2022 and January 26, 2022. No DNAPL was detected on February 10, 2022. A DNAPL thickness of 0.67 feet was measured on February 24, 2022 and 0.79 feet was measured on March 10, 2022. No DNAPL was detected in MW-45C during the March 24, 2022 event. Approximately 0.3 gallons of DNAPL was recovered from MW-45C during the 1st Quarter 2022.
- o **MW-46C:** No measurable DNAPL has been observed in MW-46C since June 2019 (trace DNAPL noted in mid-June 2019). Trace DNAPL was noted in late December 2021, as well as January 14, 2022, and January 26, 2022. No DNAPL was detected for the remainder of 1st Quarter 2022.

DNAPL Recovery: From February 2013 to March 2022, an estimated cumulative total of 951 gallons of creosote DNAPL have been recovered from the wells. Monthly DNAPL recovery volumes increased after the January 2015 event due to a change in pumping techniques. DNAPL recovery volumes ranged from approximately 0.3 to 1.5 gallons per bi-weekly event, and a total of approximately 6.4 gallons were recovered during the 1st Quarter 2022 (Table 1). UPRR will continue to monitor the DNAPL thicknesses twice per month as discussed in the response to the TCEQ 4th Technical Notice of Deficiency (TNOD) letter (April 11, 2019).

If you have any questions or need additional information, please feel free to call us at (512) 671-3434 or Mr. Kevin Peterburs of UPRR at (414) 267-4164.

Sincerely,

Golder Associates USA Inc.



Sarah Balke, G.I.T.
Consultant, Geologist



Eric C. Matzner, P.G.
Vice-President, Director Hydrogeologist



Texas Geoscience Firm No. 50369

CC: Waste Program Manager, TCEQ Region 12, Houston
Mr. Kevin Peterburs, UPRR – Milwaukee, WI

Attachments: Table 1 - Summary of DNAPL Recovery Measurements
Figure 1 – In-Well DNAPL Thickness – March 2022
Figure 2 - DNAPL Recovery Activities February 2013 – March 2022
Figure 3 – A-TZ Wells – DNAPL Recovery Activities July 2018 – March 2022
Figure 4 – B-TZ Wells (West Side) – DNAPL Recovery Activities July 2018 – March 2022
Figure 5 – B-CZ/B-TZ Wells (North (On-Site and Off-Site) – DNAPL Recovery Activities July 2018 – March 2022
Figure 6 – B-CZ/B-TZ Wells (Englewood Intermodal Yard) – DNAPL Recovery Activities July 2018 – March 2022
Figure 7 – C-TZ Wells – DNAPL Recovery Activities July 2018 – March 2022
Attachment 1 – Recovered DNAPL Waste Manifest

TABLES

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-12B				MW-23C				MW-32B			
	DTW (ft BTOC)	DTD (ft BTOC)	Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	Thickness (ft)	DNAPL Pumped (gal)
2/14/2013	9.06	39.87	5.93	2.5	NM	NM	NM	0	6.01	30.06	6.23	2
4/3/2013	9.41	39.95	5.85	1.0	NM	NM	NM	0	4.86	33.61	2.68	1
4/22/2013	8.61	31.64	14.16	0.5*	NM	NM	NM	0	5.62	36.08	0.21	0.3
5/30/2013	8.47	37.62	8.18	1.5*	NM	NM	NM	0	5.86	32.21	4.08	2
6/29/2013	9.62	38.22	7.58	1.5	NM	NM	NM	0	6.79	33.59	2.7	1.5
7/22/2013	11.16	39.04	6.76	1.0	NM	NM	NM	0	7.14	33.91	2.38	1.5
8/26/2013	11.31	39.61	6.19	1.0	NM	NM	NM	0	7.48	33.83	2.46	1
9/27/2013	11.17	40.63	5.17	1.0	NM	NM	NM	0	7.23	34.39	1.9	1
10/31/2013	11.09	43.71	2.09	1.0	NM	NM	NM	0	7.16	34.96	1.33	0.5
11/27/2013	11.17	44.06	1.74	1.0	NM	NM	NM	0	7.29	35.03	1.26	0.5
12/31/2013	11.02	44.62	1.18	1.0	NM	NM	NM	0	7.16	35.16	1.13	0.5
1/30/2014	11.34	45.12	0.68	1.0	NM	NM	NM	0	6.72	34.82	1.47	0.5
3/3/2014	11.17	44.32	1.48	1.0	NM	NM	NM	0	6.53	34.52	1.77	0.5
3/31/2014	11.03	44.53	1.27	1.0	NM	NM	NM	0	6.29	34.21	2.08	0.5
4/30/2014	10.92	44.26	1.54	1.0	NM	NM	NM	0	6.42	34.67	1.62	0.5
5/27/2014	10.81	44.34	1.46	1.0	NM	NM	NM	0	6.36	34.72	1.57	0.5
6/26/2014	10.72	44.61	1.19	1.0	NM	NM	NM	0	6.21	34.61	1.68	0.5
7/31/2014	10.13	44.96	0.84	1.0	NM	NM	NM	0	6.06	34.33	1.96	0.3
8/27/2014	10.26	45.12	0.68	1.0	NM	NM	NM	0	6.18	34.98	1.31	0.3
10/3/2014	10.17	44.91	0.89	1.0	NM	NM	NM	0	6.06	34.72	1.57	0.3
11/3/2014	10.29	44.97	0.83	1.0	22.51	70.71	2.09	0.3	6.18	34.91	1.38	0.3
11/24/2014	10.27	44.99	0.81	1.0	22.56	70.92	1.88	0.5	6.21	35.16	1.13	0.5
12/22/2014	10.23	44.71	1.09	1.0	22.47	70.81	1.99	0.5	6.14	35.02	1.27	0.8
1/29/2015	10.16	44.96	0.84	1.0	22.26	71.04	1.76	0.5	5.71	35.29	1	0.8
2/26/2015	10.12	44.96	0.84	1.5	22.06	71.09	1.71	0.5	6.02	35.29	1	1
3/26/2015	9.96	45.21	0.59	1.5	22.17	71.12	1.68	0.3	5.46	35.36	0.93	1
4/27/2015	9.89	45.37	0.43	1.5	22.23	71.06	1.74	0.5	5.21	35.29	1	1
5/26/2015	9.72	45.61	0.19	2.0	22.17	71.14	1.66	0.5	5.07	35.46	0.83	1
7/6/2015	7.12	45.96	0.24	2.0	19.01	71.39	1.41	0.5	4.06	35.66	0.63	1
8/3/2015	7.26	46.09	0.11	2.0	19.16	71.46	1.34	0.8	4.29	35.71	0.58	1
8/27/2015	8.09	46.01	0.19	1.0	20.34	71.51	1.29	0.8	5.05	35.77	0.52	1
10/5/2015	7.12	45.86	0.34	1.0	19.02	71.57	1.23	0.5	4.31	35.96	0.33	1
11/5/2015	6.86	45.81	0.39	1.0	18.59	71.59	1.21	0.5	4.02	35.91	0.38	1
12/3/2015	6.46	45.79	0.41	1.0	18.33	71.67	1.13	0.5	3.92	35.96	0.33	1
12/28/2015	6.23	45.62	0.58	1.3	23.21	71.61	1.19	0.8	3.73	35.91	0.38	1
2/3/2016	6.04	45.55	0.65	1.5	17.96	71.64	1.16	0.5	3.61	35.87	0.42	1
3/3/2016	5.96	45.61	0.59	1.5	17.92	71.71	1.09	0.5	3.51	35.91	0.38	1
3/31/2016	6.06	45.72	0.48	1.5	17.86	71.79	1.01	0.5	3.56	35.92	0.37	1
5/3/2016	6.13	45.66	0.54	1.0	NM	NM	NM	0.0	3.67	35.87	0.53	0.5
6/2/2016	6.21	45.61	0.59	1.0	22.9	71.51	1.29	0.5	3.74	35.92	0.48	0.5
7/8/2016	6.29	45.72	0.48	1.0	23.09	71.52	1.28	0.3	3.91	35.96	0.44	0.5
8/3/2016	6.34	45.77	0.43	1.0	23.16	71.66	1.14	0.3	4.03	35.49	0.91	0.5
8/30/2016	6.47	45.69	0.51	1.0	23.31	71.61	1.19	0.5	4.22	36.09	0.31	0.5
9/30/2016	6.59	45.81	0.39	1.0	23.39	71.81	0.99	0.5	4.33	35.91	0.49	0.5
11/3/2016	6.64	45.92	0.28	1.0	23.41	71.98	0.82	0.5	4.47	35.99	0.41	0.5
11/30/2016	6.86	45.86	0.34	0.5	23.59	71.91	0.89	0.8	4.62	35.91	0.49	0.5
1/4/2017	7.02	45.81	0.39	0.5	23.74	71.82	0.98	0.8	4.83	36.02	0.38	0.3
2/7/2017	6.97	45.69	0.51	0.5	23.67	71.74	1.06	0.8	4.81	35.91	0.49	0.3
3/2/2017	6.91	45.64	0.56	0.5	23.54	76.82	0.98	0.8	4.66	35.97	0.43	0.3
4/3/2017	6.82	45.71	0.49	0.5	23.46	76.96	0.84	0.8	4.57	36.01	0.39	0.3
4/27/2017	6.74	45.64	0.56	0.5	23.21	77.04	0.76	0.5	4.51	36.06	0.34	0.3
5/29/2017	6.89	45.77	0.43	0.5	23.49	77.21	0.59	0.3	4.74	36.03	0.37	0.3
7/5/2017	7.01	45.71	0.49	0.5	23.61	77.27	0.53	0.3	4.86	36.13	0.27	0.3
8/1/2017	7.14	45.63	0.57	0.8	23.79	77.17	0.63	0.3	4.99	36.24	0.16	0.3
9/5/2017	7.03	45.6	0.6	1.0	23.67	77.29	0.51	0.3	4.78	36.24	0.16	0.3
10/4/2017	7.07	45.69	0.51	1.0	23.61	77.36	0.44	0.3	4.89	36.29	0.11	0.3
11/2/2017	7.11	45.76	0.44	1.0	23.74	77.42	0.38	0.3	4.96	36.26	0.14	0.3
11/29/2017	7.16	45.71	0.49	1.0	23.81	77.4	0.40	0.3	5.06	36.31	0.09	0.3
1/2/2018	6.96	45.82	0.38	1.0	23.67	77.43	0.37	0.3	4.93	36.27	0.13	0.3
2/7/2018	7.13	45.87	0.33	1.0	23.86	77.46	0.34	0.3	5.16	36.21	0.19	0.3
3/1/2018	7.36	45.96	0.24	1.0	23.96	77.41	0.39	0.3	5.38	36.13	0.27	0.3
4/2/2018	7.29	45.94	0.26	1.0	23.9	77.32	0.48	0.5	5.31	36.18	0.22	0.3
5/1/2018	8.17	45.91	0.29	1.0	24.47	77.39	0.41	0.5	6.12	36.23	0.17	0.5
6/1/2018	8.49	45.86	0.34	1.0	24.81	77.31	0.49	0.5	6.41	36.19	0.21	0.5
6/29/2018	8.62	45.81	0.39	1.0	24.99	77.37	0.43	0.5	6.59	36.11	0.29	0.8
8/3/2018	8.79	45.96	0.24	1.0	25.12	77.39	0.41	0.5	6.74	36.19	0.21	0.8
8/31/2018	8.32	46.01	0.19	0.8	24.81	77.43	0.37	0.5	6.47	36.23	0.17	0.8
9/28/2018	8.27	45.93	0.27	0.5	24.69	77.39	0.41	0.5	6.41	36.19	0.21	0.8
11/2/2018	8.16	45.91	0.29	0.5	24.57	77.36	0.44	0.5	6.33	36.21	0.19	0.5
11/29/2018	8.01	45.9	0.30	0.5	24.36	77.3	0.50	0.5	6.21	36.27	0.13	0.3
1/2/2019	7.96	45.87	0.33	0.5	24.29	77.31	0.49	0.5	6.09	36.29	0.11	0.3
2/2/2019	7.82	45.89	0.31	0.5	24.21	77.44	0.36	0.5	5.97	36.24	0.16	0.5
2/28/2019	7.69	45.81	0.39	0.5	24.16	77.36	0.44	0.5	5.86	36.21	0.19	0.3
4/2/2019	7.61	45.8	0.4	0.5	24.08	77.32	0.48	0.5	5.79	36.24	0.16	0.3
4/25/2019	7.49	45.76	0.44	1.0	24.01	77.16	0.64	0.5	5.86	36.29	0.11	0.3
5/29/2019	7.51	45.71	0.49	1.0	24.11	77.11	0.69	0.5	5.91	36.21	0.19	0.3
6/12/2019	6.81	45.52	0.68	1.5	24.39	76.71	1.09	1.0	5.46	35.91	0.49	0.5
6/30/2019	6.67	45.06	1.14	2.0	24.32	76.67	1.13	0.8	5.39	35.42	0.98	1
7/16/2019	6.62	45.11	1.09	2.0	24.26	76.61	1.19	1.0	5.32	35.36	1.04	1
8/2/2019	6.69	45.01	1.19	1.5	24.31	76.49	1.31	1.5	5.41	35.26	1.14	1.5
8/15/2019	6.79	44.76	1.44	2.0	24.22	76.36	1.44	1.5	5.61	35.19	1.21	1.5
8/28/2019	6.88	44.71	1.49	2.0	24.29	76.41	1.39	1.5	5.72	35.22	1.18	1.5
9/17/2019	6.93	43.96	2.24	3.0	24.36	76.29	1.51	1.5	5.81	35.17	1.23	1.5
10/2/2019	6.86	43.17	3.03	0.0	24.32	76.09	1.71	1.5	5.77	35.02	1.38	1.5

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-12B				MW-23C				MW-32B			
	DTW (ft BTOC)	DTD (ft BTOC)	Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	Thickness (ft)	DNAPL Pumped (gal)
10/16/2019	6.71	30.29	15.91	0.0	25.75	75.89	1.91	1.5	4.36	33.42	2.98	1.5
10/31/2019	6.53	21.63	24.57	0.0	26.33	75.29	2.51	1.5	3.43	31.86	4.54	1.5
11/15/2019	7.21	19.12	27.08	0.5	25.69	ND	0	0.0	3.47	35.7	0.7	1
12/3/2019	7.55	27.37	18.83	0.0	26.11	75.12	2.68	1.5	4.33	35.51	0.89	0
12/18/2019	12.68	35.9	10.3	0.0	26.13	77.4	0.4	0.3	4.71	35.61	0.79	1.5
12/30/2019	8.08	28.12	18.08	0.0	26.48	76.1	1.7	0.1	5.04	34.28	2.12	1.5
1/7/2020	--	--	--	--	--	--	--	--	--	--	--	--
1/15/2020	7.47	27.12	19.08	0.0	26.49	77.1	0.7	0.0	4.1	35.4	1	1
1/27/2020	6.28	21.06	25.14	0.0	25.99	76.58	1.22	0.0	3.01	31.15	5.25	1
2/13/2020	6.91	20.42	25.78	0.0	25.51	76.42	1.38	0.0	3.88	31.39	5.01	1
2/25/2020	6.4	23.6	22.6	0.0	25.6	75.5	2.3	0.1	3.9	31.05	5.35	0.8
3/13/2020	7.61	22.01	24.19	0.0	25.66	77.08	0.72	0.0	4.32	32.46	3.94	1.3
3/31/2020	7.88	22.01**	24.19	2.5	25.9	77.12	0.68	0.0	4.63	33.3	3.1	0.3
4/9/2020	7.37	18.21	27.99	3.0	25.91	77.22	0.58	0.0	4.65	30.14	6.26	1.0
4/27/2020	8.64	19.12	27.08	3.5	26.31	76.45	1.35	0.0	5.39	34.52	1.88	0.5
5/14/2020	9.39	33.16	13.04	2.5	26.7	75.89	1.91	0.1	6.02	34.73	1.67	0.5
5/28/2020	8.79	40.29	5.91	1.5	26.75	75.71	2.09	0.1	5.84	34.35	2.05	1.0
6/11/2020	9.29	40.69	5.51	2.5	26.93	ND	0	0.0	5.89	35.01	1.39	0.3
6/25/2020	9.01	BP	NM	2.0	25.89	77.94	0	0.0	5.6	35.12	1.28	0.3
7/9/2020	8.04	BP	NM	1.0	26.64	76	1.8	0.3	4.83	35.18	1.22	0.3
7/23/2020	8.17	BP	NM	2.5	26.81	75.61	2.19	0.3	5.63	34.7	1.7	1.0
8/6/2020	5.43	BP	NM	1.0	26.41	75.52	2.28	0.3	3.88	33.94	2.46	1.3
8/20/2020	8.03	BP	NM	1.0	26.38	75.4	2.4	0.3	4.87	33.87	2.53	0.5
9/2/2020	8.89	BP	NM	1.0	26.71	76.24	1.56	0.5	5.54	35.21	1.19	0.3
9/17/2020	9.84	BP	NM	0.0	26.99	75.9	1.9	0.5	6.01	34.4	2	0.5
10/1/2020	6.9	BP	NM	0.5	26.59	75.08	2.72	0.3	4.88	35.18	1.22	0.3
10/14/2020	8.42	BP	NM	2.5	26.71	75.08	2.72	0.3	4.95	34.26	2.14	0.5
10/28/2020	8.31	BP	NM	2.0	26.84	75.81	1.99	0.3	5.31	33.94	2.46	0.8
11/12/2020	9.19	BP	NM	1.0	27.12	76.12	1.68	TR	5.79	33.71	2.69	2.5
11/23/2020	9.55	BP	NM	0.8	27.41	76.28	1.52	0.3	6.24	34.19	2.21	1.0
12/10/2020	6.67	BP	NM	1.5	26.72	76.2	1.6	0.3	3.68	32.9	3.5	1.0
12/21/2020	5.46	BP	NM	0.8	26.21	NM	NM	0.0	3.89	32.82	3.58	1.0
1/7/2021	5.01	BP	NM	1.0	25.85	ND	0	0.0	3.02	35.4	1	1.0
1/21/2021	5.72	BP	NM	2.0	25.49	75.29	2.51	0.3	3.48	35.01	1.39	1.0
2/4/2021	6.87	BP	NM	1.5	25.48	75.36	2.44	1.3	4.09	34.48	1.92	1.0
2/23/2021	5.47	BP	NM	1.0	25.25	75.61	2.19	1.0	3.19	33.59	2.81	1.0
3/11/2021	5.95	BP	NM	0.8	25.31	75.84	1.96	1.0	3.47	34.05	2.35	1.0
3/25/2021	9.28	BP	NM	1.0	25.2	75.62	2.18	1.0	3.85	34.83	1.57	1.0
4/8/2021	7.52	BP	NM	1.0	25.38	75.4	2.4	1.0	4.92	33.7	2.7	1.0
4/22/2021	8.42	BP	NM	1.0	25.94	76.35	1.45	0.1	5.03	34.2	2.2	1.0
5/4/2021	6.82	BP	NM	1.0	25.95	75.25	2.55	1.0	4.26	34.6	1.8	1.0
5/20/2021	5.52	BP	NM	1.0	25.84	75.66	2.14	1.0	3.55	34.2	2.2	1.0
6/3/2021	5.46	BP	NM	1.0	25.19	75.74	2.06	0.5	2.54	34.6	1.8	1.0
6/17/2021	6.67	BP	NM	1.0	25.06	75.62	2.18	0.5	3.08	33.98	2.42	1.0
7/1/2021	5.46	BP	NM	1.0	24.72	75.12	2.68	0.5	2.61	34.38	2.02	1.0
7/19/2021	5.08	BP	NM	1.0	23.99	74.9	2.9	0.5	2.68	34.18	2.22	0.5
7/29/2021	7.1	BP	NM	1.0	24.19	75.25	2.55	0.3	3.71	34.10	2.3	0.5
8/12/2021	8.71	BP	NM	1.0	24.96	75.72	2.08	0.3	4.96	34.19	2.21	1.0
8/26/2021	8.93	BP	NM	1.0	25.42	75.81	1.99	0.5	5.2	34.8	1.6	1.0
9/10/2021	8.91	BP	NM	0.7	25.87	75.79	2.01	TR	5.68	34.48	1.92	1.1
9/22/2021	7.42	BP	NM	0.0	25.93	ND	0	0	4.72	31.15	5.25	1.3
10/8/2021	6.00	45.60	0.10	0.0	25.68	75.60	2.20	0	3.30	32.70	3.70	1.0
10/20/2021	7.81	44.00	1.70	0.0	26.14	ND	0	0	4.82	32.82	3.58	1.2
11/4/2021	6.03	BP	NM	0.0	25.57	ND	0	0	3.93	33.30	3.10	1.5
11/18/2021	6.75	BP	NM	0.0	25.65	74.80	1.71	0	4.3	33.61	2.79	0.3
12/3/2021	6.30	BP	NM	0.0	25.79	ND	0	0	4.64	32.70	3.70	1.3
12/16/2021	6.37	BP	NM	0.0	25.92	76.00	0.51	0	4.84	33.30	2.70	1.3
12/30/2021	6.21	BP	NM	0.0	25.84	ND	Trace	0	4.22	33.63	2.37	1.5
1/14/2022	6.26	ND	Trace	0.0	25.92	ND	Trace	0	4.31	33.74	2.26	1.5
1/26/2022	6.32	ND	Trace	0.0	26.01	ND	Trace	0	4.26	33.61	2.39	1.5
2/10/2022	5.70	43.50	2.20	0.12	25.65	75.3	1.2	0	3.51	34.65	1.35	0.3
2/24/2022	6.53	BP	NM	0.15	26.00	75.51	0.99	0.2	4.87	34.32	1.68	0.3
3/10/2022	6.40	BP	NM	0.20	25.96	ND	0	0	5.03	34.6	1.40	0.5
3/24/2022	6.83	BP	NM	0.00	26.55	ND	0	0	5.33	35.07	0.93	0.3
Total DNAPL Pumped (gal)	143.2				55.5				113.6			

Notes:

* - indicates DNAPL and groundwater mixture

MW-23C- added 5 feet to TOC due to capping after 2/3/2016

** - indicates DTD from previous event was used; DNAPL recovered revised based on review of field notes.

--- - No DNAPL pumped

ND - Not detected

DTW - Depth to water (feet Below Top of Casing (BTOC))

NM - Not measured

DTD - Depth to DNAPL (feet BTOC)

PoP - Product on probe, not measureable

MW-12B- TD measured at 46.2 instead of 45.8, August 28, 2015.

TR- Trace amount of DNAPL Extracted

BP - Below pump; depth to DNAPL not measured because DNAPL is below top of in-well pump

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-33BR				MW-34C/MW-34CR (July 2014)				MW-41B			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
2/14/2013	3.72	ND	0	0	NM	NM	NM	0	8.91	41.1	3.71	3
4/3/2013	4.02	PoP	0	0	NM	NM	NM	0	9.37	41.6	3.21	1.5
4/22/2013	3.63	ND	0	0	NM	NM	NM	0	8.62	41.6	3.21	0.5*
5/30/2013	3.59	ND	0	0	NM	NM	NM	0	8.73	34.16	10.65	2
6/29/2013	6.07	ND	0	0	NM	NM	NM	0	9.72	37.12	7.69	2
7/22/2013	9.68	ND	0	0	NM	NM	NM	0	10.31	39.29	5.52	1.5
8/26/2013	9.86	ND	0	0	NM	NM	NM	0	10.09	34.55	10.26	2.5
9/27/2013	9.57	ND	0	0	NM	NM	NM	0	9.63	37.29	7.52	2
10/31/2013	9.32	ND	0	0	21.63	NM	NM	0	9.52	38.16	6.65	2
11/27/2013	9.16	ND	0	0	NM	NM	NM	0	9.57	38.39	6.42	2
12/31/2013	8.97	ND	0	0	NM	NM	NM	0	9.42	39.36	5.45	2
1/30/2014	7.41	ND	0	0	NM	NM	NM	0	9.06	39.17	5.64	2
3/3/2014	7.16	ND	0	0	NM	NM	NM	0	8.62	38.06	6.75	2
3/31/2014	7.04	ND	0	0	NM	NM	NM	0	8.52	37.74	7.07	2
4/30/2014	6.88	ND	0	0	NM	NM	NM	0	8.36	37.21	7.6	2
5/27/2014	6.72	ND	0	0	NM	NM	NM	0	8.26	37.29	7.52	2
6/26/2014	6.52	ND	0	0	NM	NM	NM	0	8.02	37.47	7.34	2
7/31/2014	6.29	ND	0	0	19.06	ND	0	0	8.21	37.92	6.89	2
8/27/2014	6.47	ND	0	0	18.96	ND	0	0	8.07	38.29	6.52	1.5
10/3/2014	6.32	ND	0	0	18.81	ND	0	0	8.02	38.13	6.68	2
11/3/2014	NM	NM	NM	0	19.06	ND	0	0	8.22	38.29	6.52	2
11/24/2014	NM	NM	NM	0	19.11	ND	0	0	8.27	38.47	6.34	2
12/22/2014	NM	NM	NM	0	19.06	ND	0	0	8.16	38.39	6.42	2
1/29/2015	NM	NM	NM	0	18.79	ND	0	0	8.02	39.16	5.65	1.5
2/26/2015	NM	NM	NM	0	18.71	ND	0	0	7.92	39.06	5.75	2.5
3/26/2015	NM	NM	NM	0	18.67	ND	0	0	7.83	38.74	6.07	2.5
4/27/2015	NM	NM	NM	0	18.79	ND	0	0	8.02	38.61	6.2	3
5/26/2015	NM	NM	NM	0	18.63	ND	0	0	7.91	38.72	6.09	3
7/6/2015	NM	NM	NM	0	17.29	ND	0	0	6.03	38.96	5.85	2.5
8/3/2015	NM	NM	NM	0	17.21	ND	0	0	6.09	39.01	5.8	2.5
8/27/2015	NM	NM	NM	0	18.46	ND	0	0	7.39	39.14	5.67	2
10/5/2015	NM	NM	NM	0	17.29	ND	0	0	6.32	39.34	5.47	2
11/5/2015	NM	NM	NM	0	16.78	ND	0	0	6.01	39.51	5.3	2
12/3/2015	NM	NM	NM	0	16.44	ND	0	0	5.76	39.56	5.25	2
12/28/2015	NM	NM	NM	0	16.16	ND	0	0	5.62	39.63	5.18	2.3
2/3/2016	NM	NM	NM	0	15.98	ND	0	0	5.32	39.72	5.09	3
3/3/2016	NM	NM	NM	0	15.98	ND	0	0	5.17	39.81	5	3
3/31/2016	NM	NM	NM	0	15.98	ND	0	0	5.26	39.77	5.04	3
5/3/2016	NM	NM	NM	0	15.79	ND	0	0	5.52	39.96	4.85	3
6/2/2016	NM	NM	NM	0	15.97	ND	0	0	5.67	40.07	4.74	3
7/8/2016	NM	NM	NM	0	16.06	ND	0	0	5.72	40.01	4.8	3
8/3/2016	NM	NM	NM	0	16.17	ND	0	0	5.79	40.09	4.72	3
8/30/2016	NM	NM	NM	0	16.31	ND	0	0	5.91	40.26	4.55	3
9/30/2016	NM	NM	NM	0	16.42	ND	0	0	6.06	40.13	4.68	3
11/3/2016	NM	NM	NM	0	16.51	ND	0	0	6.11	40.29	4.52	3
11/30/2016	NM	NM	NM	0	16.72	ND	0	0	6.26	40.42	4.39	3
1/4/2017	NM	NM	NM	0	16.94	ND	0	0	6.39	40.56	4.25	3
2/7/2017	NM	NM	NM	0	16.91	ND	0	0	6.44	40.51	4.3	3
3/2/2017	NM	NM	NM	0	16.78	ND	0	0	6.29	40.76	4.05	3
4/3/2017	NM	NM	NM	0	16.71	ND	0	0	6.21	40.67	4.14	2.5
4/27/2017	NM	NM	NM	0	16.61	ND	0	0	6.19	40.87	3.94	3
5/29/2017	NM	NM	NM	0	16.84	ND	0	0	6.14	40.29	4.52	3
7/5/2017	NM	NM	NM	0	17.01	ND	0	0	6.34	40.57	4.24	2.5
8/1/2017	NM	NM	NM	0	17.17	ND	0	0	6.42	40.79	4.02	3
9/5/2017	NM	NM	NM	0	17.11	ND	0	0	6.36	40.68	4.13	3
10/4/2017	NM	NM	NM	0	17.06	ND	0	0	6.29	40.69	4.12	2.5
11/2/2017	NM	NM	NM	0	17.17	ND	0	0	6.41	40.73	4.08	3
11/29/2017	NM	NM	NM	0	17.29	ND	0	0	6.52	40.82	3.99	2.5
1/2/2018	NM	NM	NM	0	17.52	ND	0	0	6.72	40.72	4.09	2.5
2/7/2018	NM	NM	NM	0	18.11	ND	0	0	6.97	40.79	4.02	2.5
3/1/2018	NM	NM	NM	0	18.38	ND	0	0	7.16	40.63	4.18	2
4/2/2018	NM	NM	NM	0	18.29	ND	0	0	7.13	40.71	4.1	2
5/1/2018	NM	NM	NM	0	18.33	ND	0	0	8.26	40.76	4.05	2
6/1/2018	NM	NM	NM	0	18.62	ND	0	0	8.71	40.81	4	2.3
6/29/2018	NM	NM	NM	0	18.91	ND	0	0	9.02	40.71	4.1	2.5
8/3/2018	NM	NM	NM	0	19.06	ND	0	0	9.13	40.76	4.05	2.5
8/31/2018	NM	NM	NM	0	18.77	ND	0	0	8.89	40.86	3.95	2
9/28/2018	NM	NM	NM	0	18.64	ND	0	0	8.77	40.76	4.05	2
11/2/2018	NM	NM	NM	0	18.57	ND	0	0	8.61	40.71	4.1	2
11/29/2018	NM	NM	NM	0	18.39	ND	0	0	8.41	40.81	4	2
1/2/2019	NM	NM	NM	0	18.26	ND	0	0	8.22	40.83	3.98	2
2/2/2019	NM	NM	NM	0	18.19	ND	0	0	8.16	40.89	3.92	2
2/28/2019	NM	NM	NM	0	18.02	ND	0	0	8.03	40.76	4.05	3
4/2/2019	NM	NM	NM	0	17.96	ND	0	0	7.93	40.69	4.12	3
4/25/2019	NM	NM	NM	0	Well Damaged				7.76	40.28	4.53	3
5/29/2019	NM	NM	NM	0	Well Damaged				7.71	40.07	4.74	3
6/12/2019	NM	NM	NM	0	Well Damaged				7.52	39.63	5.18	3
6/30/2019	NM	NM	NM	0	Well Damaged				7.46	39.52	5.29	3
7/16/2019	NM	NM	NM	0	Well Damaged				7.39	39.46	5.35	3
8/2/2019	NM	NM	NM	0	Well Damaged				7.46	39.42	5.39	0
8/15/2019	NM	NM	NM	0	Well Damaged				7.51	39.31	5.5	3
8/28/2019	NM	NM	NM	0	Well Damaged				7.57	39.21	5.6	3
9/17/2019	NM	NM	NM	0	Well Damaged				7.66	39.02	5.79	3
10/2/2019	NM	NM	NM	0	Well Damaged				7.61	38.76	6.05	3

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-33BR				MW-34C/MW-34CR (July 2014)				MW-41B			
	DTW (ft BTOC)	DTD (ft BTOC)	Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	Thickness (ft)	DNAPL Pumped (gal)
10/16/2019	NM	NM	NM	0	Well Damaged			0	5.21	38.67	6.14	3
10/31/2019	NM	NM	NM	0	Well Damaged			0	5.21	38.67	6.14	3
11/15/2019	NM	NM	NM	0	Well Damaged			0	4.81	38.12	6.69	2
12/3/2019	NM	NM	NM	0	Well Damaged			0	6.46	39.27	5.54	3
12/18/2019	NM	NM	NM	0	Well Damaged			0	6.51	41.7	3.11	0
12/30/2019	NM	NM	NM	0	Well Damaged			0	6.99	43.5	1.31	0
1/7/2020	--	--	--	--	--	--	--	--	--	--	--	--
1/15/2020	NM	NM	NM	0	Well Damaged			0	5.12	38.99	5.82	0
1/27/2020	NM	NM	NM	0	Well Damaged			0	3.41	40.7	4.11	0
2/13/2020	NM	NM	NM	0	Well Damaged			0	5.1	40.12	4.69	0
2/25/2020	NM	NM	NM	0	Well Damaged			0	4.5	41.12	3.69	0
3/13/2020	NM	NM	NM	0	Well Damaged			0	6.06	42.12	2.69	0
3/31/2020	NM	NM	NM	0	17.49	ND	0	0	6.82	42.12**	2.69	2
4/9/2020	NM	NM	NM	0	17.63	ND	0	0	6.47	BP	NM	2
4/27/2020	NM	NM	NM	0	17.89	ND	0	0	8.01	BP	NM	2
5/14/2020	NM	NM	NM	0	18.29	ND	0	0	8.71	42.1	2.71	3.5
5/28/2020	NM	NM	NM	0	18.31	ND	0	0	8.08	BP	NM	3.5
6/11/2020	NM	NM	NM	0	18.51	ND	0	0	8.01	41.59	3.22	2
6/25/2020	NM	NM	NM	0	17.66	ND	0	0	7.52	BP	NM	2
7/9/2020	NM	NM	NM	0	18.22	ND	0	0	7.29	BP	NM	2
7/23/2020	NM	NM	NM	0	18.36	ND	0	0	7.49	BP	NM	2.5
8/6/2020	NM	NM	NM	0	17.66	ND	0	0	5.64	BP	NM	1.3
8/20/2020	NM	NM	NM	0	18.02	ND	0	0	7.38	BP	NM	0.5
9/2/2020	NM	NM	NM	0	18.2	ND	0	0	8.11	BP	NM	0.8
9/17/2020	NM	NM	NM	0	18.56	ND	0	0	8.81	BP	NM	1
10/1/2020	NM	NM	NM	0	18.29	ND	0	0	6.39	BP	NM	0.8
10/14/2020	NM	NM	NM	0	18.31	ND	0	0	8.71	BP	NM	2
10/28/2020	NM	NM	NM	0	18.61	ND	0	0	8.51	BP	NM	1.5
11/12/2020	NM	NM	NM	0	18.71	ND	0	0	8.49	BP	NM	0.5
11/23/2020	NM	NM	NM	0	18.97	ND	0	0	8.84	BP	NM	0
12/10/2020	NM	NM	NM	0	18.62	ND	0	0	5.31	BP	NM	1.5
12/21/2020	NM	NM	NM	0	18.01	ND	0	0	4.42	BP	NM	1
1/7/2021	NM	NM	NM	0	17.52	ND	0	0	4.48	BP	NM	1.5
1/21/2021	NM	NM	NM	0	17.39	ND	0	0	4.59	BP	NM	2
2/4/2021	NM	NM	NM	0	17.22	ND	0	0	5.62	BP	NM	1.5
2/23/2021	NM	NM	NM	0	17.04	ND	0	0	4.58	BP	NM	1
3/11/2021	NM	NM	NM	0	16.98	ND	0	0	4.22	BP	NM	1.5
3/25/2021	NM	NM	NM	0	17.01	ND	0	0	5.13	BP	NM	1.0
4/8/2021	NM	NM	NM	0	17.22	ND	0	0	6.63	BP	NM	1.0
4/22/2021	NM	NM	NM	0	17.41	ND	0	0	7.64	BP	NM	1.0
5/4/2021	NM	NM	NM	0	17.57	ND	0	0	5.96	BP	NM	1.0
5/20/2021	NM	NM	NM	0	16.51	ND	0	0	5.62	BP	NM	1.0
6/3/2021	NM	NM	NM	0	15.81	ND	0	0	4.41	BP	NM	1.0
6/17/2021	NM	NM	NM	0	16.74	ND	0	0	5.81	BP	NM	1.0
7/1/2021	NM	NM	NM	0	15.71	ND	0	0	4.36	BP	NM	1.0
7/19/2021	NM	NM	NM	0	15.49	ND	0	0	4.11	BP	NM	1.0
7/29/2021	NM	NM	NM	0	15.98	ND	0	0	6.51	BP	NM	1.0
8/12/2021	NM	NM	NM	0	16.58	ND	0	0	8.01	BP	NM	1.0
8/26/2021	NM	NM	NM	0	17.11	ND	0	0	8.04	BP	NM	1.0
9/10/2021	NM	NM	NM	0	17.56	ND	0	0	8.25	BP	NM	0.3
9/22/2021	5.32	ND	0	0	17.32	ND	0	0	5.66	BP	NM	0
10/8/2021	1.53	ND	0	0	NM	NM	NM	0	1.34	43.68	1.13	0.0
10/20/2021	1.98	ND	0	0	17.68	ND	0	0	5.98	43.01	1.80	0.0
11/4/2021	3.56	ND	0	0	NM	NM	NM	0	5.08	42.00	2.81	0.3
11/18/2021	NM	NM	NM	0	NM	NM	NM	0	5.92	BP	NM	0.0
12/3/2021	3.7	ND	0	0	NM	NM	NM	0	6.57	BP	NM	0.0
12/16/2021	4.6	ND	0	0	17.6	ND	0	0	6.63	BP	NM	0.0
12/30/2021	4.29	ND	0	0	17.52	ND	0	0	5.21	BP	NM	0.0
1/14/2022	4.36	ND	0	0	17.58	ND	0	0	5.34	ND	Trace	0.0
1/26/2022	4.43	ND	0	0	17.66	ND	0	0	5.42	ND	Trace	0.0
2/10/2022	4.3	ND	0	0	17.3	ND	0	0	4.61	41.55	3.26	0.3
2/24/2022	4.25	ND	0	0	17.42	ND	0	0	5.6	41.55	3.26	0.2
3/10/2022	NM	NM	NM	0	17.48	ND	0	0	5.59	41.58	3.23	0.3
3/24/2022	5.08	ND	0	0	17.72	ND	0	0	5.06	BP	NM	TR
Total DNAPL Pumped (gal)				0				0				266.5

Notes:

* - indicates DNAPL and groundwater mixture

ND - Not detected

** - indicates DTD from previous event was used

NM - Not measured

--- - No DNAPL pumped

PoP - Product on probe, not measureable

DTW - Depth to water (feet Below Top of Casing (BTOC))

TR- Trace amount of DNAPL Extracted

DTD - Depth to DNAPL (feet BTOC)

BP - Below pump; depth to DNAPL not measured because DNAPL is below top of in-well pump

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-44C				MW-45C				MW-46C			
	DTW (ft BTOC)	DTD (ft BTOC)	Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	Thickness (ft)	DNAPL Pumped (gal)
2/14/2013	18.96	62.95	7.85	1	21.26	69.9	0.7	0.3	21.07	71.3	1.6	0.3
4/3/2013	19.34	70.47	0.33	0.3*	21.39	70.39	0.21	0.3*	20.61	72.36	0.54	0.3*
4/22/2013	18.62	70.64	0.16	0.3*	21.03	70.47	0.13	0.3*	20.61	72.61	0.29	0.3*
5/30/2013	18.43	70.01	0.79	0.3*	21.16	70.25	0.35	0.3*	20.59	71.61	1.29	0.3*
6/29/2013	19.34	70.32	0.48	0.3	21.93	70.32	0.28	0.3*	21.09	72.34	0.56	0.3*
7/22/2013	20.36	70.26	0.54	0.3	22.72	70.39	0.21	0.3*	21.96	72.16	0.74	0.3*
8/26/2013	20.62	70.39	0.41	0.3	22.86	70.31	0.29	0.3	22.23	72.32	0.58	0.3
9/27/2013	20.39	70.61	0.19	0.3	22.66	70.17	0.43	0.3	22.09	72.09	0.81	0.3
10/31/2013	20.17	70.75	0.05	0.1	22.59	70.42	0.18	0.1	22.41	72.34	0.56	0.2
11/27/2013	20.09	70.78	0.02	0.0	22.52	70.49	0.11	0	22.31	72.47	0.43	0.1
12/31/2013	20.01	70.8	PoP	0.0	22.39	70.46	0.14	0	22.03	72.53	0.37	0.1
1/30/2014	19.67	70.42	0.38	0.3	22.13	70.35	0.25	0	21.81	72.55	0.35	0.1
3/3/2014	19.29	70.17	0.63	0.3	21.86	70.09	0.51	0	21.57	72.05	0.85	0.3
3/31/2014	19.17	70.02	0.78	0.3	21.71	69.63	0.97	0.3	21.43	72.12	0.78	0.1
4/30/2014	19.02	69.81	0.99	0.3	21.59	69.74	0.86	0.3	21.27	71.81	1.09	0.3
5/27/2014	18.92	69.71	1.09	0.0	21.52	69.67	0.93	0.3	21.34	71.71	1.19	0.3
6/26/2014	18.81	69.52	1.28	0.3	21.59	69.77	0.83	0.3	21.17	71.6	1.3	0.3
7/31/2014	18.66	69.37	1.43	0.3	21.21	69.96	0.64	0.3	20.39	71.43	1.47	0.3
8/27/2014	18.53	69.47	1.33	0.3	21.13	70.12	0.48	0.3	20.22	71.61	1.29	0.3
10/3/2014	18.41	69.23	1.57	0.3	20.13	70.41	0.19	0.3	20.14	71.39	1.51	0.3
11/3/2014	18.52	69.37	1.43	0.3	20.29	70.36	0.24	0.3	20.27	71.47	1.43	0.3
11/24/2014	18.57	69.49	1.31	0.5	20.34	70.48	0.12	0.3	20.38	71.53	1.37	0.5
12/22/2014	18.51	69.31	1.49	0.5	20.31	70.41	0.19	0.3	20.37	71.42	1.48	0.5
1/29/2015	18.39	69.39	1.41	0.5	20.17	70.51	0.09	0.3	20.13	71.48	1.42	0.5
2/26/2015	18.42	69.51	1.29	0.5	20.11	70.59	0.01	0	20.09	71.38	1.52	0.5
3/26/2015	18.39	69.42	1.38	0.3	19.26	70.52	0.08	0	20.17	71.02	1.88	0.3
4/27/2015	18.29	69.52	1.28	0.5	20.17	70.48	0.12	0.3	20.22	71.56	1.34	1.0
5/26/2015	18.17	69.57	1.23	0.8	20.12	70.41	0.19	0.3	20.12	71.61	1.29	1.0
7/6/2015	16.29	69.86	0.94	0.5	18.07	70.49	0.11	0.3	18.17	71.93	0.97	0.8
8/3/2015	16.18	69.82	0.98	0.5	18.16	70.56	0.04	TR*	18.24	71.98	0.92	0.8
8/27/2015	17.46	69.74	1.06	0.3	19.03	70.54	0.06	TR*	19.39	72.03	0.87	0.5
10/5/2015	16.83	69.86	0.94	0.3	18.39	ND	0	0	18.72	72.34	0.56	0.5
11/5/2015	16.62	69.79	1.01	0.3	17.96	ND	0	0	18.51	72.26	0.64	0.5
12/3/2015	16.46	69.73	1.07	0.3	17.72	ND	0	0	18.62	72.36	0.54	0.5
12/28/2015	16.32	69.77	1.03	0.3	17.62	ND	0	0	18.42	72.31	0.59	0.5
2/3/2016	16.17	69.74	1.06	0.3	17.42	ND	0	0	18.29	72.46	0.44	0.3
3/3/2016	16.12	69.79	1.01	0.3	17.39	ND	0	0	18.23	72.49	0.41	0.3
3/31/2016	16.06	69.71	1.09	0.3	17.33	ND	0	0	18.24	72.54	0.36	0.3
5/3/2016	16.27	69.59	1.21	0.3	17.47	ND	0	0	18.39	72.39	0.51	0.3
6/2/2016	16.38	69.63	1.17	0.3	17.52	ND	0	0	18.43	72.43	0.47	0.3
7/8/2016	16.47	69.71	1.09	0.3	17.62	ND	0	0	18.54	72.49	0.41	0.3
8/3/2016	16.59	69.7	1.1	0.3	17.69	ND	0	0	18.51	72.53	0.37	0.3
8/30/2016	16.67	69.58	1.22	0.3	17.76	ND	0	0	18.72	72.57	0.33	0.3
9/30/2016	16.79	69.49	1.31	0.5	17.86	ND	0	0	18.83	72.46	0.44	0.3
11/3/2016	16.86	69.71	1.09	0.5	17.92	ND	0	0	18.89	72.41	0.49	0.3
11/30/2016	17.03	69.94	0.86	0.8	18.09	ND	0	0	19.12	72.32	0.58	0.3
1/4/2017	17.22	70.11	0.69	0.8	18.22	ND	0	0	19.27	72.46	0.44	0.3
2/7/2017	17.29	70.01	0.79	0.5	18.17	ND	0	0	19.19	72.39	0.51	0.3
3/2/2017	17.17	70.16	0.64	0.5	17.96	ND	0	0	19.03	72.31	0.59	0.3
4/3/2017	17.06	70.21	0.59	0	17.89	ND	0	0	18.97	72.39	0.51	0.3
4/27/2017	17.01	70.29	0.51	0	17.67	ND	0	0	18.84	72.31	0.59	0.5
5/29/2017	17.23	70.24	0.56	0.3	17.84	ND	0	0	18.94	72.47	0.43	0.3
7/5/2017	17.33	70.34	0.46	0.3	17.96	ND	0	0	19.12	72.34	0.56	0.5
8/1/2017	17.39	70.39	0.41	0.3	18.09	ND	0	0	19.23	72.27	0.63	0.5
9/5/2017	17.36	70.43	0.37	0.3	18.16	ND	0	0	19.29	72.34	0.56	0.5
10/4/2017	17.31	70.41	0.39	0.3	18.21	ND	0	0	19.36	72.3	0.6	0.5
11/2/2017	17.42	70.4	0.4	0.3	18.32	ND	0	0	19.42	72.36	0.54	0.5
11/29/2017	17.49	70.36	0.44	0.3	18.43	ND	0	0	19.57	72.34	0.56	0.5
1/2/2018	17.67	70.31	0.49	0.5	18.73	ND	0	0	19.81	72.39	0.51	0.5
2/7/2018	17.77	70.34	0.46	0.5	18.62	ND	0	0	19.96	72.46	0.44	0.5
3/1/2018	NM	NM	NM	0	18.79	ND	0	0	20.02	72.32	0.58	0.5
4/2/2018	NM	NM	NM	0	18.72	ND	0	0	19.81	72.39	0.51	0.5
5/1/2018	NM	NM	NM	0	19.31	ND	0	0	20.62	72.46	0.44	1
6/1/2018	18.31	70.17	0.63	0.8	19.47	ND	0	0	20.87	72.51	0.39	1
6/29/2018	18.79	70.39	0.41	0.8	19.67	ND	0	0	20.97	72.57	0.33	1
8/3/2018	18.97	70.36	0.44	0.8	19.77	ND	0	0	21.11	72.59	0.31	1
8/31/2018	18.87	70.39	0.41	0.5	19.41	ND	0	0	20.96	72.48	0.42	0.5
9/28/2018	18.82	70.41	0.39	0.8	19.32	ND	0	0	20.91	72.43	0.47	0.5
11/2/2018	18.67	70.44	0.36	0.8	19.26	ND	0	0	20.77	72.39	0.51	0.8
11/29/2018	18.47	70.46	0.34	0.3	19.16	ND	0	0	20.52	72.34	0.56	0.5
1/2/2019	18.42	70.41	0.39	0.5	19.02	ND	0	0	20.49	72.46	0.44	0.5
2/2/2019	18.29	70.41	0.39	0.5	18.93	ND	0	0	20.43	72.49	0.41	0.5
2/28/2019	18.16	70.42	0.38	0.5	18.77	ND	0	0	20.34	72.37	0.53	0.5
4/2/2019	18.09	70.39	0.41	0.5	18.71	ND	0	0	20.18	72.32	0.58	0.5
4/25/2019	18.02	70.16	0.64	0.5	18.63	ND	0	0	20.14	72.36	0.54	0.5
5/29/2019	18.61	70.23	0.57	0.5	18.47	ND	0	0	20.06	72.39	0.51	0.5
6/12/2019	18.29	ND	Trace	0	18.81	ND	0	0	18.02	ND	Trace	0
6/30/2019	18.16	ND	0	0	18.71	ND	0	0	18.09	ND	0	0
7/16/2019	18.09	ND	0	0	18.66	ND	0	0	18.12	ND	0	0
8/2/2019	18.17	ND	0	0	18.72	ND	0	0	18.17	ND	0	0
8/15/2019	18.22	ND	0	0	18.79	ND	0	0	18.09	ND	0	0
8/28/2019	18.29	ND	0	0	18.86	ND	0	0	18.17	ND	0	0
9/17/2019	18.39	ND	0	0	18.97	ND	0	0	18.23	ND	0	0
10/2/2019	18.32	ND	0	0	18.89	ND	0	0	18.17	ND	0	0

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-44C				MW-45C				MW-46C			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
10/16/2019	15.06	ND**	0	0	16.23	ND	0	0	16.34	ND	0	0
10/31/2019	14.89	ND**	0	0	15.94	ND	0	0	16.06	ND	0	0
11/15/2019	14.21	ND**	0	0	15.69	ND	0	0	15.81	ND	0	0
12/3/2019	16.11	ND**	0	0	15.71	ND	0	0	15.91	ND	0	0
12/18/2019	16.51	ND**	0	0	15.91	ND	0	0	16.11	ND	0	0
12/30/2019	16.65	ND**	0	0	16.11	ND	0	0	16.22	ND	0	0
1/7/2020	--	--	--	--	--	--	--	--	--	--	--	--
1/15/2020	16.61	ND**	0	0	16.11	ND	0	0	16.29	ND	0	0
1/27/2020	16.24	ND**	0	0	15.71	ND	0	0	16.15	ND	0	0
2/13/2020	15.81	ND**	0	0	15.29	ND	0	0	14.4	ND	0	0
2/25/2020	15.81	ND**	0	0	15.28	ND	0	0	15.42	ND	0	0
3/13/2020	15.84	ND**	0	0	15.31	ND	0	0	15.57	ND	0	0
3/31/2020	14.82	ND**	0	0	15.59	ND	0	0	15.72	ND	0	0
4/9/2020	22.76	ND**	0	0	15.67	ND	0	0	15.89	ND	0	0
4/27/2020	14.67	ND**	0	0	15.94	ND	0	0	16.12	ND	0	0
5/14/2020	14.21	ND**	0	0	16.38	69.3	1.30	0.1	16.51	ND	0	0
5/28/2020	12.06	57.61	0.39**	0	16.46	70	0.6	0	16.71	ND	0	0
6/11/2020	11.61	ND**	0	0	16.68	ND	0	0	16.83	ND	0	0
6/25/2020	10.37	ND**	0	0	14.99	ND	0	0	15.12	ND	0	0
7/9/2020	11.51	ND**	0	0	16.28	ND	0	0	16.51	ND	0	0
7/23/2020	16.92	ND**	0	0	16.49	69.7	0.90	TR	16.49	ND	0	0
8/6/2020	16.75	ND**	0	0	16.19	ND	0	0	16.47	ND	0	0
8/20/2020	16.71	ND**	0	0	16.18	ND	0	0	16.35	ND	0	0
9/2/2020	16.84	ND**	0	0	16.21	ND	0	0	16.51	ND	0	0
9/17/2020	17.29	ND**	0	0	16.71	ND	0	0	16.85	ND	0	0
10/1/2020	16.84	ND**	0	0	16.61	ND	0	0	16.64	ND	0	0
10/14/2020	16.92	ND**	0	0	16.39	ND	0	0	16.58	ND	0	0
10/28/2020	17.11	ND**	0	0	16.58	70.6	Trace	TR	16.74	ND	0	0
11/12/2020	17.42	ND**	0	0	16.83	ND	0	0	17.04	ND	0	0
11/23/2020	17.69	ND**	0	0	17.12	ND	0	0	17.33	ND	0	0
12/10/2020	17.01	ND**	0	0	16.50	ND	0	0	16.71	ND	0	0
12/21/2020	16.69	ND**	0	0	16.02	69.04	1.56	0.3	16.22	ND	0	0
1/7/2021	15.91	ND**	0	0	15.59	ND	0	0	15.81	ND	0	0
1/21/2021	15.77	ND**	0	0	15.2	70.5	0.1	TR	15.44	ND	0	0
2/4/2021	15.69	ND**	0	0	15.19	70.55	0.05	TR	15.39	ND	0	0
2/23/2021	14.55	ND**	0	0	14.99	70.21	0.39	TR	15.24	ND	0	0
3/11/2021	15.49	ND**	0	0	14.98	ND	0	0	15.21	ND	0	0
3/25/2021	15.5	ND**	0	0	14.99	ND	0	0	15.18	ND	0	0
4/8/2021	15.59	ND**	0	0	15.19	ND	0	0	15.41	ND	0	0
4/22/2021	16.09	ND**	0	0	15.52	ND	0	0	15.77	ND	0	0
5/4/2021	Well Damaged			0	14.58	ND	0	0	14.74	ND	0	0
5/20/2021	Well Damaged			0	15.58	ND	0	0	15.75	ND	0	0
6/3/2021	Well Damaged			0	14.96	ND	0	0	15.21	ND	0	0
6/17/2021	Well Damaged			0	15.76	ND	0	0	15.08	ND	0	0
7/1/2021	Well Damaged			0	14.59	69.79	0.81	0.3	14.81	ND	0	0
7/19/2021	Well Damaged			0	14.05	69.42	1.18	0.3	14.26	ND	0	0
7/29/2021	Well Damaged			0	14.05	69.71	0.89	0.1	14.29	ND	0	0
8/12/2021	Well Damaged			0	14.68	70.36	0.24	TR	14.84	ND	0	0
8/26/2021	Well Damaged			0	15.21	ND	0	0	15.43	ND	0	0
9/10/2021	Well Damaged			0	15.63	ND	0	0	15.82	ND	0	0
9/22/2021	Well Damaged			0	15.71	ND	0	0	15.89	ND	0	0
10/8/2021	Well Damaged			0	15.47	ND	0	0	15.83	ND	0	0
10/20/2021	Well Damaged			0	15.88	ND	0	0	15.98	ND	0	0
11/4/2021	Well Damaged			0	15.31	68.61	1.99	0	15.51	ND	0	0
11/18/2021	Well Damaged			0	15.31	ND	0	0	15.51	ND	0	0
12/3/2021	Well Damaged			0	15.51	ND	0	0	15.72	ND	0	0
12/16/2021	Well Damaged			0	15.68	ND	0	0	16.02	ND	0	0
12/30/2021	Well Damaged			0	15.61	ND	Trace	0	15.62	ND	Trace	0
1/14/2022	Well Damaged			0	15.72	ND	Trace	0	15.81	ND	Trace	0
1/26/2022	Well Damaged			0	15.83	ND	Trace	0	15.96	ND	Trace	0
2/10/2022	Well Damaged			0	15.33	ND	0	0	15.56	ND	0	0
2/24/2022	Well Damaged			0	15.58	69.83	0.67	0	15.78	ND	0	0
3/10/2022	Well Damaged			0	15.58	69.71	0.79	0.3	15.83	ND	0	0
3/24/2022	Well Damaged			0	16.08	ND	0	0.0	16.20	ND	0	0
Total DNAPL Pumped (gal)				26.7				7.1				31.8

Notes:

* - indicates DNAPL and groundwater mixture

--- No DNAPL pumped

DTW - Depth to water (feet Below Top of Casing (BTOC))

DTD - Depth to DNAPL (feet BTOC)

MW-44C not measured 3/1/18 - 5/1/18; couldn't locate well due to construction.

**Total depth measured in MW-44C was approximately 10 ft higher than during previous events - attempted to remove silt in July and October 2020.

ND - Not detected

NM - Not measured

PoP - Product on probe, not measureable

TR- Trace amount of DNAPL Extracted

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-49B				MW-57A				MW-57B			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
2/14/2013	11.83	33.91	0.84	--	10.56	22.12	4.78	0.5	28.56	41.41	1.54	0.3
4/3/2013					10.32	24.79	2.11	0.5	28.09	42.36	0.59	0.3*
4/22/2013					10.71	25.85	1.05	0.5	27.06	42.17	0.78	0.3
5/30/2013					10.63	24.16	2.74	0.5	27.13	41.63	1.32	0.3
6/29/2013					12.16	23.82	3.08	2	18.26	42.07	0.88	0.3
7/22/2013					13.21	23.05	3.85	2	16.34	41.67	1.28	0.8
8/26/2013					12.91	25.32	1.58	1	18.01	42.31	0.64	0.3
9/27/2013					12.72	25.71	1.19	0.8	17.74	42.51	0.39	0.3
10/31/2013					12.72	25.92	0.98	1	17.61	42.61	0.29	0.1
11/27/2013					12.61	25.98	0.92	1	17.54	42.67	0.23	0.1
12/31/2013					12.46	26.09	0.81	1	17.36	42.74	0.16	0.1
1/30/2014					11.79	26.15	0.75	0.3	17.04	ND	Trace	0
3/3/2014					11.02	26.25	0.65	0.3	16.51	ND	Trace	0
3/31/2014					10.83	26.41	0.49	0.3	16.41	ND	Trace	0
4/30/2014					10.71	26.31	0.59	0.3	16.29	ND	Trace	0
5/27/2014					10.74	26.16	0.74	0.3	16.13	ND	Trace	0
6/26/2014					10.61	26.29	0.61	0.3	16.02	ND	Trace	0
7/31/2014					10.35	26.18	0.72	0.3	15.84	ND	Trace	0
8/27/2014					10.22	26.26	0.64	0.3	15.71	ND	Trace	0
10/3/2014					10.09	26.04	0.86	0.3	15.61	ND	Trace	0
11/3/2014					10.17	26.16	0.74	0.3	NM	NM	NM	0
11/24/2014					10.13	26.29	0.61	0.3	NM	NM	NM	0
12/22/2014					10.06	26.34	0.56	0.3	NM	NM	NM	0
1/29/2015	12.02	34.62	0.24	--	9.73	26.51	0.39	0.3	NM	NM	NM	0
2/26/2015					9.87	26.42	0.48	0.3	NM	NM	NM	0
3/26/2015					9.81	26.32	0.58	0.3	NM	NM	NM	0
4/27/2015					9.82	26.47	0.43	0.5	NM	NM	NM	0
5/26/2015					9.71	26.56	0.34	0.5	NM	NM	NM	0
7/6/2015					7.41	26.82	0.08	TR*	NM	NM	NM	0
8/3/2015					7.29	26.86	0.04	TR*	12.32	ND	PoP	0
8/27/2015					8.11	ND	0	TR*	13.04	ND	0	0
10/5/2015					7.72	ND	0	0	12.62	ND	0	0
11/5/2015					7.39	ND	0	0	12.27	ND	0	0
12/3/2015					7.13	ND	0	0	12.02	ND	0	0
12/28/2015					NM	NM	NM	0	NM	NM	NM	0
2/3/2016					NM	NM	NM	0	NM	NM	NM	0
3/3/2016					NM	NM	NM	0	NM	NM	NM	0
3/31/2016					NM	NM	NM	0	NM	NM	NM	0
5/3/2016					NM	NM	NM	0	NM	NM	NM	0
6/2/2016					7.26	ND	0	0	12.32	ND	0	0
7/8/2016					7.39	ND	0	0	12.44	ND	0	0
8/3/2016					7.46	ND	0	0	12.52	ND	0	0
8/30/2016					7.58	ND	0	0	12.67	ND	0	0
9/30/2016					7.69	ND	0	0	12.81	ND	0	0
11/3/2016					7.77	ND	0	0	12.92	ND	0	0
11/30/2016					7.92	ND	0	0	13.16	ND	0	0
1/4/2017					8.07	ND	0	0	13.24	ND	0	0
2/7/2017					8.18	ND	0	0	13.29	ND	0	0
3/2/2017					8.02	ND	0	0	13.17	ND	0	0
4/3/2017					8.06	ND	0	0	13.04	ND	0	0
4/27/2017					8.01	ND	0	0	13.14	ND	0	0
5/29/2017					8.34	ND	0	0	13.41	ND	0	0
7/5/2017					8.41	ND	0	0	13.57	ND	0	0
8/1/2017					8.52	ND	0	0	13.69	ND	0	0
9/5/2017					8.46	ND	0	0	13.79	ND	0	0
10/4/2017					8.41	ND	0	0	13.71	ND	0	0
11/2/2017					8.52	ND	0	0	13.91	ND	0	0
11/29/2017					8.67	ND	0	0	14.02	ND	0	0
1/2/2018					8.91	ND	0	0	13.06	ND	0	0
2/7/2018					8.98	ND	0	0	12.42	ND	0	0
3/1/2018					9.22	ND	0	0	12.58	ND	0	0
4/2/2018					9.16	ND	0	0	12.46	ND	0	0
5/1/2018					9.34	ND	0	0	13.04	ND	0	0
6/1/2018					9.67	ND	0	0	13.29	ND	0	0
6/29/2018					9.87	ND	0	0	13.47	ND	0	0
8/3/2018					10.02	ND	0	0	13.61	ND	0	0
8/31/2018					9.91	ND	0	0	13.47	ND	0	0
9/28/2018					9.86	ND	0	0	13.36	ND	0	0
11/2/2018					9.77	ND	0	0	13.21	ND	0	0
11/29/2018					9.56	ND	0	0	13.01	ND	0	0
1/2/2019					9.52	ND	Trace	0	13.03	ND	Trace	0
2/2/2019					9.41	ND	Trace	0	12.91	ND	Trace	0
2/28/2019					9.32	ND	Trace	0	12.83	ND	Trace	0
4/2/2019					9.27	ND	Trace	0	12.76	ND	Trace	0
4/25/2019					9.16	ND	Trace	0	12.71	ND	Trace	0
5/29/2019					9.06	ND	Trace	0	12.70	ND	Trace	0
6/12/2019					9.39	ND	0	0	12.93	ND	0	0
6/30/2019					9.21	ND	0	0	12.86	ND	0	0
7/16/2019					9.17	ND	0	0	12.79	ND	0	0
8/2/2019					9.22	ND	0	0	12.84	ND	0	0
8/15/2019					9.29	ND	0	0	12.92	ND	0	0
8/28/2019					9.33	ND	0	0	12.96	ND	0	0
9/17/2019					9.46	ND	0	0	12.86	ND	0	0
10/2/2019					9.74	ND	0	0	12.83	ND	0	0

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-49B				MW-57A				MW-57B			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
10/16/2019					10.39	ND	0	0	13.67	ND	0	0
10/31/2019					11.92	ND	0	0	14.21	ND	0	0
11/15/2019					11.14	ND	0	0	6.21	ND	0	0
12/3/2019					13.75	ND	0	0	13.51	ND	0	0
12/18/2019					14.09	ND	0	0	13.51	ND	0	0
12/30/2019					14.42	ND	0	0	13.51	ND	0	0
1/7/2020	11.51	20.09	14.77	--	--	--	--	--	--	--	--	--
1/15/2020	15.48	20.89	13.97	2.5	12.79	ND	0	0	21.93	ND	0	0
1/27/2020	14.2	22.4	12.46	2	11.61	ND	0	0	19.96	ND	0	0
2/13/2020	13.31	28.9	5.96	1.5	13.22	ND	0	0	17.91	ND	0	0
2/25/2020	11.51	26.8	8.06	1.0	12.31	ND	0	0	16.86	ND	0	0
3/13/2020	11.73	26.1	8.76	0.5	13.71	ND	0	0	15.91	ND	0	0
3/31/2020	13.72	29.39	5.47	0.5	13.85	ND	0	0	15.37	ND	0	0
4/9/2020	14.13	31.04	3.82	0.5	13.36	ND	0	0	15.19	ND	0	0
4/27/2020	15.31	32.05	2.81	0.1	14.45	ND	0	0	14.99	ND	0	0
5/14/2020	14.95	31.89	2.97	0.1	14.84	ND	0	0	14.95	ND	0	0
5/28/2020	13.66	31.07	3.79	0.5	13.91	ND	0	0	14.92	ND	0	0
6/11/2020	14.56	31.22	3.64	0.3	14.41	ND	0	0	14.89	ND	0	0
6/25/2020	10.65	31.64	3.22	0.3	14.08	ND	0	0	14.28	ND	0	0
7/9/2020	10.51	32.41	2.45	0.5	13.51	ND	0	0	14.67	ND	0	0
7/23/2020	13.51	31.13	3.73	0.5	13.26	ND	0	0	17.09	ND	0	0
8/6/2020	13.23	32.48	2.38	0.3	11.53	ND	0	0	16.20	ND	0	0
8/20/2020	12.11	32.08	2.78	0.1	13.11	ND	0	0	15.47	ND	0	0
9/2/2020	13.58	31.04	3.82	0.8	13.91	ND	0	0	15.01	ND	0	0
9/17/2020	15.91	30.24	4.62	0.5	14.43	ND	0	0	14.71	ND	0	0
10/1/2020	13.63	31.11	3.75	0.8	12.41	ND	0	0	14.44	ND	0	0
10/14/2020	12.18	29.6	5.26	2.0	13.74	ND	0	0	14.08	ND	0	0
10/28/2020	13.71	31.93	2.93	1.0	13.91	ND	0	0	13.87	ND	0	0
11/12/2020	12.74	32.03	2.83	0.5	14.64	ND	0	0	13.81	ND	0	0
11/23/2020	12.08	32.30	2.56	0.3	14.99	ND	0	0	13.21	ND	0	0
12/10/2020	8.66	31.21	3.65	0.3	12.31	ND	0	0	13.76	ND	0	0
12/21/2020	6.6	30.72	4.14	0.5	10.92	ND	0	0	13.56	ND	0	0
1/7/2021	6.41	32.25	2.61	0.5	12.51	ND	0	0	13.25	ND	0	0
1/21/2021	15.44	31.25	3.61	0.5	12.54	ND	0	0	20.69	ND	0	0
2/4/2021	15.81	31.54	3.32	0.5	13.15	ND	0	0	18.46	ND	0	0
2/23/2021	13.44	31.2	3.66	0.5	12.32	ND	0	0	16.49	ND	0	0
3/11/2021	11.91	31.96	2.9	0.5	13.13	ND	0	0	15.55	ND	0	0
3/25/2021	10.28	32.41	2.45	0.5	13.01	ND	0	0	15.06	ND	0	0
4/8/2021	10.79	31.79	3.07	0.5	13.71	ND	0	0	14.84	ND	0	0
4/22/2021	11.29	32.08	2.78	0.5	14.31	ND	0	0	14.65	ND	0	0
5/4/2021	7.94	32.4	2.46	0.3	13.03	ND	0	0	14.59	ND	0	0
5/20/2021	7.04	32.69	2.17	0.5	10.45	ND	0	0	14.61	ND	0	0
6/3/2021	4.81	32.6	2.26	0.5	11.15	ND	0	0	14.12	ND	0	0
6/17/2021	6.39	32.8	2.06	TR	12.21	ND	0	0	13.84	ND	0	0
7/1/2021	4.51	ND	0	0	10.38	ND	0	0	13.61	ND	0	0
7/19/2021	0.39	ND	0	0	9.79	ND	0	0	13.22	ND	0	0
7/29/2021	12.91	ND	0	0	12.51	ND	0	0	16.66	ND	0	0
8/12/2021	10.49	32.60	2.26	0.1	13.91	ND	0	0	15.32	ND	0	0
8/26/2021	9.87	31.90	2.96	0.5	14.11	ND	0	0	14.92	ND	0	0
9/10/2021	10.03	31.79	3.07	0.2	14.28	ND	0	0	14.61	ND	0	0
9/22/2021	7.50	ND	0	0	13.21	ND	0	0	14.40	ND	0	0
10/8/2021	7.56	ND	0	0	12.05	ND	0	0	14.10	ND	0	0
10/20/2021	7.8	30.94	1.82	0.1	13.80	ND	0	0	14.61	ND	0	0
11/4/2021	7.63	ND	0	0	12.45	ND	0	0	13.59	ND	0	0
11/18/2021	8.00	ND	0	0	13.37	ND	0	0	13.44	ND	0	0
12/3/2021	8.25	ND	0	0	13.81	ND	0	0	13.40	ND	0	0
12/16/2021	8.52	ND	0	0	13.69	ND	0	0	13.36	ND	0	0
12/30/2021	7.81	ND	0	0	13.36	ND	0	0	13.41	ND	Trace	0
1/14/2022	7.92	ND	0	0	13.43	ND	0	0	13.52	ND	Trace	0
1/26/2022	7.91	ND	0	0	13.56	ND	0	0	13.44	ND	Trace	0
2/10/2022	11.38	30	2.76	0.3	12.71	ND	0	0	19.21	ND	0	0
2/24/2022	12.6	ND	0	0	13.68	ND	0	0	17.65	ND	0	0
3/10/2022	11.96	ND	0	0	14.40	ND	0	0	18.44	ND	0	0
3/24/2022	12.20	ND	0	0	12.56	ND	0	0	16.06	ND	0	0
Total DNAPL Pumped (gal)	23.9				15.5				2.8			

Notes:

* - indicates DNAPL and groundwater mixture

--- - No DNAPL pumped

DTW - Depth to water (feet Below Top of Casing (BTOC))

DTD - Depth to DNAPL (feet BTOC)

ND - Not detected

NM - Not measured

PoP - Product on probe, not measureable

TR- Trace amount of DNAPL Extracted

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-68B				MW-70B				MW-74B			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
2/14/2013					6.57	34.09	1.61	0.3				
4/3/2013					6.79	35.26	0.44	0.3				
4/22/2013					6.06	35.12	0.58	0.3				
5/30/2013					6.19	34.67	1.03	0.3				
6/29/2013					8.01	34.92	0.78	0.3*				
7/22/2013					8.22	34.07	1.63	0.3*				
8/26/2013					8.17	35.09	0.61	0.3				
9/27/2013					8.32	35.34	0.36	0.3				
10/31/2013					8.26	35.39	0.31	0.1				
11/27/2013					8.12	35.42	0.28	0.1				
12/31/2013					7.89	35.51	0.19	0.1				
1/30/2014					7.84	35.06	0.64	0.1				
3/3/2014					7.09	35.05	0.65	0.1				
3/31/2014					6.87	35.17	0.53	0.1				
4/30/2014					6.72	35.01	0.69	0.1				
5/27/2014					6.64	34.86	0.84	0.1				
6/26/2014					6.52	34.97	0.73	0.3				
7/31/2014					6.26	34.76	0.94	0.3				
8/27/2014					6.84	34.86	0.84	0.3				
10/3/2014					6.71	34.61	1.09	0.3				
11/3/2014					6.79	34.79	0.91	0.3				
11/24/2014					6.77	34.93	0.77	0.3				
12/22/2014					6.69	34.86	0.84	0.3				
1/29/2015					6.48	34.92	0.78	0.3				
2/26/2015					6.39	34.81	0.89	0.5				
3/26/2015					6.27	34.91	0.79	0.3				
4/27/2015					6.19	34.99	0.71	0.3				
5/26/2015					6.07	35.11	0.59	0.5				
7/6/2015					5.03	35.32	0.38	0.3				
8/3/2015					5.12	35.37	0.33	TR*				
8/27/2015					6.31	35.41	0.29	TR*				
10/5/2015					5.72	35.47	0.23	0.3				
11/5/2015					5.41	35.42	0.28	0.3				
12/3/2015					5.13	35.63	0.07	0.3				
12/28/2015					5.02	35.26	0.44	0.3				
2/3/2016					4.86	35.21	0.49	0.3				
3/3/2016					4.92	35.17	0.53	0.3				
3/31/2016					4.91	35.24	0.46	0.3				
5/3/2016					5.13	35.29	0.36	0.3				
6/2/2016					5.26	35.36	0.29	0.3				
7/8/2016					5.34	35.31	0.34	0.3				
8/3/2016					5.42	35.39	0.26	0.3				
8/30/2016					5.61	35.21	0.44	0.3				
9/30/2016					5.74	35.03	0.62	0.3				
11/3/2016					5.79	35.11	0.54	0.3				
11/30/2016					6.03	35.23	0.42	0.3				
1/4/2017					6.17	35.09	0.56	0.5				
2/7/2017					6.26	35.01	0.64	0.5				
3/2/2017					6.16	35.09	0.56	0.5				
4/3/2017					6.09	35.13	0.52	0.5				
4/27/2017					6.12	35.2	0.45	0.5				
5/29/2017					6.29	35.06	0.59	0.5				
7/5/2017					6.39	35.14	0.51	0.3				
8/1/2017					6.47	35.21	0.44	0.3				
9/5/2017					6.56	35.34	0.31	0.3				
10/4/2017					6.63	35.39	0.26	0.3				
11/2/2017					6.74	35.31	0.34	0.3				
11/29/2017					6.79	35.29	0.36	0.3				
1/2/2018					6.34	35.34	0.31	0.3				
2/7/2018					6.42	35.31	0.34	0.3				
3/1/2018					6.67	35.21	0.44	0.5				
4/2/2018					6.61	35.16	0.49	0.5				
5/1/2018					7.22	35.23	0.42	1.3				
6/1/2018					7.42	35.29	0.36	1				
6/29/2018					7.58	35.21	0.44	1				
8/3/2018					7.69	35.29	0.36	0.8				
8/31/2018					7.42	35.36	0.29	0.5				
9/28/2018					7.33	35.28	0.37	0.5				
11/2/2018					7.22	35.24	0.41	0.8				
11/29/2018					7.06	35.21	0.44	0.5				
1/2/2019					6.96	35.31	0.34	0.5				
2/2/2019					6.87	35.36	0.29	0.5				
2/28/2019					6.74	35.29	0.36	0.5				
4/2/2019					6.67	35.27	0.38	0.5				
4/25/2019					6.74	35.21	0.44	0.5				
5/29/2019					6.71	35.17	0.48	0.5				
6/12/2019					6.43	34.84	0.81	1				
6/30/2019					6.48	34.61	1.04	1				
7/16/2019					6.43	34.49	1.16	1.5				
8/2/2019					6.48	34.31	1.34	1.5				
8/15/2019					6.51	34.07	1.58	2				
8/28/2019					6.57	34.09	1.56	2				
9/17/2019					6.51	34.01	1.64	2				
10/2/2019					6.46	33.71	1.94	2.5				

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-68B				MW-70B				MW-74B			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
10/16/2019					6.42	ND	0	0				
10/31/2019					6.43	ND	Trace	0				
11/15/2019					4.75	ND	0	0				
12/3/2019					5.01	ND	0	0				
12/18/2019					5.53	35	0.65	0.3				
12/30/2019					5.71	32.4	3.25	0.1				
1/7/2020	4.82	34.21	3.59	--	--	--	--	--				
1/15/2020	4.82	34.41	3.39	0.5	7.19	32.51	3.14	0.1				
1/27/2020	2.15	35.9	1.9	0.5	9.9	31.3	4.35	0.1				
2/13/2020	3.49	35.02	2.78	0.5	5.99	31.43	4.22	0.1				
2/25/2020	2.35	36.12	1.68	0.3	4.71	31.81	3.84	0.3				
3/13/2020	3.99	35.6	2.2	0.1	4.63	30.5	5.15	0.3				
3/31/2020	4.46	36.9	0.9	0.0	6.04	31.34	4.31	0.5				
4/9/2020	4.41	35.99	1.81	0.1	6.79	31.53	4.12	0.5				
4/27/2020	5.53	36.1	1.7	0.1	6.81	30.84	4.81	1.0				
5/14/2020	6.39	37.01	0.79	0	7.26	30.63	5.02	1.0				
5/28/2020	5.99	37.09	0.71	TR	7.02	30.74	4.91	1.5				
6/11/2020	6.49	36.8	1	TR	7.53	31.2	4.45	0.5				
6/25/2020	6.09	36.94	0.86	TR	7.08	32.12	3.53	0.5				
7/9/2020	5.06	37.37	0.43	0.3	5.61	32	3.65	0.5				
7/23/2020	5.31	37.47	0.33	TR	6.33	32.2	3.45	1.0				
8/6/2020	3.02	37.38	0.42	TR	6.15	33.12	2.53	1.3				
8/20/2020	5.11	37.26	0.54	TR	5.74	33.2	2.45	1.0				
9/2/2020	5.96	37.4	0.4	TR	6.74	34.39	1.26	0.1				
9/17/2020	6.6	37.32	0.48	0.1	6.92	34.99	0.66	0.1				
10/1/2020	3.81	37.39	0.41	0.1	5.52	34.88	0.77	0.3				
10/14/2020	5.11	36.81	0.99	0.3	5.63	34.49	1.16	0.3				
10/28/2020	5.26	36.52	1.28	0.3	4.8	34.71	0.94	0.3				
11/12/2020	6.13	36.82	0.98	0.3	6.38	34.21	1.44	0.5				
11/23/2020	6.54	37.2	0.6	0.3	7.51	35.19	0.46	0.3				
12/10/2020	3.24	37.08	0.72	0.0	5.82	35.10	0.55	0.1				
12/21/2020	1.22	37.01	0.79	0.1	5.55	34.48	1.17	0.1				
1/7/2021	2.48	ND	0	0	5.04	35	0.65	TR				
1/21/2021	2.99	37.37	0.43	TR	4.72	35.02	0.63	TR				
2/4/2021	3.62	37.32	0.48	TR	7.2	35.08	0.57	TR				
2/23/2021	2.51	ND	0	0	5.33	34.2	1.45	1.0				
3/11/2021	3.49	ND	0	0	5.33	34.3	1.35	0.8				
3/25/2021	3.34	ND	0	0	5.78	34.93	0.72	0.5				
4/8/2021	4.28	ND	0	0	5.88	34.83	0.82	0.5				
4/22/2021	4.96	ND	0	0	5.99	34.56	1.09	0.5				
5/4/2021	3.64	37.38	0.42	0	6.21	34.39	1.26	0.5	7.81	32.80	2.20	2.0
5/20/2021	0.99	ND	0	0	5.89	35.09	0.56	0.3	5.93	33.40	1.60	0.5
6/3/2021	2.66	ND	0	0	4.58	34.98	0.67	0.3	6.54	33.62	1.38	0.5
6/17/2021	3.51	ND	0	0	4.78	35.16	0.49	0.3	6.86	34.70	0.30	0.1
7/1/2021	1.11	37.01	0.39	0.1	4.48	34.85	0.8	TR	3.68	34.08	0.92	0.5
7/19/2021	1.06	37.21	0.19	TR	3.78	34.9	0.75	TR	5.36	34.15	0.85	0.8
7/29/2021	3.74	37.38	0.02	TR	5.74	35.2	0.45	TR	6.31	33.60	1.40	1.0
8/12/2021	5.21	ND	0	0	5.71	35.12	0.53	TR	7.51	33.34	1.66	1.0
8/26/2021	5.80	ND	0	TR	5.88	35.16	0.49	TR	7.34	33.22	1.78	1.0
9/10/2021	5.08	ND	0	0	6.41	35.18	0.47	0.1	7.81	34.40	0.60	0.2
9/22/2021	4.65	ND	0	0	6.46	ND	0	0	11.35	34.41	0.59	0
10/8/2021	3.14	ND	0	0	5.12	ND	0	0	6.94	33.58	1.42	0
10/20/2021	5.01	ND	0	0	6.84	35.27	0.38	0	11.84	34.81	0.19	0
11/4/2021	3.38	ND	0	0	5.10	ND	0	0	7.24	33.83	1.17	0.3
11/18/2021	4.38	ND	0	0	5.34	ND	0	0	7.41	ND	0	0
12/3/2021	4.38	ND	0	0	5.58	ND	0	0	7.90	ND	0	0
12/16/2021	4.72	ND	0	0	5.84	ND	0	0	7.51	ND	0	0
12/30/2021	3.88	ND	0	0	5.46	ND	Trace	0	7.76	ND	Trace	0
1/14/2022	3.92	ND	0	0	5.56	ND	Trace	0	7.82	ND	Trace	0
1/26/2022	4.06	ND	0	0	5.67	ND	Trace	0	7.91	ND	Trace	0
2/10/2022	3.07	ND	0	0	5.39	ND	0	0	7.30	ND	0	0
2/24/2022	4.08	ND	0	0	5.52	34.7	0.6	0.2	8.41	ND	0	0
3/10/2022	4.99	ND	0	0	6.23	ND	0	0	8.60	ND	0	0
3/24/2022	2.91	ND	0	0	6.24	ND	0	0	8.62	ND	0	0
Total DNAPL Pumped (gal)				3.8				56.2				7.8

* - indicates DNAPL and groundwater mixture

ND - Not detected

--- No DNAPL pumped

NM - Not measured

DTW - Depth to water (feet Below Top of Casing (BTOC))

PoP - Product on probe, not measureable

DTD - Depth to DNAPL (feet BTOC)

TR- Trace amount of DNAPL Extracted

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-75B				MW-78A				Approx DNAPL Recovered (gal)
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	
2/14/2013	10.01	34.1	3.1	0.3	NM	NM	NM	0	9.8
4/3/2013	13.71	36.47	0.73	0.3	NM	NM	NM	0	5.2
4/22/2013	9.72	36.72	0.48	0.3	NM	NM	NM	0	2.9
5/30/2013	9.61	35.09	2.11	0.8	NM	NM	NM	0	7.7
6/29/2013	10.61	35.61	1.59	0.8	NM	NM	NM	0	7.2
7/22/2013	9.74	35.71	1.49	0.8	NM	NM	NM	0	6.7
8/26/2013	10.76	35.93	1.27	0.8	NM	NM	NM	0	6.5
9/27/2013	10.52	36.39	0.81	0.5	NM	NM	NM	0	5.8
10/31/2013	10.31	36.47	0.73	1	NM	NM	NM	0	5.1
11/27/2013	10.39	36.51	0.69	1	NM	NM	NM	0	4.7
12/31/2013	10.13	36.72	0.48	1	NM	NM	NM	0	4.7
1/30/2014	12.62	36.49	0.71	0.8	NM	NM	NM	0	4.7
3/3/2014	12.12	36.35	0.85	0.8	NM	NM	NM	0	4.9
3/31/2014	12.01	36.27	0.93	0.8	NM	NM	NM	0	5.0
4/30/2014	11.84	36.02	1.18	0.8	NM	NM	NM	0	5.1
5/27/2014	11.71	35.79	1.41	0.8	NM	NM	NM	0	4.9
6/26/2014	11.58	35.91	1.29	0.5	NM	NM	NM	0	5.0
7/31/2014	11.32	35.82	1.38	0.5	NM	NM	NM	0	4.8
8/27/2014	11.19	36.09	1.11	0.5	NM	NM	NM	0	4.3
10/3/2014	11.09	36.01	1.19	0.5	NM	NM	NM	0	4.8
11/3/2014	11.16	36.19	1.01	0.8	9.31	19.12	6.23	2	7.3
11/24/2014	11.21	36.27	0.93	0.5	9.39	19.62	5.73	2	8.0
12/22/2014	11.26	36.19	1.01	0.5	9.34	19.86	5.49	2	8.3
1/29/2015	11.06	36.34	0.86	0.5	9.14	21.29	4.06	2	7.8
2/26/2015	11.09	36.34	0.86	0.5	9.17	19.97	5.38	2.5	10.0
3/26/2015	10.93	36.42	0.78	0.5	9.12	20.31	5.04	0.8	7.3
4/27/2015	10.78	36.52	0.68	0.5	9.17	20.46	4.89	2	10.5
5/26/2015	10.61	36.72	0.48	0.8	9.09	20.59	4.76	2.5	12.3
7/6/2015	8.52	36.91	0.29	0.8	7.01	21.16	4.19	2	10.5
8/3/2015	8.66	36.96	0.24	0.8	7.12	21.39	3.96	2.5	10.8
8/27/2015	9.31	36.91	0.29	0.8	7.96	21.51	3.84	2	8.3
10/5/2015	8.62	37.02	0.18	0.5	7.23	21.67	3.68	2	8.0
11/5/2015	8.34	36.93	0.27	0.5	7.02	21.56	3.79	2	8.0
12/3/2015	8.12	36.81	0.39	0.5	6.83	21.67	3.68	2	8.0
12/28/2015	8.01	36.72	0.48	0.5	6.71	21.52	3.83	2.3	9.0
2/3/2016	7.82	36.19	1.01	0.3	6.52	21.67	3.68	2	9.0
3/3/2016	7.74	36.27	0.93	0.5	6.46	21.72	3.63	2	9.3
3/31/2016	7.67	36.39	0.81	0.5	6.49	21.86	3.49	2	9.3
5/3/2016	7.79	36.47	0.68	0.5	6.57	21.94	3.41	2	7.8
6/2/2016	7.71	36.42	0.73	0.5	6.65	21.91	3.44	2	8.3
7/8/2016	7.8	36.53	0.62	0.5	6.71	21.97	3.38	2	8.0
8/3/2016	7.89	36.59	0.56	0.5	6.82	22.04	3.31	2	8.0
8/30/2016	7.96	36.64	0.51	0.5	6.94	22.21	3.14	2	8.3
9/30/2016	7.91	36.51	0.64	0.5	7.04	22.39	2.96	2	8.5
11/3/2016	7.86	36.36	0.79	0.5	7.11	22.49	2.86	2	8.5
11/30/2016	7.97	36.47	0.68	0.8	7.29	22.67	2.68	2	8.8
1/4/2017	8.04	36.36	0.79	0.8	7.42	22.74	2.61	2	8.8
2/7/2017	8.12	36.21	0.94	0.8	7.48	22.93	2.42	2.5	9.0
3/2/2017	8.01	36.26	0.89	0.8	7.36	23.26	2.09	2	8.5
4/3/2017	7.93	36.43	0.72	0.8	7.29	23.34	2.01	2	7.5
4/27/2017	7.86	36.52	0.63	0.8	7.36	23.42	1.93	2	8.0
5/29/2017	7.94	36.41	0.74	0.8	7.51	23.51	1.84	2	7.8
7/5/2017	8.04	36.36	0.79	0.8	7.79	23.59	1.76	2	7.3
8/1/2017	8.16	36.31	0.84	0.8	7.89	23.51	1.84	2	8.0
9/5/2017	8.22	36.47	0.68	0.8	7.81	23.48	1.87	2	8.3
10/4/2017	8.29	36.56	0.59	0.8	7.89	23.51	1.84	2	7.8
11/2/2017	8.37	36.51	0.64	1	7.97	23.59	1.76	2	8.5
11/29/2017	8.33	36.59	0.56	1	8.02	23.67	1.68	2	8.0
1/2/2018	8.07	36.72	0.43	1	8.17	23.82	1.53	2	8.3
2/7/2018	8.17	36.91	0.24	1	8.29	23.97	1.38	2	8.3
3/1/2018	8.31	36.94	0.21	1	8.47	23.91	1.44	2	7.5
4/2/2018	8.26	36.89	0.26	0.8	8.39	23.97	1.38	2.3	7.8
5/1/2018	8.92	36.96	0.19	0.8	9.02	24.06	1.29	2	9.0
6/1/2018	9.34	36.91	0.24	0.8	9.21	24.13	1.22	2	9.8
6/29/2018	9.67	36.82	0.33	0.8	9.39	24.21	1.14	2.3	10.5
8/3/2018	9.84	36.87	0.28	0.8	9.47	24.31	1.04	2	10.0
8/31/2018	9.71	36.91	0.24	0.8	9.32	24.47	0.88	2	8.3
9/28/2018	9.62	36.84	0.31	0.8	9.22	24.39	0.96	2	8.3
11/2/2018	9.57	36.88	0.27	0.8	9.09	24.27	1.08	2	8.5
11/29/2018	9.41	36.92	0.23	1	8.96	24.22	1.13	2	7.5
1/2/2019	9.28	36.96	0.19	1	8.78	24.39	0.96	2	7.8
2/2/2019	9.22	36.91	0.24	1	8.71	24.47	0.88	2	8.0
2/28/2019	9.16	36.93	0.22	1	8.67	24.42	0.93	2	8.8
4/2/2019	9.06	36.91	0.24	1	8.58	24.43	0.92	2	8.8
4/25/2019	9.02	36.72	0.43	1	8.49	24.31	1.04	2	9.3
5/29/2019	9.07	36.67	0.48	1	8.42	24.26	1.09	2	9.3
6/12/2019	8.92	ND	Trace	0	8.67	23.96	1.39	2	9.0
6/30/2019	8.66	ND	Trace	0	9.36	23.77	1.58	2	9.8
7/16/2019	8.62	ND	Trace	0	9.29	23.62	1.73	2	10.5
8/2/2019	8.67	ND	Trace	0	9.34	23.57	1.78	2	8.0
8/15/2019	8.69	ND	ND	0	9.42	23.06	2.29	2	12.0
8/28/2019	8.72	ND	Trace	0	9.51	23.01	2.34	2	12.0
9/17/2019	8.61	ND	Trace	0	9.39	22.76	2.59	2	13.0
10/2/2019	8.53	ND	Trace	0	9.27	22.58	2.77	2	10.5

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-75B				MW-78A				Approx DNAPL Recovered (gal)
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	
10/16/2019	NM	NM	NM	0	10.16	21.63	3.72	2	8.0
10/31/2019	NM	NM	NM	0	10.41	21.79	3.56	2.5	8.5
11/15/2019	7.91	ND	0	0	8.01	21.62	3.73	1.5	5.0
12/3/2019	8.24	ND	0	0	8.41	22.12	3.23	2	6.5
12/18/2019	4.99	ND	0	0	8.38	ND	0	0	2.1
12/30/2019	7.79	35.3	1.85	0	9.16	19.93	5.42	1.5	3.3
1/7/2020	--	--	--	--	--	--	--	--	--
1/15/2020	6.47	36.4	0.75	0	8.79	24.9	0.45	0.1	4.1
1/27/2020	5.92	34.6	2.55	0.1	7.06	24.06	1.29	0	3.8
2/13/2020	7.88	35.08	2.07	0.1	8.01	24.08	1.27	0	3.3
2/25/2020	5.82	ND	0	0	7.84	21.86	3.49	0.3	2.6
3/13/2020	8.24	34.9	2.25	0.1	NM	NM	NM	0	2.3
3/31/2020	4.79	ND	0	0	7.82	23.1	2.25	0.1	5.9
4/9/2020	8.52	ND	0	0	7.52	22.5	2.85	0.1	7.3
4/27/2020	9.07	ND	0	0	8.33	23.2	2.15	0.5	7.7
5/14/2020	7.74	37.1	0.05	0	8.05	23.22	2.13	0.5	8.3
5/28/2020	5.06	ND	0	0	7.59	23.69	1.66	0.5	8.6
6/11/2020	5.79	37	0.15	TR	7.39	24.96	0.39	0.1	5.6
6/25/2020	4.87	ND	0	0	6.28	19.9	5.45	1.5	6.5
7/9/2020	8.91	ND	0	0	8.41	19.7	5.65	2.5	7.3
7/23/2020	8.71	ND	0	0	7.85	20.91	4.44	1.0	8.8
8/6/2020	6.74	ND	0	0	7.81	22.05	3.3	1.0	6.3
8/20/2020	6.01	ND	0	0	7.21	21.88	3.47	0.5	3.9
9/2/2020	8.61	ND	0	0	6.98	22.6	2.75	1.0	4.4
9/17/2020	8.52	ND	0	0	8.05	22.21	3.14	0.5	3.1
10/1/2020	7.33	37.1	Trace	0	8.01	24.1	1.25	1.0	3.9
10/14/2020	8.26	37.2	Trace	TR	8.11	24.9	0.45	0.5	8.3
10/28/2020	8.11	ND	0	0	7.99	25.08	0.27	0.3	6.3
11/12/2020	8.41	36.78	0.37	0.3	8.42	25.0	0.35	0.1	5.6
11/23/2020	8.62	36.04	1.11	0.3	9.19	25.08	0.27	0.3	3.3
12/10/2020	7.94	36.54	0.61	0.1	8.79	25.12	0.23	TR	4.8
12/21/2020	6.15	36.84	0.31	0.1	6.43	25.21	0.14	TR	3.9
1/7/2021	6.81	37.01	0.14	0.1	7.31	ND	0	0	4.1
1/21/2021	7.85	35.5	1.65	2.0	7.71	ND	0	0	7.8
2/4/2021	8.19	35.2	1.95	2.0	7.63	ND	0	0	7.8
2/23/2021	7.64	34.59	2.56	1.0	7.52	ND	0	0	6.5
3/11/2021	7.82	35.1	2.05	1.0	7.42	ND	0	0	6.5
3/25/2021	7.91	36.81	0.34	0.3	7.28	ND	0	0	5.3
4/8/2021	7.08	36.53	0.62	0	7.41	ND	0	0	5.0
4/22/2021	8.59	36.8	0.35	0.3	7.02	ND	0	0	4.4
5/4/2021	7.83	ND	0	0	7.22	ND	0	0	6.8
5/20/2021	8.06	37.1	0.05	0.3	8.04	ND	0	0	5.5
6/3/2021	3.71	37.02	0.13	0.1	7.49	ND	0	0	4.9
6/17/2021	5.21	ND	0	0	6.81	ND	0	0	3.9
7/1/2021	7.33	ND	0	0	NM	NM	NM	0	4.4
7/19/2021	5.16	ND	0	0	NM	NM	NM	0	4.0
7/29/2021	7.48	ND	0	0	7.18	ND	0	0	3.9
8/12/2021	7.58	ND	0	0	6.84	ND	0	0	4.4
8/26/2021	8.19	37.01	0.14	TR	6.92	ND	0	0	5.0
9/10/2021	8.63	ND	0	0	6.58	ND	0	0	2.6
9/22/2021	8.09	ND	0	0	NM	NM	NM	0	1.3
10/8/2021	8.03	ND	0	0	7.14	ND	0	0	1.0
10/20/2021	8.21	ND	0	0	NM	NM	NM	0	1.3
11/4/2021	7.70	ND	0	0	7.01	ND	0	0	2.0
11/18/2021	7.70	ND	0	0	7.11	ND	0	0	0.3
12/3/2021	7.94	ND	0	0	7.46	ND	0	0	1.3
12/16/2021	8.12	ND	0	0	7.80	ND	0	0	1.3
12/30/2021	NM	NM	NM	0	8.09	ND	Trace	0	1.5
1/14/2022	NM	NM	NM	0	8.16	ND	Trace	0	1.5
1/26/2022	NM	NM	NM	0	8.27	ND	Trace	0	1.5
2/10/2022	NM	NM	NM	0	8.88	ND	0	0	0.9
2/24/2022	NM	NM	NM	0	8.51	ND	0	0	1.1
3/10/2022	NM	NM	NM	0	8.67	ND	0	0	1.2
3/24/2022	NM	NM	NM	0	8.65	ND	0	0	0.3
Total DNAPL Pumped (gal)	60.9				151.3				951.1

Notes:

* - indicates DNAPL and groundwater mixture

ND - Not detected

--- - No DNAPL pumped

NM - Not measured

DTW - Depth to water (feet Below Top of Casing (BTOC))

PoP - Product on probe, not measureable

DTD - Depth to DNAPL (feet BTOC)

TR- Trace amount of DNAPL Extracted

MW-78A not measured 7/1/21, 7/19/21, 9/22/21, 10/20/21; well inaccessible due to container operations

MW-75B not measured 12/30/21; well inaccessible due to container operations

FIGURES

Figure 2
DNAPL Recovery Activities February 2013 - March 2022
UPRR Houston Wood Preserving Works




Figure 3
A-TZ Wells - DNAPL Recovery Activities July 2018 - March 2022
UPRR Houston Wood Preserving Works





Figure 4
B-TZ Wells (West Side) - In-Well DNAPL Thickness July 2018 - March 2022
UPRR Houston Wood Preserving Works



*DNAPL below top of in-well pumps from 3rd Q 2020 to 3rd Q 2021; not measurable
Pumps removed on 10/08/2021 to measure pump length. Pumps are 1.55 ft in length. DNAPL below top of pumps November and December 2021; not measurable.

Figure 5
B-CZ/B-TZ Wells (North (On-Site and Off-Site)) - In-Well DNAPL Thickness July 2018 - March 2022
UPRR Houston Wood Preserving Works




Figure 6
B-CZ/B-TZ Wells (Englewood Intermodal Yard) - In-Well DNAPL Thickness July 2018 - March 2022
UPRR Houston Wood Preserving Works





Figure 7
C-TZ Wells - In-Well DNAPL Thickness July 2018 - March 2022
UPRR Houston Wood Preserving Works



ATTACHMENT 1

Recovered DNAPL Waste Manifest

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number TXD0000820266	2. Page 1 of 1	3. Emergency Response Phone 888-877-7267	4. Manifest Tracking Number 022128238 JJK		
5. Generator's Name and Mailing Address WPRR - WM CIO G-HD 6520 CORPORATE DR. INDIANAPOLIS, IN 46278 Generator's Phone: 414-267-4164		Generator's Site Address (if different than mailing address) UNION PACIFIC RAILROAD 4910 LIBERTY RD HOUSTON TX 77026					
6. Transporter 1 Company Name NRC GULF ENVIRONMENTAL SERVICES INC.		U.S. EPA ID Number FLR000012823					
7. Transporter 2 Company Name		U.S. EPA ID Number					
8. Designated Facility Name and Site Address US ECOLOGY ROBSTOWN 3277 COUNTY RD 69 ROBSTOWN TX 78380 Facility's Phone: 800-242-3209		U.S. EPA ID Number TXD069452340					
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No. Type		11. Total Quantity	12. Unit Wt/Vol	13. Waste Codes
	X	RD, NA3082, HAZARDOUS WASTE, LIQUID, NOS (CCOOSOTE, BENZENE), 9, PG III (F034)	1	0m	55	G	F034 0918 219H D018
14. Special Handling Instructions and Additional Information 1. WSH# 090117968-0 WR# 005490							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Officer's Printed/Typed Name X Tyler A. Parker		Signature X				Month Day Year 12 12 22	
INTL	16. International Shipments ☐ Import to U.S. ☐ Export from U.S.		Port of entry/exit: Date leaving U.S.:				
	Transporter signature (for exports only):						
TRANSPORTER	17. Transporter Acknowledgment of Receipt of Materials						
	Transporter 1 Printed/Typed Name X GILBERT RODRIGUEZ		Signature X GILBERT RODRIGUEZ				Month Day Year 12 12 22
DESIGNATED FACILITY	Transporter 2 Printed/Typed Name		Signature				Month Day Year
	18. Discrepancy						
	18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection						
	Manifest Reference Number:						
	18b. Alternate Facility (or Generator) U.S. EPA ID Number						
Facility's Phone:							
18c. Signature of Alternate Facility (or Generator) Month Day Year							
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1. H1H1		2.		3.		4.	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name Amar Zamora		Signature A				Month Day Year 12 10 22	