

Texas Commission on Environmental Quality

# Remediation Division Correspondence Identification Form

SITE & PROGRAM AREA IDENTIFICATION			
SITE LOCATION		REMEDATION DIVISION PROGRAM AND FACILITY IDENTIFICATION	
Site Name: Union Pacific Railroad Houston Wood Preserving Works		Is This Site Being Managed Under A State Lead Contract? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Address 1: 4910 Liberty Road		Program Area: IHW Corrective Action	
Address 2:		Mail Code: MC-127 (IHW)	
Houston State: Texas		Is This A New Site To This Program Area? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Zip Code: 77026	County: Harris	Additional Information: SWR No. 31547	
TCEQ Region: Houston - 12		Additional Information: Permit/ Compliance Plan No. 50343	

DOCUMENT(S) IDENTIFICATION	
PHASE OF REMEDIATION	DOCUMENT NAME
1. Miscellaneous	2025 1st Semi-Annual Monitoring Report - SWMU 1
2. Please select a phase of remediation	
3. Please select a phase of remediation	
4. Please select a phase of remediation	
5. Please select a phase of remediation	

CONTACT INFORMATION			
<input checked="" type="checkbox"/> I attest that all work has been done in accordance with TCEQ rules		<input checked="" type="checkbox"/> I certify that I am aware misrepresentation of any claim is a violation.	
RESPONSIBLE PARTY/APPLICANT/CUSTOMER INFORMATION (IF APPLICABLE)			
Union Pacific Railroad			
ENVIRONMENTAL CONSULTANT/REPORT PREPARER/AGENT			
WSP USA Inc.			
SIGNATURES			

DATABASE CODES			
Document No.	TCEQ Database Term	Document No.	TCEQ Database Term
1.		4.	
2.		5.	
3.			



## REPORT

Correction Action Monitoring Report


# 2025 First Semi-Annual Event

*Former Houston Wood Preserving Works*

*4910 Liberty Road*

*Houston, Texas*

Submitted to:



07/02/25

Submitted by:

### **WSP USA Inc**

1601 S MoPac Expressway, Suite 325D  
Austin, Texas, USA 78746

Texas Geoscience Firm No. 50561

Texas Engineering Firm No. 2263

July 2, 2025

# Table of Contents

<b>1.0</b>	<b>EXECUTIVE SUMMARY .....</b>	<b>1</b>
<b>2.0</b>	<b>INTRODUCTION .....</b>	<b>2</b>
<b>3.0</b>	<b>2025 FIRST SEMI-ANNUAL GROUNDWATER MONITORING EVENT .....</b>	<b>5</b>
3.1	Narrative Summary of First Semi-Annual Monitoring Activities .....	5
3.1.1	Corrective Action Program .....	5
3.1.2	Groundwater Monitoring .....	5
3.2	Purge Water Management .....	6
3.3	Monitoring and Corrective Action System Wells .....	6
3.4	Analytical Results .....	6
3.5	Well Measurements .....	6
3.6	Potentiometric Surface Maps .....	7
3.7	Non-Aqueous Phase Liquids .....	7
3.8	Recovered Groundwater and NAPL .....	7
3.9	Contaminant Mass Recovered .....	7
3.10	Analytical Data Evaluation .....	7
3.11	Reported Concentration Maps .....	8
3.12	Extent of NAPL .....	8
3.13	Updated Compliance Schedule .....	8
3.14	Summary of Changes Made to Corrective Action Program .....	8
3.15	Modifications and Amendments to Compliance Plan .....	8
3.16	Corrective Measures Implementation (CMI) Report .....	8
3.17	Well Casing Elevations .....	9
3.18	Recommendation for Changes .....	9
3.19	Well Installation and/or Abandonment .....	9
3.20	Activity Within Area Subject to Institutional Control .....	9
3.21	Other Requested Items .....	9

## **TABLES**

- 1 Summary of Analytical Results for the A-Transmissive Zone (A-TZ)
- 2 Summary of Analytical Results for the B-Transmissive Zone (B-TZ)
- 3 Summary of Analytical Results for Quality Assurance/Quality Control Samples
- 4 Water Level Measurements
- 5 Compliance Status of Wells and Piezometers

## **FIGURES**

- 1 Site Location Map
- 2 Corrective Action Monitoring Well Network – TCEQ Permit Unit No. 1
- 3 A-TZ Potentiometric Surface Contour Map – December 2024
- 4 B-TZ Potentiometric Surface Contour Map – December 2024
- 5 A-TZ Reported Concentrations – 2025 1st Semi Annual Monitoring Event
- 6 B-TZ Reported Concentrations – 2025 1st Semi Annual Monitoring Event


## **APPENDICES**

- A Compliance Plan Tables
- B Field Parameters
- C Laboratory Analytical Reports and Data Usability Summaries
- D Waste Manifest
- E POC Concentration vs. Time Graphs
- F Updated Compliance Schedule
- G Laboratory Data QA/QC Report Checklist



## Signature Page

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision according to a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

  
Signature

6/27/2025  
Date

Rodney N. Doerr  
Name

VP Safety + Chief Safety Officer  
Title

## 1.0 EXECUTIVE SUMMARY

This semi-annual report presents a summary and evaluation of the Corrective Action Groundwater Monitoring for January through June 2025 for the Closed Surface Impoundment (Solid Waste Management Unit (SWMU) 1) at the former Wood Preserving Works facility (the Site) located in Houston, Texas. The groundwater monitoring activities for this period were performed by WSP USA Inc. (WSP), on behalf of Union Pacific Railroad (UPRR), in January 2025.

The two uppermost groundwater bearing units, the A-Transmissive Zone (A-TZ) and the B-Transmissive Zone (B-TZ), were monitored during this period. Groundwater elevation data collected in mid-December 2024 show A-TZ groundwater generally flows southwest across SWMU 1 at a relatively flat hydraulic gradient of approximately 0.0004 ft/ft. Groundwater flow during the previous event (2024 second semi-annual monitoring event) in the A-TZ was observed to have a hydraulic gradient of approximately 0.0016 ft/ft with a general flow direction outward from SWMU 1 to the southwest.

Groundwater elevation data collected in the B-TZ in mid-December 2024 indicate groundwater flows east to west across SWMU 1 with a hydraulic gradient of approximately 0.006 ft/ft. Groundwater flow during the previous event (2024 second semi-annual monitoring event) was observed to have a hydraulic gradient of approximately 0.0017 ft/ft with a general flow direction to the northwest across SWMU 1.

Analytical results from the semi-annual sampling event were compared to Texas Commission on Environmental Quality (TCEQ) Texas Risk Reduction Program (TRRP) Protective Concentration Limits (PCLs) or Groundwater Protection Standards (GWPs), as designated in Section IV.D of the Compliance Plan, dated June 10, 2005. Constituent concentrations were below their respective PCLs during the 2025 first semi-annual monitoring period. All POC monitoring wells in the A-TZ and B-TZ are considered to be compliant for this monitoring period.

## 2.0 INTRODUCTION

This semi-annual report presents a summary and evaluation of groundwater monitoring data collected during the 2025 first semi-annual monitoring period (January through June) at the Union Pacific Railroad (UPRR) former Houston Wood Preserving Works facility (the Site) located at 4910 Liberty Road in Houston, Texas (Figure 1). Semi-annual groundwater monitoring is required for the Site as a condition of the Texas Commission on Environmental Quality (TCEQ) Hazardous Waste Permit No. 50343 and associated Compliance Plan (CP) No. 50343, both renewed and issued on June 10, 2005. Groundwater monitoring at the Site is performed to monitor groundwater quality beneath the Closed Surface Impoundment Unit No. 001 (Solid Waste Management Unit (SWMU) 1).

On behalf of UPRR, WSP USA Inc. (WSP) conducted groundwater monitoring activities at SWMU 1 on January 7, 10, and 15, 2025 (water level measurements and groundwater sampling). Groundwater monitoring activities included sampling and gauging the background and point of compliance (POC) wells and piezometers associated with SWMU 1. The sampling event, analytical data, and data evaluation provided in this report fulfill the semi-annual corrective action reporting requirements for the first half of 2025 as described in the CP, Section VII.C.2. This section requires the following reporting elements:

<b>Semi-Annual Corrective Action Report Requirements</b>	<b>Report Section, Table(s) and/or Figure(s)</b>
A narrative summary of the evaluations made in accordance with CP Sections V, VI, and VII for the preceding six-month period. These periods shall be January 1 through June 30 and July 1 through December 31 (VII.C.2.a.)	3.0
Summary of Methods utilized for management of recovered/purged water (VII.C.2.b.)	3.2
An updated table and map of the monitoring and corrective action system wells (VII.C.2.c.)	Section 3.1.1 and Figure 2
The results of the chemical analyses, submitted in a tabulated format in a form acceptable to the Executive Director, which clearly indicates each parameter that exceeds the Groundwater Protection Standard (GWPS). Copies of the original laboratory report for chemical analyses showing detection limits and quality control and quality assurance data shall be provided if requested by the Executive Director (VII.C.2.d.)	Tables 1 & 2 Appendix C
Tabulation of the water level elevations (relative to mean sea level), depth to water measurements, and total depth of well measurements collected since the data that was submitted in the previous semiannual report (VII.C.2.e.)	Table 4
Potentiometric surface maps showing the elevation of the water table at the time of sampling and direction of groundwater flow gradients (VII.C.2.f.)	Figures 3 & 4

Semi-Annual Corrective Action Report Requirements (cont'd)	Report Section, Table(s) and/or Figure(s)
Quarterly tabulations of quantities of recovered groundwater and NAPLs, and graphs of monthly recorded flow rates versus time for the recovery wells during each period. A narrative summary describing and evaluating the NAPL recovery program shall also be included (VII.C.2.h.)	Not Applicable
Tabulation of the total contaminant mass recovered from each recovery system for each reporting period, if such a system is installed (VII.C.2.i.)	Not Applicable
Tabulation of the data evaluation results pursuant to Section VI.D and status of each well listed on CP Table V with regard to compliance with the corrective action objectives and compliance with the GWPSs (VII.C.2.j.)	Table 5
Maps of the contaminated area depicting concentrations of constituents listed in Table IV and any newly detected Table III constituents as isopleths contours or discrete concentrations if isopleths contours cannot be inferred (VII.C.2.k.)	Not Applicable
Maps indicating the extent and thickness of the LNAPLs and DNAPLs, if detected (VII.C.2.l.)	Not Detected
An updated schedule summary as required by Section X (VII.C.2.m.)	Appendix D
Summary of any changes made to the monitoring/corrective action program and a summary of recovery well inspections, repairs, and any operational difficulties (VII.C.2.n.)	None
A table of the modifications and amendments made to this Compliance Plan with their corresponding approval dates by the executive director or the Commission and a brief description of each action (VII.C.2.o.)	None
Corrective Measures Implementation (CMI) Report to be submitted in accordance with Section VIII.F, if necessary (VII.C.2.p.)	Not Applicable
Tabulation of well casing elevations in accordance with Attachment B No. 16 (VII.C.2.q.)	Table 4
Recommendation for any changes (VII.C.2.r.)	None
Certification and well installation diagram for any new well installation or replacement and certification for any well plugging and abandonment (VII.C.2.s.)	Not Applicable
A summary of any activity within an area subject to institutional control (VII.C.2.t.)	None
Any other items requested by the Executive Director (VII.C.2.u.)	None

As of January 2025, a recovery system had not been installed and is not necessary for the regulated unit. Therefore, Provisions 8, 9, and 10 that relate to recovery wells or recovery system, are not applicable for this reporting period.

Responses to each of the semi-annual report provisions required by CP Section VII.C.2 are provided in Section 3.0.

### **3.0 2025 FIRST SEMI-ANNUAL GROUNDWATER MONITORING EVENT**

A discussion of each of the semi-annual report provisions required by CP Section VII.C.2 is presented below by reference number to the list of provisions in Section 2.0.

#### **3.1 Narrative Summary of First Semi-Annual Monitoring Activities**

The CP requires an evaluation of the Corrective Action Program (Section V) and Groundwater Monitoring Program summarizing the overall effectiveness of the Corrective Action Program (Section VI). This narrative summary includes provisions for response and reporting requirements as detailed in the CP Section VII, as discussed below.

##### **3.1.1 Corrective Action Program**

Groundwater samples were collected from the Background and POC wells (as detailed in CP Table V, which is provided in Appendix A) to assess potentially affected groundwater quality in the A-Transmissive Zone (A-TZ) and the B-Transmissive Zone (B-TZ). These water-bearing zones are defined as:

- A-TZ refers to the first sand unit encountered at approximately 13 feet below ground surface (bgs) and averages 7 feet in thickness; and
- B-TZ refers to the second sand unit encountered at approximately 30 feet bgs and averages 9 feet in thickness.

The definitions of the A-TZ and B-TZ are consistent with the Uppermost Transmissive Zone (UTZ) and Second Transmissive Zone (STZ), respectively, as defined in CP Provision I.A.

The following monitoring wells were sampled during this event (Figure 2):

- A-TZ POC wells: MW-01A, MW-02, MW-07, MW-10A, and MW-11A;
- A-TZ Background well: MW-08;
- B-TZ POC wells: MW-10B, MW-11B, and P-10; and
- B-TZ Background well: P-12.

##### **3.1.2 Groundwater Monitoring**

WSP performed quarterly inspections of SWMU 1 in January and April 2025 and conducted the first semi-annual groundwater sampling activities on January 7, 10, and 15, 2025. Groundwater sampling was performed using procedures outlined in a U.S. Environmental Protection Agency (EPA) document titled Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures (EPA/540/S-95/504) published in April 1996 and approved in the CP application. Groundwater samples were analyzed for the Detected Hazardous and Solid Waste Constituents listed in the CP, Table III (Appendix A).

Monitoring wells are equipped with dedicated polytetrafluoroethylene (PTFE) tubing for groundwater sampling. A peristaltic pump was used to purge and collect groundwater samples. An approximate one-foot section of disposable silicon tubing was placed around the pump head and attached to the PTFE tubing for proper operation of the pump. Groundwater was pumped from the screened interval of each well at a flow rate of less than 0.5 L/min using a flow-through cell. Field parameters including temperature, pH, specific conductivity, dissolved oxygen, and turbidity were measured during purging and sampling activities. When field parameters had

stabilized to the EPA-specified criteria, a sample was then collected for analysis. The samples were also collected at a flow rate of less than 0.5 L/min. Recorded field parameters are summarized in Appendix B.

For each well, sample bottles were filled directly from the pumping apparatus described above, and were sealed and packed in coolers with sufficient ice to maintain a sample temperature of approximately 4°C. The sample coolers were delivered to ALS Environmental in Houston, Texas for laboratory analysis. Chain-of-Custody forms were completed and kept with their respective samples. Copies of the analytical data and COCs are included in Appendix C. Groundwater samples were then analyzed for the Detected Hazardous and Solid Waste Constituents listed in the CP, Table III (Appendix A).

### 3.2 Purge Water Management

Approximately ten gallons of purge water were generated during the 2025 low-flow groundwater sampling event. The purge water was containerized in a Department of Transportation (DOT) certified, 55-gallon steel drum, combined with purge water from site-wide sampling activities, and temporarily stored on site in a fenced and locked container storage area (NOR 007). Wastes generated during the first SWMU 1 sampling event in 2025 were transported from the Site by OMI to the US Ecology Robstown facility, located in Robstown, Texas in April 2025. The waste manifest is provided in Appendix D.

### 3.3 Monitoring and Corrective Action System Wells

A summary of the current monitoring and corrective action groundwater wells is discussed in Section 3.1.1. Configuration of the current monitoring and corrective action well network is presented on Figure 2.

### 3.4 Analytical Results

The 2025 first semi-annual groundwater analytical results from the A-TZ and B-TZ are summarized in Tables 1 and 2, respectively and the laboratory analytical report is provided in Appendix C. The analytical results were compared to the Detected Hazardous and Solid Waste Constituent limits, which are taken from the current TCEQ Texas Risk Reduction Program (TRRP) Tier 1 Protective Concentration Levels (PCLs). TRRP PCLs serve as the Groundwater Protection Standard (GWPS), as detailed in Section IV.D and Table III of the CP. If concentrations exceeded the concentration limits of this report, the concentration is bolded within the table.

Quality assurance/quality control (QA/QC) samples (matrix spike and matrix spike duplicate results) are summarized in Table 3.

### 3.5 Well Measurements

During the sampling event, the following information was recorded at each monitoring well:

#### ***Before Sampling:***

- The presence of light NAPLs was evaluated; and
- Depth to groundwater below the top of casing was measured to the nearest 0.01 foot.

#### ***After Sampling:***

- The presence of dense non-aqueous phase liquids (DNAPLs) was evaluated using visual observations and an oil-water interface probe; and
- Total well depths of the wells were measured.

Table 4 provides a summary of these measurements. None of the compliance wells had measurable amounts or any indication of LNAPL or DNAPL.

### **3.6 Potentiometric Surface Maps**

Groundwater elevation data used to prepare the potentiometric surface maps for the 2025 first semi-annual monitoring event were collected in mid-December 2024 as part of a site-wide evaluation and update to the groundwater flow model for the Site. Additional groundwater levels were collected when the SWMU POC and background wells were sampled; however, groundwater levels, which were measured over a few days, were impacted by rainfall events that occurred during the sampling event. The potentiometric surface maps of the A-TZ and B-TZ are presented in Figures 3 and 4, respectively.

Based on groundwater elevation data collected in the A-TZ during the December 2024 gauging event, groundwater generally flows southwest across SWMU 1 at a relatively flat hydraulic gradient of approximately 0.0004 ft/ft. Groundwater flow during the previous event (2024 second semi-annual monitoring event) in the A-TZ was observed to have a hydraulic gradient of approximately 0.0016 ft/ft with a general flow direction outward from SWMU 1 to the southwest.

Groundwater elevation data collected in the B-TZ during the December 2024 gauging event indicate groundwater flows east to west across SWMU 1 with a hydraulic gradient of approximately 0.0018 ft/ft. Groundwater flow during the previous event (2024 second semi-annual monitoring event) was observed to have a hydraulic gradient of approximately 0.0017 ft/ft with a general flow direction to the northwest across SWMU 1.

### **3.7 Non-Aqueous Phase Liquids**

Measurable amounts of LNAPL and/or DNAPL were not observed in any of the compliance wells.

### **3.8 Recovered Groundwater and NAPL**

To date, a recovery system has not been installed nor is necessary at the SWMU 1; therefore, this provision is not applicable.

### **3.9 Contaminant Mass Recovered**

With no groundwater recovery system installed, or necessary, this provision is not applicable for the Site.

### **3.10 Analytical Data Evaluation**

Section VI.D of the CP describes two methods which may be used to determine the compliance status of a given well:

- Analytical results may be either directly compared with PCLs (CP Table III; included in Appendix A), or
- Analytical results can be statistically compared with PCLs using the Confidence Interval Procedure for the mean concentration based on normal, log-normal, or non-parametric distribution, which the 95% confidence coefficient of the t-distribution will be used in construction of the confidence interval.

Direct comparison to PCLs was used to evaluate the analytical data. Tables 1 (A-TZ) and 2 (B-TZ) show the results of a direct comparison of data for this sampling event to the respective PCLs. Wells and piezometers are in compliance if each of the constituents listed in the CP Table III was reported at a concentration less than or equal to the PCL.



Based on the analytical results from the monitoring event, the compliance wells completed in both transmissive zones are compliant with GWPSs. Compliance status for each of the monitoring wells is provided in Table 5.

Concentration versus time graphs for COCs in the A-TZ (2-methylnaphthalene (Figure E-1), dibenzofuran (Figure E-2), and naphthalene (Figure E-3)) and the B-TZ (dibenzofuran (Figure E-4) and naphthalene (Figure E-5)) are provided in Appendix E. The graphs demonstrate that COC concentrations in the A-TZ and B-TZ POC wells have shown a steady decrease over time with sporadic detections.

A QA/QC review and Data Usability Summary (DUS) were prepared for the January 2025 analytical data by GHD Services Inc. (Appendix C). The laboratory qualified analytes with concentrations above the sample detection limits (SDLs) but below the method quantitation limits (MQLs) as estimated on analytical tables (Tables 1 and 2).

### **3.11 Reported Concentration Maps**

Reported concentrations of each constituent analyzed for the 2025 first semi-annual monitoring event are presented on Figures 5 and 6 for the A-TZ and B-TZ compliance wells, respectively. Constituent concentrations in the POC and background wells were below PCLs. POC wells have been in compliance with the concentration limits during the last 11 semi-annual sampling events (5.5 years).

### **3.12 Extent of NAPL**

No measurable amounts of LNAPL or DNAPL were detected in any of the compliance wells.

### **3.13 Updated Compliance Schedule**

Section X of the CP requires that the Permittee submit a schedule summarizing the activities required by the Compliance Plan issued on June 10, 2005, which was originally submitted to the TCEQ on August 4, 2004. An updated compliance schedule is included as Appendix F in this report.

### **3.14 Summary of Changes Made to Corrective Action Program**

No changes have been made to the corrective action program.

### **3.15 Modifications and Amendments to Compliance Plan**

A compliance plan renewal application was submitted to TCEQ on December 23, 2003 consistent with the renewal requirements for the RCRA permit at the site. The RCRA permit and CP were issued June 10, 2005. There have been no modifications or amendments to the Compliance Plan since the last permit issued. However, a RCRA Part A and Part B Permit Renewal Application with a Major Modification to the Compliance Plan was submitted on December 10, 2014, with revisions dated December 7, 2015, July 29, 2016, June 24, 2017, July 9, 2019, August 31, 2020, October 26, 2020, and January 15, 2021. The TCEQ completed the technical review of the Permit Renewal Application and prepared a preliminary decision and final draft permit. The application is currently in the public comment review period. A Class 1 Permit Modification to update the facility contact information was submitted on February 28, 2018 and approved by the TCEQ in a letter dated March 20, 2018.

### **3.16 Corrective Measures Implementation (CMI) Report**

A Response Action Plan (RAP) was submitted with the Compliance Plan to the TCEQ on December 10, 2014 with revisions dated December 7, 2015, July 29, 2016, June 24, 2017, July 9, 2019, August 31, 2020, October 26, 2020 and January 15, 2021.

### **3.17 Well Casing Elevations**

In accordance with the facility Groundwater Sampling and Analysis Plan (GWSAP) dated May 13, 2004 (Revision 1), which requires SWMU 1 monitoring well elevations to be resurveyed every five years, the six A-TZ and four B-TZ monitoring well elevations were surveyed in December 2020. The top of casing elevations in Table 4 are based on the December 2020 survey.

### **3.18 Recommendation for Changes**

As detailed in a response letter to TCEQ dated August 5, 2020, SWMU 1 will remain in the Corrective Action Program and continue to be evaluated in accordance with Section IV.F.3 of the CP. Once the compliance monitoring objectives are met, UPRR will propose to switch to the compliance monitoring program following issuance of the renewed permit.

### **3.19 Well Installation and/or Abandonment**

No monitoring wells were installed or abandoned as part of the monitoring program or the Corrective Action Program during the reporting period.

### **3.20 Activity Within Area Subject to Institutional Control**

No areas are under institutional control; therefore, this provision does not apply.

### **3.21 Other Requested Items**

No other items have been requested by the executive director.

Tables

**Table 1**  
**Summary of Analytical Results for the A-Transmissive Zone (A-TZ)**  
**Semiannual Monitoring Report: 2025 First Semi-Annual Event**

**Houston Wood Preserving Works**  
**Houston, Texas**

Analyte	PCL (mg/L)	Monitoring Well IDs (Concentrations mg/L)																				
		MW-01A			FD-01 (MW-01A)			MW-02			MW-07			MW-08			MW-10A			MW-11A		
		1/7/2025	LQ	VQ	1/7/2025	LQ	VQ	1/7/2025	LQ	VQ	1/7/2025	LQ	VQ	1/15/2025	LQ	VQ	1/10/2025	LQ	VQ	1/10/2025	LQ	VQ
Acenaphthene	1.5	0.051		J	0.033		J	0.000027	U	U	0.000076	J	J	0.000027	U	U	0.013			0.0044		
Acenaphthylene	1.5	0.00058		J	0.00034		J	0.000015	U	U	0.000015	U	U	0.000015	U	U	0.00016			0.000015	U	U
Anthracene	7.3	0.0016		J	0.0011		J	0.00024			0.000061	J	J	0.000014	U	U	0.00017			0.00058		
bis(2-ethylhexyl)phthalate	0.006	0.000059	J	J	0.000037	U	U	0.000037	U	U	0.000037	U	U	0.000065	J	J	0.000037	U	U	0.000037	U	U
Dibenzofuran	0.098	0.016		J	0.0092		J	0.00015			0.000020	U	U	0.00002	U	U	0.0027			0.0011		
Fluoranthene	0.98	0.0025		J	0.0017		J	0.0014			0.000010	U	U	0.000010	U	U	0.000072	J	J	0.0011		
Fluorene	0.98	0.027		J	0.017		J	0.0048			0.000030	U	U	0.00003	U	U	0.004			0.001		
2-Methylnaphthalene	0.098	0.0035			0.0026			0.0022			0.000019	U	U	0.000019	U	U	0.0033			0.000666		
Naphthalene	0.49	0.00046			0.00036			0.00002	U	U	0.00002	U	U	0.00016			0.052			0.00330		
Phenanthrene	0.73	0.0033			0.0025			0.00042			0.000086	J	J	0.000021	U	U	0.00095			0.0016		
Pyrene	0.73	0.0011		J	0.00076		J	0.00085			0.000019	U	U	0.000019	U	U	0.00004	J	J	0.00059		

Notes:

PCL = Protective Concentration Level

The Compliance Plan Section IV.D defines the Groundwater Protection Standard (GWPS) as the PCL

FD-01 = Duplicate sample collected at MW-01A

LQ - Lab Qualifier

J = Estimated value between the SDL and the MQL

U = Value not detected greater than the MQL

VQ - Validation Qualifier

J = Estimated concentration

U = Non-detect due to low concentrations detected in the associated field blank

**Table 2**  
**Summary of Analytical Results for the B-Transmissive Zone (B-TZ)**  
**Semiannual Monitoring Report: 2024 Second Semi-Annual Event**

**Houston Wood Preserving Works**  
**Houston, Texas**

Analyte	PCL (mg/L)	Monitoring Well IDs (Concentrations mg/L)														
		MW-10B			MW-11B			P-10			FD-02 (P-10)			P-12		
		1/10/2025	LQ	VQ	1/10/2025	LQ	VQ	1/7/2025	LQ	VQ	1/7/2025	LQ	VQ	1/10/2025	LQ	VQ
Acenaphthene	1.5	0.013			0.14			0.047			0.046			0.000027	U	U
Acenaphthylene	1.5	0.00018			0.0023			0.000015	U	U	0.000015	U	U	0.000015	U	U
Anthracene	7.3	0.00041			0.0056			0.003			0.0033			0.000014	U	U
bis(2-ethylhexyl)phthalate	0.006	0.000059	J	J	0.000067	J	J	0.000037	U	U	0.000037	U	U	0.000037	U	U
Dibenzofuran	0.098	0.0028			0.031			0.0035			0.003			0.00002	U	U
Di-n-butyl phthalate	2.4	0.00002	U	U	0.000020	U	U	0.000020	U	U	0.000020	U	U	0.00002	U	U
Fluoranthene	0.98	0.00066			0.014			0.0027			0.0031			0.000010	U	U
Fluorene	0.98	0.0044			0.057			0.01800			0.018			0.00003	U	U
Naphthalene	0.49	0.0089			0.0077			0.014			0.016			0.00002	U	U
Phenol	7.3	0.000035	U	U	0.000035	U	U	0.000035	U	U	0.000035	U	U	0.000035	U	U
Pyrene	0.73	0.00034			0.0056			0.00110			0.0013			0.00064		

Notes:

PCL = Protective Concentration Level

The Compliance Plan Section IV.D defines the Groundwater Protection Standard (GWPS) as the PCL

FD-02 = Duplicate sample collected at P-10

LQ - Lab Qualifier

J = Estimated value between the SDL and the MDQ

U = Value not detected greater than the MQL

VQ - Validation Qualifier

J = Estimated concentration

U = Non-detect due to low concentrations detected in the associated field blank

**Table 3**  
**Summary of Analytical Results for Quality Assurance/Quality Control Samples**  
**Semiannual Monitoring Report: 2025 First Semi-Annual Event**

**Houston Wood Preserving Works**  
**Houston, Texas**

Analyte	P-12(MS) <sup>(1)</sup>		P-12(MSD) <sup>(1)</sup>	
	Matrix Spike		Matrix Spike Duplicate	
	1/10/2025		1/10/2025	
Acenaphthene	4.683		4.728	
Acenaphthylene	4.826		4.9	
Anthracene	5.053		5.034	
bis(2-ethylhexyl)phthalate	5.658		5.796	
Dibenzofuran	4.621		4.859	
Fluoranthene	5.242		5.208	
Fluorene	4.846		5.002	
2-Methylnaphthalene	3.819		4.009	
Naphthalene	4.196		4.404	
Phenanthrene	4.906		4.977	
Pyrene	5.447		5.498	

**Notes:**

PCL = Protective Concentration Level

(1) = P-12(MS) and P-12(MSD) are matrix spike and matrix spike duplicate samples collected at P-12, respectively.

**Table 5**  
**Compliance Status of Wells and Piezometers**  
**Semiannual Monitoring Report: 2025 First Semi-Annual Event**

**Houston Wood Preserving Works**  
**Houston, Texas**

Zone	Monitoring Well Location	Well Designation	Compliance Status
A-TZ Monitoring Location	MW-01A	Point of Compliance	Compliant
	MW-02	Point of Compliance	Compliant
	MW-07	Point of Compliance	Compliant
	MW-08	Background Well	Compliant
	MW-10A	Point of Compliance	Compliant
	MW-11A	Point of Compliance	Compliant
B-TZ Monitoring Location	MW-10B	Point of Compliance	Compliant
	MW-11B	Point of Compliance	Compliant
	P-10	Point of Compliance	Compliant
	P-12	Background Well	Compliant

**Table 4**  
**Water Level Measurements**  
**Semiannual Monitoring Report: 2025 First Semi-Annual Event**

**Houston Wood Preserving Works**  
**Houston, Texas**

Well ID	Top of Casing Elevation (TOC) (ft MSL)*	Date Measured	Water Depth (ft. BTOC)	Depth to NAPL (ft. BTOC)	Total Well Depth as Completed (ft. BTOC)	Total Well Depth (ft. BTOC)	Potentiometric Elevation (ft. MSL)
<b>A-TZ Monitoring Locations</b>							
MW-01A	47.85	12/16/2024	8.30	ND	20.2	19.90	39.55
MW-02	47.93	12/16/2024	8.22	ND	20.3	20.07	39.71
MW-07	48.87	12/16/2024	9.50	ND	25.9	24.86	39.37
MW-08	49.30	12/16/2024	9.74	ND	26.8	25.17	39.56
MW-10A	49.91	12/16/2024	10.41	ND	25.9	25.63	39.50
MW-11A	50.21	12/16/2024	10.61	ND	24.4	24.07	39.60
<b>B-TZ Monitoring Locations</b>							
MW-10B	49.85	12/16/2024	10.43	ND	48.8	46.33	39.42
MW-11B	50.09	12/16/2024	10.72	ND	46.8	46.70	39.37
P-10	47.91	12/16/2024	8.29	ND	40.0	42.90	39.62
P-12	48.65	12/16/2024	8.80	ND	40.0	41.27	39.85

**Notes**

BTOC = feet below the top of the well casing

ft. MSL = feet above Mean Sea Level


ND = Not Detected

\*TOC elevations based on December 2020 survey (see Section 3.17)

Groundwater levels collected during the 2025 first semi-annual groundwater monitoring event were impacted by rainfall events that occurred during the sampling event. Instead, groundwater elevation data collected in mid-December 2024 as part of site-wide evaluation and update to the groundwater flow model of the site were used to prepare the potentiometric surface maps and are reported in this table.



## Figures



REFERENCE(S)  
BASE MAP TAKEN FROM U.S.G.S. 7.5 MINUTE QUADRANGLE, SETTEGAST, TEXAS, 1982

CLIENT  
UNION PACIFIC RAILROAD CO.

PROJECT  
HOUSTON WOOD PRESERVING WORKS

TITLE  
SITE LOCATION MAP


CONSULTANT	YYYY-MM-DD	2024-06-28
	DESIGNED	AJD
	PREPARED	AJD
	REVIEWED	AKS
	APPROVED	MKW


PROJECT NO. US0039040.4227      REV. 0      FIGURE 1




QUADRANGLE LOCATION










IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSI A 11



LEGEND

- FENCE
- RAILROAD
- A-TZ MONITORING WELL LOCATION

NOTE(S)

1. SAMPLES COLLECTED IN JANUARY 2025.
2. J = ESTIMATED VALUE BETWEEN SQL AND MDL.
3. < = VALUE NOT DETECTED GREATER THAN MDL.
4. \* = FIELD DUPLICATE.

REFERENCE(S)

BASE MAP TAKEN FROM ERM-SOUTHWEST, INC 0014419a310.DWG, 6/19/2006.

CLIENT

UNION PACIFIC RAILROAD CO.

PROJECT

HOUSTON WOOD PRESERVING WORKS

TITLE

A-TZ REPORTED CONCENTRATIONS  
2025 1ST SEMI-ANNUAL MONITORING EVENT

CONSULTANT



TEXAS GEOSCIENCE FIRM NO. 50561  
TEXAS ENGINEERING FIRM NO. 2263

YYYY-MM-DD

2024-12-09

DESIGNED

AJD

PREPARED

RO

REVIEWED

GCG

APPROVED

MKW

PROJECT NO.

US0039040.4227

REV.

0

FIGURE

5



Constituent	Conc. (mg/L)
Acenaphthene	0.013
Acenaphthylene	0.00018
Anthracene	0.00041
bis(2-ethylhexyl)phthalate	0.000059 J
Dibenzofuran	0.0028
Di-n-butyl Phthalate	<0.00002
Fluoranthene	0.00066
Fluorene	0.0044
Naphthalene	0.0089
Phenol	<0.000035
Pyrene	0.00034

MW-10B

Constituent	Conc. (mg/L)
Acenaphthene	0.14
Acenaphthylene	0.0023
Anthracene	0.0056
bis(2-ethylhexyl)phthalate	0.000067 J
Dibenzofuran	0.031
Di-n-butyl Phthalate	<0.000020
Fluoranthene	0.014
Fluorene	0.057
Naphthalene	0.0077
Phenol	<0.000035
Pyrene	0.0056

MW-11B

P-10

Constituent	Conc. (mg/L)	Conc. (mg/L) *
Acenaphthene	0.047	0.046
Acenaphthylene	<0.000015	<0.000015
Anthracene	0.003	0.0033
bis(2-ethylhexyl)phthalate	<0.000037	<0.000037
Dibenzofuran	0.0035	0.003
Di-n-butyl Phthalate	<0.000020	<0.000020
Fluoranthene	0.0027	0.0031
Fluorene	0.01800	0.018
Naphthalene	0.014	0.016
Phenol	<0.000035	<0.000035
Pyrene	0.00110	0.0013

Constituent	Conc. (mg/L)
Acenaphthene	<0.000027
Acenaphthylene	<0.000015
Anthracene	<0.000014
bis(2-ethylhexyl)phthalate	<0.000037
Dibenzofuran	<0.00002
Di-n-butyl Phthalate	<0.00002
Fluoranthene	<0.000010
Fluorene	<0.00003
Naphthalene	<0.00002
Phenol	<0.000035
Pyrene	0.00064

P-12

#### Indicator Parameters

Constituent	PCL (mg/L)
Acenaphthene	1.5
Acenaphthylene	1.5
Anthracene	7.3
bis(2-ethylhexyl)phthalate	0.006
Dibenzofuran	0.098
Di-n-butyl Phthalate	2.4
Fluoranthene	0.98
Fluorene	0.98
Naphthalene	0.49
Phenol	7.3
Pyrene	0.73



#### LEGEND

- x — x — FENCE
- + — + — RAILROAD
- ⊕ B-TZ MONITORING WELL LOCATION
- PIEZOMETER LOCATION

#### NOTE(S)

1. SAMPLES COLLECTED IN JANUARY 2025.
2. J = ESTIMATED VALUE BETWEEN SQL AND MDL.
3. JL = ESTIMATED VALUE BETWEEN SQL AND MDL; BIASED LOW.
4. R = VALUE NOT DETECTED GRATER THAN MDL; REJECTED.
5. < = VALUE NOT DETECTED GREATER THAN MDL.
6. \* = FIELD DUPLICATE.
7. THE SAMPLE AND DUPLICATE SAMPLE COLLECTED AT P-10 WERE EXTRACTED OUTSIDE OF THE ESTABLISHED HOLDING TIME FOR SEMI-VOLITILE ORGANIC COMPOUNDS ANALYSIS. ASSOCIATED DETECTED SAMPLE RESULTS WERE QUALIFIED AS ESTIMATED; BIASED LOW (JL). ASSOCIATED NON-DETECT SAMPLE RESULTS WERE REJECTED (R).

#### REFERENCE(S)

BASE MAP TAKEN FROM ERM-SOUTHWEST, INC 0014419a310.DWG, 6/19/2006.

CLIENT  
UNION PACIFIC RAILROAD CO.

PROJECT  
HOUSTON WOOD PRESERVING WORKS

TITLE  
**B-TZ REPORTED CONCENTRATIONS  
2025 1ST SEMI-ANNUAL MONITORING EVENT**

CONSULTANT



TEXAS GEOSCIENCE FIRM NO. 50561  
TEXAS ENGINEERING FIRM NO. 2263

YYYY-MM-DD 2025-03-28

DESIGNED AJD

PREPARED RO

REVIEWED GCG

APPROVED MKW

PROJECT NO.  
US0039040.4227

REV.  
0

FIGURE  
6

**APPENDIX A**

**Compliance Plan Tables**



**TABLE III - CORRECTIVE ACTION PROGRAM**  
Table of Detected Hazardous and Solid Waste Constituents and  
Concentration Limits for the Ground-Water Protection Standard

**Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)**

<u>A-Transmissive Zone</u>		<u>B-Transmissive Zone</u>	
COLUMN A Hazardous Constituents	COLUMN B Concentration Limits (mg/l)	COLUMN A Hazardous Constituents	COLUMN B Concentration Limits (mg/l)
Acenaphthene	1.5 <sup>PCL</sup>	Acenaphthene	1.5 <sup>PCL</sup>
Acenaphthylene	1.5 <sup>PCL</sup>	Acenaphthylene	1.5 <sup>PCL</sup>
Anthracene	7.3 <sup>PCL</sup>	Anthracene	7.3 <sup>PCL</sup>
Dibenzofuran	0.098 <sup>PCL</sup>	Dibenzofuran	0.098 <sup>PCL</sup>
Bis(2-ethylhexyl)phthalate	0.006 <sup>PCL</sup>	Bis(2-ethylhexyl)phthalate	0.006 <sup>PCL</sup>
Fluoranthene	0.98 <sup>PCL</sup>	Fluoranthene	0.98 <sup>PCL</sup>
Fluorene	0.98 <sup>PCL</sup>	Fluorene	0.98 <sup>PCL</sup>
2-Methylnaphthalene	0.098 <sup>PCL</sup>	Di-n-butyl phthalate	2.4 <sup>PCL</sup>
Naphthalene	0.49 <sup>PCL</sup>	Naphthalene	0.49 <sup>PCL</sup>
Phenanthrene	0.73 <sup>PCL</sup>	Phenol	7.3 <sup>PCL</sup>
Pyrene	0.73 <sup>PCL</sup>	Pyrene	0.73 <sup>PCL</sup>

PCL Alternate Concentration Limit pursuant to 30 TAC §335.160(b) based upon the Protective Concentration Level determined under 30 TAC Chapter 350 for Residential Land Use. The PCL value, Column B, will change as updates to the rule are promulgated. Changes to the rule automatically change the concentration value established in Column B in this table.

TABLE V  
Designation of Wells by Function

POINT OF COMPLIANCE WELLS

1. Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)  
A-Transmissive Zone: MW-01A, MW-02, MW-07, MW-10A, and MW-11A  
B-Transmissive Zone: MW-10B, MW-11B, and P-10

POINT OF EXPOSURE WELLS

1. Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)  
None

BACKGROUND WELLS

1. Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)  
A-Transmissive Zone: MW-8  
B-Transmissive Zone: P-12

Note: Wells and piezometers identified on Attachment A maps that are not listed in this table are subject to change, upon approval by the executive director, without modification to the Compliance Plan. The wells and piezometers for the Closed Surface Impoundment are depicted on Attachment A, Sheets 3 and 4.

**APPENDIX B**

**Field Parameters**



**Table B-1**  
**Groundwater Sampling Field Parameters**  
**Semiannual Monitoring Report: 2025 First Semi-Annual Event**

**Houston Wood Preserving Works**  
**Houston, Texas**

Field Parameter	Monitoring Well IDs									
	A-Transmissive Zone						B-Transmissive Zone			
	MW-01A	MW-02	MW-07	MW-08	MW-10A	MW-11A	MW-10B	MW-11B	P-10	P-12
	1/7/2025	1/7/2025	1/7/2025	1/15/2025	1/10/2025	1/10/2025	1/10/2025	1/10/2025	1/7/2025	1/10/2025
Time Sampled (hrs CST)	15:43	14:58	13:29	11:10	13:25	9:55	10:49	9:13	12:25	14:35
Temperature (°C)	20.25	18.35	18.13	19.93	17.5	15.47	17.91	18.7	17.86	18.85
pH (Standard Units)	6.71	6.52	6.63	7.05	6.85	6.51	6.61	6.74	6.65	6.65
Specific Conductivity (mmhos/cm)	1.060	0.937	0.993	0.593	0.952	0.789	1.070	0.985	1.050	1.140
Dissolved Oxygen (mg/L)	0.2	0.39	0.49	0.56	1	2.08	1.18	1.43	0.97	0.70
Turbidity (NTU)	5.7	1	2.1	0.0	2.3	0.0	1.5	0.3	0.0	0.0

**APPENDIX C**

**Laboratory Analytical Reports and  
Data Usability Summaries**





---

10450 Stancliff Rd. Suite 210  
Houston, TX 77099  
T: +1 281 530 5656  
F: +1 281 530 5887

January 27, 2025

Manny Higa  
WSP Austin  
1601 S. MoPac Expressway  
Suite 325D  
Austin, TX 78746

Work Order: **HS25010364**

Laboratory Results for: **Houston TX-Wood Preserving Works**

Dear Manny Higa ,

ALS Environmental received 7 sample(s) on Jan 09, 2025 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: DAYNA.FISHER

Luis Aguilar

---

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010364

---

**TRRP Laboratory Data  
Package Cover Page**

This data package consists of all or some of the following as applicable:

This signature page, the laboratory review checklist, and the following reportable data:

- R1 Field chain-of-custody documentation;
- R2 Sample identification cross-reference;
- R3 Test reports (analytical data sheets) for each environmental sample that includes:
  - a) Items consistent with NELAC Chapter 5,
  - b) dilution factors,
  - c) preparation methods,
  - d) cleanup methods, and
  - e) if required for the project, tentatively identified compounds (TICs).
- R4 Surrogate recovery data including:
  - a) Calculated recovery (%R), and
  - b) The laboratory's surrogate QC limits.
- R5 Test reports/summary forms for blank samples;
- R6 Test reports/summary forms for laboratory control samples (LCSs) including:
  - a) LCS spiking amounts,
  - b) Calculated %R for each analyte, and
  - c) The laboratory's LCS QC limits.
- R7 Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
  - a) Samples associated with the MS/MSD clearly identified,
  - b) MS/MSD spiking amounts,
  - c) Concentration of each MS/MSD analyte measured in the parent and spiked samples,
  - d) Calculated %Rs and relative percent differences (RPDs), and
  - e) The laboratory's MS/MSD QC limits.
- R8 Laboratory analytical duplicate (if applicable) recovery and precision:
  - a) the amount of analyte measured in the duplicate,
  - b) the calculated RPD, and
  - c) the laboratory's QC limits for analytical duplicates.
- R9 List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 Other problems or anomalies.  
The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

---

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010364

---

**TRRP Laboratory Data  
Package Cover Page**

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the attached exception reports. By my signature below, I affirm to the best of my knowledge, all problems/anomalies, observed by the laboratory have been identified by the laboratory in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Check, if applicable: [NA] This laboratory meets an exception under 30 TAC §25.6 and was last inspected by [ ] TCEQ or [ ] \_\_\_\_\_ on (enter date of last inspection). Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.



Luis Aguilar



Laboratory Review Checklist: Reportable Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 01/27/2025			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS25010364			
Reviewer Name: Luis Aguilar				Prep Batch Number(s): 222764, 222853			
# <sup>1</sup>	A <sup>2</sup>	Description	Yes	No	NA <sup>3</sup>	NR <sup>4</sup>	ER# <sup>5</sup>
R1	OI	<b>Chain-of-custody (C-O-C)</b>					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
R2	OI	<b>Sample and quality control (QC) identification</b>					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	<b>Test reports</b>					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?			X		
		Were % moisture (or solids) reported for all soil and sediment samples?			X		
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW-846 Method 5035?			X		
		If required for the project, TICs reported?			X		
R4	O	<b>Surrogate recovery data</b>					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?	X				
R5	OI	<b>Test reports/summary forms for blank samples</b>					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	<b>Laboratory control samples (LCS):</b>					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	<b>Matrix spike (MS) and matrix spike duplicate (MSD) data</b>					
		Were the project/method specified analytes included in the MS and MSD?			X		
		Were MS/MSD analyzed at the appropriate frequency?		X			1
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?			X		
		Were MS/MSD RPDs within laboratory QC limits?			X		
R8	OI	<b>Analytical duplicate data</b>					
		Were appropriate analytical duplicates analyzed for each matrix?			X		
		Were analytical duplicates analyzed at the appropriate frequency?			X		
		Were RPDs or relative standard deviations within the laboratory QC limits?			X		
R9	OI	<b>Method quantitation limits (MQLs):</b>					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	<b>Other problems/anomalies</b>					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Were all necessary corrective actions performed for the reported data?	X				
		Was applicable and available technology used to lower the SDL and minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Program for the analytes, matrices and methods associated with this laboratory data package?	X				

Laboratory Review Checklist: Supporting Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 01/27/2025			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS25010364			
Reviewer Name: Luis Aguilar				Prep Batch Number(s): 222764, 222853			
# <sup>1</sup>	A <sup>2</sup>	Description	Yes	No	NA <sup>3</sup>	NR <sup>4</sup>	ER# <sup>5</sup>
S1	OI	<b>Initial calibration (ICAL)</b>					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	<b>Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB)</b>					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?			X		
S3	O	<b>Mass spectral tuning:</b>					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	<b>Internal standards (IS):</b>					
		Were IS area counts and retention times within the method-required QC limits?		X			2
S5	OI	<b>Raw data</b> (NELAC section 1 appendix A glossary, and section 5.12 or ISO/IEC 17025 section					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	<b>Dual column confirmation</b>					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	<b>Tentatively identified compounds (TICs):</b>					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	<b>Interference Check Sample (ICS) results:</b>					
		Were percent recoveries within method QC limits?			X		
S9	I	<b>Serial dilutions, post digestion spikes, and method of standard additions</b>					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	<b>Method detection limit (MDL) studies</b>					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	<b>Proficiency test reports:</b>					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	<b>Standards documentation</b>					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	<b>Compound/analyte identification procedures</b>					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	<b>Demonstration of analyst competency (DOC)</b>					
		Was DOC conducted consistent with NELAC Chapter 5C or ISO/IEC 4?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	<b>Verification/validation documentation for methods</b> (NELAC Chap 5 or ISO/IEC 17025 Section 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	<b>Laboratory standard operating procedures (SOPs):</b>					
		Are laboratory SOPs current and on file for each method performed?	X				

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);

NA = Not Applicable;

NR = Not Reviewed;

R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Exception Reports	
Laboratory Name: ALS Laboratory Group	LRC Date: 01/27/2025
Project Name: Houston TX-Wood Preserving Works	Laboratory Job Number: HS25010364
Reviewer Name: Luis Aguilar	Prep Batch Number(s): 222764, 222853
ER# <sup>5</sup>	Description
1	Batch 222764 and Batch 222853, Semivolatiles by method SW8270, LCS/LCSD were analyzed and reported in lieu of an MS/MSD for this batch. The batch quality control criteria were met.
2	Batch 222764, Semivolatiles by method SW8270, Internal standard recoveries for 1,4-Dichlorobenzene, Chrysene-d12, and Perylene-d12 were outside the control limit. Internal standard failures did not affect target analyte, no qualification necessary.
<p>Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.</p> <p>O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);</p> <p>NA = Not Applicable;</p> <p>NR = Not Reviewed;</p> <p>R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</p>	

Client:

Project:

Work Order:

WSP Austin  
Houston TX-Wood Preserving Works  
HS25010364

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS25010364-01	WG-1620-P10-20250107	Water		07-Jan-2025 12:25	09-Jan-2025 09:55	<input type="checkbox"/>
HS25010364-02	WG-1620-MW07-20250107	Water		07-Jan-2025 13:29	09-Jan-2025 09:55	<input type="checkbox"/>
HS25010364-03	WG-1620-FDD1-20250107	Water		07-Jan-2025 00:00	09-Jan-2025 09:55	<input type="checkbox"/>
HS25010364-04	WG-1620-MW02-20250107	Water		07-Jan-2025 14:58	09-Jan-2025 09:55	<input type="checkbox"/>
HS25010364-05	WG-1620-FB-01-20250107	Water		07-Jan-2025 15:30	09-Jan-2025 09:55	<input type="checkbox"/>
HS25010364-06	WG-1620-FD-02-20250107	Water		07-Jan-2025 00:00	09-Jan-2025 09:55	<input type="checkbox"/>
HS25010364-07	WG-1620-MW01A-20250107	Water		07-Jan-2025 15:43	09-Jan-2025 09:55	<input type="checkbox"/>

Client: WSP Austin  
 Project: Houston TX-Wood Preserving Works  
 Sample ID: WG-1620-P10-20250107  
 Collection Date: 07-Jan-2025 12:25

**ANALYTICAL REPORT**

WorkOrder:HS25010364  
 Lab ID:HS25010364-01  
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
<b>LOW-LEVEL SEMIVOLATILES BY 8270D</b>		<b>Method:SW8270</b>		Prep:SW3510 / 10-Jan-2025		Analyst: ML	
<b>Acenaphthene</b>	<b>0.047</b>		<b>0.00027</b>	<b>0.0010</b>	<b>mg/L</b>	10	23-Jan-2025 17:47
Acenaphthylene	< 0.000015		0.000015	0.00010	mg/L	1	13-Jan-2025 22:05
<b>Anthracene</b>	<b>0.0030</b>		<b>0.000014</b>	<b>0.00010</b>	<b>mg/L</b>	1	13-Jan-2025 22:05
Bis(2-ethylhexyl)phthalate	< 0.000037		0.000037	0.00020	mg/L	1	13-Jan-2025 22:05
<b>Dibenzofuran</b>	<b>0.0035</b>		<b>0.000020</b>	<b>0.00010</b>	<b>mg/L</b>	1	13-Jan-2025 22:05
Di-n-butyl phthalate	< 0.000020		0.000020	0.00020	mg/L	1	13-Jan-2025 22:05
<b>Fluoranthene</b>	<b>0.0027</b>		<b>0.000010</b>	<b>0.00010</b>	<b>mg/L</b>	1	13-Jan-2025 22:05
<b>Fluorene</b>	<b>0.018</b>		<b>0.00030</b>	<b>0.0010</b>	<b>mg/L</b>	10	23-Jan-2025 17:47
<b>Naphthalene</b>	<b>0.014</b>		<b>0.00020</b>	<b>0.0010</b>	<b>mg/L</b>	10	23-Jan-2025 17:47
Phenol	< 0.000035		0.000035	0.00020	mg/L	1	13-Jan-2025 22:05
<b>Pyrene</b>	<b>0.0011</b>		<b>0.000019</b>	<b>0.00010</b>	<b>mg/L</b>	1	13-Jan-2025 22:05
Surr: 2,4,6-Tribromophenol	82.8			34-129	%REC	10	23-Jan-2025 17:47
Surr: 2,4,6-Tribromophenol	91.4			34-129	%REC	1	13-Jan-2025 22:05
Surr: 2-Fluorobiphenyl	94.7			40-125	%REC	1	13-Jan-2025 22:05
Surr: 2-Fluorobiphenyl	73.2			40-125	%REC	10	23-Jan-2025 17:47
Surr: 2-Fluorophenol	71.4			20-120	%REC	10	23-Jan-2025 17:47
Surr: 2-Fluorophenol	52.1			20-120	%REC	1	13-Jan-2025 22:05
Surr: 4-Terphenyl-d14	81.3			40-135	%REC	10	23-Jan-2025 17:47
Surr: 4-Terphenyl-d14	109			40-135	%REC	1	13-Jan-2025 22:05
Surr: Nitrobenzene-d5	68.5			41-120	%REC	10	23-Jan-2025 17:47
Surr: Nitrobenzene-d5	70.6			41-120	%REC	1	13-Jan-2025 22:05
Surr: Phenol-d6	56.5			20-120	%REC	1	13-Jan-2025 22:05
Surr: Phenol-d6	77.1			20-120	%REC	10	23-Jan-2025 17:47

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: WSP Austin  
 Project: Houston TX-Wood Preserving Works  
 Sample ID: WG-1620-MW07-20250107  
 Collection Date: 07-Jan-2025 13:29

**ANALYTICAL REPORT**

WorkOrder:HS25010364  
 Lab ID:HS25010364-02  
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
<b>LOW-LEVEL SEMIVOLATILES BY 8270D</b>		<b>Method:SW8270</b>		Prep:SW3510 / 10-Jan-2025		Analyst: GEY	
2-Methylnaphthalene	< 0.000019		0.000019	0.00010	mg/L	1	13-Jan-2025 22:29
<b>Acenaphthene</b>	<b>0.000076</b>	J	<b>0.000027</b>	<b>0.00010</b>	<b>mg/L</b>	1	13-Jan-2025 22:29
Acenaphthylene	< 0.000015		0.000015	0.00010	mg/L	1	13-Jan-2025 22:29
<b>Anthracene</b>	<b>0.000061</b>	J	<b>0.000014</b>	<b>0.00010</b>	<b>mg/L</b>	1	13-Jan-2025 22:29
Bis(2-ethylhexyl)phthalate	< 0.000037		0.000037	0.00020	mg/L	1	13-Jan-2025 22:29
Dibenzofuran	< 0.000020		0.000020	0.00010	mg/L	1	13-Jan-2025 22:29
Fluoranthene	< 0.000010		0.000010	0.00010	mg/L	1	13-Jan-2025 22:29
Fluorene	< 0.000030		0.000030	0.00010	mg/L	1	13-Jan-2025 22:29
Naphthalene	< 0.000020		0.000020	0.00010	mg/L	1	13-Jan-2025 22:29
<b>Phenanthrene</b>	<b>0.000086</b>	J	<b>0.000021</b>	<b>0.00010</b>	<b>mg/L</b>	1	13-Jan-2025 22:29
Pyrene	< 0.000019		0.000019	0.00010	mg/L	1	13-Jan-2025 22:29
<i>Surr: 2,4,6-Tribromophenol</i>	<i>67.3</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>13-Jan-2025 22:29</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>87.9</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>13-Jan-2025 22:29</i>
<i>Surr: 2-Fluorophenol</i>	<i>49.8</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>13-Jan-2025 22:29</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>101</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>13-Jan-2025 22:29</i>
<i>Surr: Nitrobenzene-d5</i>	<i>59.8</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>13-Jan-2025 22:29</i>
<i>Surr: Phenol-d6</i>	<i>39.1</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>13-Jan-2025 22:29</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: WSP Austin  
 Project: Houston TX-Wood Preserving Works  
 Sample ID: WG-1620-FDD1-20250107  
 Collection Date: 07-Jan-2025 00:00

**ANALYTICAL REPORT**

WorkOrder:HS25010364  
 Lab ID:HS25010364-03  
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
<b>LOW-LEVEL SEMIVOLATILES BY 8270D</b>		<b>Method:SW8270</b>		Prep:SW3510 / 10-Jan-2025		Analyst: ML	
<b>Acenaphthene</b>	<b>0.046</b>		<b>0.00027</b>	<b>0.0010</b>	<b>mg/L</b>	10	23-Jan-2025 17:25
Acenaphthylene	< 0.000015		0.000015	0.00010	mg/L	1	13-Jan-2025 22:52
<b>Anthracene</b>	<b>0.0033</b>		<b>0.000014</b>	<b>0.00010</b>	<b>mg/L</b>	1	13-Jan-2025 22:52
Bis(2-ethylhexyl)phthalate	< 0.000037		0.000037	0.00020	mg/L	1	13-Jan-2025 22:52
<b>Dibenzofuran</b>	<b>0.0030</b>		<b>0.000020</b>	<b>0.00010</b>	<b>mg/L</b>	1	13-Jan-2025 22:52
Di-n-butyl phthalate	< 0.000020		0.000020	0.00020	mg/L	1	13-Jan-2025 22:52
<b>Fluoranthene</b>	<b>0.0031</b>		<b>0.000010</b>	<b>0.00010</b>	<b>mg/L</b>	1	13-Jan-2025 22:52
<b>Fluorene</b>	<b>0.018</b>		<b>0.00030</b>	<b>0.0010</b>	<b>mg/L</b>	10	23-Jan-2025 17:25
<b>Naphthalene</b>	<b>0.016</b>		<b>0.00020</b>	<b>0.0010</b>	<b>mg/L</b>	10	23-Jan-2025 17:25
Phenol	< 0.000035		0.000035	0.00020	mg/L	1	13-Jan-2025 22:52
<b>Pyrene</b>	<b>0.0013</b>		<b>0.000019</b>	<b>0.00010</b>	<b>mg/L</b>	1	13-Jan-2025 22:52
Surr: 2,4,6-Tribromophenol	99.5			34-129	%REC	1	13-Jan-2025 22:52
Surr: 2,4,6-Tribromophenol	96.7			34-129	%REC	10	23-Jan-2025 17:25
Surr: 2-Fluorobiphenyl	75.0			40-125	%REC	10	23-Jan-2025 17:25
Surr: 2-Fluorobiphenyl	90.8			40-125	%REC	1	13-Jan-2025 22:52
Surr: 2-Fluorophenol	55.5			20-120	%REC	1	13-Jan-2025 22:52
Surr: 2-Fluorophenol	71.2			20-120	%REC	10	23-Jan-2025 17:25
Surr: 4-Terphenyl-d14	83.3			40-135	%REC	10	23-Jan-2025 17:25
Surr: 4-Terphenyl-d14	105			40-135	%REC	1	13-Jan-2025 22:52
Surr: Nitrobenzene-d5	72.4			41-120	%REC	1	13-Jan-2025 22:52
Surr: Nitrobenzene-d5	69.0			41-120	%REC	10	23-Jan-2025 17:25
Surr: Phenol-d6	76.1			20-120	%REC	10	23-Jan-2025 17:25
Surr: Phenol-d6	51.3			20-120	%REC	1	13-Jan-2025 22:52

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: WSP Austin  
 Project: Houston TX-Wood Preserving Works  
 Sample ID: WG-1620-MW02-20250107  
 Collection Date: 07-Jan-2025 14:58

**ANALYTICAL REPORT**

WorkOrder:HS25010364  
 Lab ID:HS25010364-04  
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
<b>LOW-LEVEL SEMIVOLATILES BY 8270D</b>		<b>Method:SW8270</b>		Prep:SW3510 / 14-Jan-2025		Analyst: ML	
<b>2-Methylnaphthalene</b>	<b>0.0022</b>		<b>0.000019</b>	<b>0.00010</b>	<b>mg/L</b>	1	16-Jan-2025 20:59
Acenaphthene	< 0.000027		0.000027	0.00010	mg/L	1	16-Jan-2025 20:59
Acenaphthylene	< 0.000015		0.000015	0.00010	mg/L	1	16-Jan-2025 20:59
<b>Anthracene</b>	<b>0.00024</b>		<b>0.000014</b>	<b>0.00010</b>	<b>mg/L</b>	1	16-Jan-2025 20:59
Bis(2-ethylhexyl)phthalate	< 0.000037		0.000037	0.00020	mg/L	1	16-Jan-2025 20:59
<b>Dibenzofuran</b>	<b>0.00015</b>		<b>0.000020</b>	<b>0.00010</b>	<b>mg/L</b>	1	16-Jan-2025 20:59
<b>Fluoranthene</b>	<b>0.0014</b>		<b>0.000010</b>	<b>0.00010</b>	<b>mg/L</b>	1	16-Jan-2025 20:59
<b>Fluorene</b>	<b>0.0048</b>		<b>0.000030</b>	<b>0.00010</b>	<b>mg/L</b>	1	16-Jan-2025 20:59
Naphthalene	< 0.000020		0.000020	0.00010	mg/L	1	16-Jan-2025 20:59
<b>Phenanthrene</b>	<b>0.00042</b>		<b>0.000021</b>	<b>0.00010</b>	<b>mg/L</b>	1	16-Jan-2025 20:59
<b>Pyrene</b>	<b>0.00085</b>		<b>0.000019</b>	<b>0.00010</b>	<b>mg/L</b>	1	16-Jan-2025 20:59
Surr: 2,4,6-Tribromophenol	55.2			34-129	%REC	1	16-Jan-2025 20:59
Surr: 2-Fluorobiphenyl	79.9			40-125	%REC	1	16-Jan-2025 20:59
Surr: 2-Fluorophenol	78.1			20-120	%REC	1	16-Jan-2025 20:59
Surr: 4-Terphenyl-d14	99.6			40-135	%REC	1	16-Jan-2025 20:59
Surr: Nitrobenzene-d5	70.9			41-120	%REC	1	16-Jan-2025 20:59
Surr: Phenol-d6	83.0			20-120	%REC	1	16-Jan-2025 20:59

Note: See Qualifiers Page for a list of qualifiers and their explanation.



Client: WSP Austin  
 Project: Houston TX-Wood Preserving Works  
 Sample ID: WG-1620-FB-01-20250107  
 Collection Date: 07-Jan-2025 15:30

**ANALYTICAL REPORT**

WorkOrder:HS25010364  
 Lab ID:HS25010364-05  
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
<b>LOW-LEVEL SEMIVOLATILES BY 8270D</b>		<b>Method:SW8270</b>		Prep:SW3510 / 14-Jan-2025		Analyst: ML	
Acenaphthene	< 0.000027		0.000027	0.00010	mg/L	1	16-Jan-2025 21:21
Acenaphthylene	< 0.000015		0.000015	0.00010	mg/L	1	16-Jan-2025 21:21
Anthracene	< 0.000014		0.000014	0.00010	mg/L	1	16-Jan-2025 21:21
Bis(2-ethylhexyl)phthalate	< 0.000037		0.000037	0.00020	mg/L	1	16-Jan-2025 21:21
Dibenzofuran	< 0.000020		0.000020	0.00010	mg/L	1	16-Jan-2025 21:21
Fluoranthene	< 0.000010		0.000010	0.00010	mg/L	1	16-Jan-2025 21:21
Fluorene	< 0.000030		0.000030	0.00010	mg/L	1	16-Jan-2025 21:21
Naphthalene	< 0.000020		0.000020	0.00010	mg/L	1	16-Jan-2025 21:21
Pyrene	< 0.000019		0.000019	0.00010	mg/L	1	16-Jan-2025 21:21
<i>Surr: 2,4,6-Tribromophenol</i>	35.1			34-129	%REC	1	16-Jan-2025 21:21
<i>Surr: 2-Fluorobiphenyl</i>	77.8			40-125	%REC	1	16-Jan-2025 21:21
<i>Surr: 2-Fluorophenol</i>	77.0			20-120	%REC	1	16-Jan-2025 21:21
<i>Surr: 4-Terphenyl-d14</i>	82.5			40-135	%REC	1	16-Jan-2025 21:21
<i>Surr: Nitrobenzene-d5</i>	69.5			41-120	%REC	1	16-Jan-2025 21:21
<i>Surr: Phenol-d6</i>	83.2			20-120	%REC	1	16-Jan-2025 21:21

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: WSP Austin  
 Project: Houston TX-Wood Preserving Works  
 Sample ID: WG-1620-FD-02-20250107  
 Collection Date: 07-Jan-2025 00:00

**ANALYTICAL REPORT**

WorkOrder:HS25010364  
 Lab ID:HS25010364-06  
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
<b>LOW-LEVEL SEMIVOLATILES BY 8270D</b>		<b>Method:SW8270</b>		Prep:SW3510 / 14-Jan-2025		Analyst: ML	
2-Methylnaphthalene	0.0026		0.000019	0.00010	mg/L	1	16-Jan-2025 21:43
Acenaphthene	0.033		0.00027	0.0010	mg/L	10	17-Jan-2025 17:07
Acenaphthylene	0.00034		0.000015	0.00010	mg/L	1	16-Jan-2025 21:43
Anthracene	0.0011		0.000014	0.00010	mg/L	1	16-Jan-2025 21:43
Bis(2-ethylhexyl)phthalate	< 0.000037		0.000037	0.00020	mg/L	1	16-Jan-2025 21:43
Dibenzofuran	0.0092		0.000020	0.00010	mg/L	1	16-Jan-2025 21:43
Fluoranthene	0.0017		0.000010	0.00010	mg/L	1	16-Jan-2025 21:43
Fluorene	0.017		0.00030	0.0010	mg/L	10	17-Jan-2025 17:07
Naphthalene	0.00036		0.000020	0.00010	mg/L	1	16-Jan-2025 21:43
Phenanthrene	0.0025		0.000021	0.00010	mg/L	1	16-Jan-2025 21:43
Pyrene	0.00076		0.000019	0.00010	mg/L	1	16-Jan-2025 21:43
Surr: 2,4,6-Tribromophenol	88.3			34-129	%REC	1	16-Jan-2025 21:43
Surr: 2,4,6-Tribromophenol	36.7	J		34-129	%REC	10	17-Jan-2025 17:07
Surr: 2-Fluorobiphenyl	86.2			40-125	%REC	10	17-Jan-2025 17:07
Surr: 2-Fluorobiphenyl	78.0			40-125	%REC	1	16-Jan-2025 21:43
Surr: 2-Fluorophenol	74.9			20-120	%REC	1	16-Jan-2025 21:43
Surr: 2-Fluorophenol	80.5			20-120	%REC	10	17-Jan-2025 17:07
Surr: 4-Terphenyl-d14	97.0			40-135	%REC	10	17-Jan-2025 17:07
Surr: 4-Terphenyl-d14	81.6			40-135	%REC	1	16-Jan-2025 21:43
Surr: Nitrobenzene-d5	66.9			41-120	%REC	1	16-Jan-2025 21:43
Surr: Nitrobenzene-d5	75.5			41-120	%REC	10	17-Jan-2025 17:07
Surr: Phenol-d6	86.6			20-120	%REC	10	17-Jan-2025 17:07
Surr: Phenol-d6	81.0			20-120	%REC	1	16-Jan-2025 21:43

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: WSP Austin  
 Project: Houston TX-Wood Preserving Works  
 Sample ID: WG-1620-MW01A-20250107  
 Collection Date: 07-Jan-2025 15:43

**ANALYTICAL REPORT**

WorkOrder:HS25010364  
 Lab ID:HS25010364-07  
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
<b>LOW-LEVEL SEMIVOLATILES BY 8270D</b>		<b>Method:SW8270</b>		Prep:SW3510 / 14-Jan-2025		Analyst: ML	
2-Methylnaphthalene	0.0035		0.000019	0.00010	mg/L	1	16-Jan-2025 22:27
Acenaphthene	0.051		0.00027	0.0010	mg/L	10	17-Jan-2025 17:30
Acenaphthylene	0.00058		0.000015	0.00010	mg/L	1	16-Jan-2025 22:27
Anthracene	0.0016		0.000014	0.00010	mg/L	1	16-Jan-2025 22:27
Bis(2-ethylhexyl)phthalate	0.000059	J	0.000037	0.00020	mg/L	1	16-Jan-2025 22:27
Dibenzofuran	0.016		0.00020	0.0010	mg/L	10	17-Jan-2025 17:30
Fluoranthene	0.0025		0.000010	0.00010	mg/L	1	16-Jan-2025 22:27
Fluorene	0.027		0.00030	0.0010	mg/L	10	17-Jan-2025 17:30
Naphthalene	0.00046		0.000020	0.00010	mg/L	1	16-Jan-2025 22:27
Phenanthrene	0.0033		0.000021	0.00010	mg/L	1	16-Jan-2025 22:27
Pyrene	0.0011		0.000019	0.00010	mg/L	1	16-Jan-2025 22:27
Surr: 2,4,6-Tribromophenol	102			34-129	%REC	1	16-Jan-2025 22:27
Surr: 2,4,6-Tribromophenol	51.4			34-129	%REC	10	17-Jan-2025 17:30
Surr: 2-Fluorobiphenyl	87.8			40-125	%REC	10	17-Jan-2025 17:30
Surr: 2-Fluorobiphenyl	79.8			40-125	%REC	1	16-Jan-2025 22:27
Surr: 2-Fluorophenol	79.5			20-120	%REC	1	16-Jan-2025 22:27
Surr: 2-Fluorophenol	83.6			20-120	%REC	10	17-Jan-2025 17:30
Surr: 4-Terphenyl-d14	99.7			40-135	%REC	10	17-Jan-2025 17:30
Surr: 4-Terphenyl-d14	81.6			40-135	%REC	1	16-Jan-2025 22:27
Surr: Nitrobenzene-d5	68.9			41-120	%REC	1	16-Jan-2025 22:27
Surr: Nitrobenzene-d5	80.5			41-120	%REC	10	17-Jan-2025 17:30
Surr: Phenol-d6	86.3			20-120	%REC	10	17-Jan-2025 17:30
Surr: Phenol-d6	85.0			20-120	%REC	1	16-Jan-2025 22:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Weight / Prep Log

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010364

<b>Batch ID:</b> 222764	<b>Start Date:</b> 10 Jan 2025 13:17	<b>End Date:</b> 10 Jan 2025 13:17
<b>Method:</b> SV AQ SEP FUN EXTRACT-LOWLEV - 3510C	<b>Prep Code:</b> 3510_B_LOW	

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor	
HS25010364-01	1	1000 (mL)	1 (mL)	0.001	1-liter amber glass, Neat
HS25010364-02	1	1000 (mL)	1 (mL)	0.001	1-liter amber glass, Neat
HS25010364-03	1	1000 (mL)	1 (mL)	0.001	1-liter amber glass, Neat

<b>Batch ID:</b> 222853	<b>Start Date:</b> 14 Jan 2025 10:02	<b>End Date:</b> 14 Jan 2025 10:02
<b>Method:</b> SV AQ SEP FUN EXTRACT-LOWLEV - 3510C	<b>Prep Code:</b> 3510_B_LOW	

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor	
HS25010364-04	1	1000 (mL)	1 (mL)	0.001	1-liter amber glass, Neat
HS25010364-05	1	1000 (mL)	1 (mL)	0.001	1-liter amber glass, Neat
HS25010364-06	1	1000 (mL)	1 (mL)	0.001	1-liter amber glass, Neat
HS25010364-07	1	1000 (mL)	1 (mL)	0.001	1-liter amber glass, Neat

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010364

**DATES REPORT**

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
<b>Batch ID:</b> 222764 ( 1 )		<b>Test Name :</b> LOW-LEVEL SEMIVOLATILES BY 8270D			<b>Matrix:</b> Water	
HS25010364-01	WG-1620-P10-20250107	07 Jan 2025 12:25		10 Jan 2025 13:17	23 Jan 2025 17:47	10
HS25010364-01	WG-1620-P10-20250107	07 Jan 2025 12:25		10 Jan 2025 13:17	13 Jan 2025 22:05	1
HS25010364-02	WG-1620-MW07-20250107	07 Jan 2025 13:29		10 Jan 2025 13:17	13 Jan 2025 22:29	1
HS25010364-03	WG-1620-FDD1-20250107	07 Jan 2025 00:00		10 Jan 2025 13:17	23 Jan 2025 17:25	10
HS25010364-03	WG-1620-FDD1-20250107	07 Jan 2025 00:00		10 Jan 2025 13:17	13 Jan 2025 22:52	1
<b>Batch ID:</b> 222853 ( 1 )		<b>Test Name :</b> LOW-LEVEL SEMIVOLATILES BY 8270D			<b>Matrix:</b> Water	
HS25010364-04	WG-1620-MW02-20250107	07 Jan 2025 14:58		14 Jan 2025 10:02	16 Jan 2025 20:59	1
HS25010364-05	WG-1620-FB-01-20250107	07 Jan 2025 15:30		14 Jan 2025 10:02	16 Jan 2025 21:21	1
HS25010364-06	WG-1620-FD-02-20250107	07 Jan 2025 00:00		14 Jan 2025 10:02	17 Jan 2025 17:07	10
HS25010364-06	WG-1620-FD-02-20250107	07 Jan 2025 00:00		14 Jan 2025 10:02	16 Jan 2025 21:43	1
HS25010364-07	WG-1620-MW01A-20250107	07 Jan 2025 15:43		14 Jan 2025 10:02	17 Jan 2025 17:30	10
HS25010364-07	WG-1620-MW01A-20250107	07 Jan 2025 15:43		14 Jan 2025 10:02	16 Jan 2025 22:27	1

WorkOrder: HS25010364

InstrumentID: SV-10

Test Code: 8270\_LOW\_W

Test Number: SW8270

Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /  
REPORTING LIMITS****Matrix:** Aqueous**Units:** mg/L

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	Acenaphthene	83-32-9	0.000050	0.000034	0.000027	0.00010
A	Fluorene	86-73-7	0.000050	0.000033	0.000030	0.00010
A	Naphthalene	91-20-3	0.000050	0.000037	0.000020	0.00010
A	2-Methylnaphthalene	91-57-6	0.00010	0.000083	0.000019	0.00010
A	Acenaphthylene	208-96-8	0.000050	0.000030	0.000015	0.00010
A	Anthracene	120-12-7	0.000050	0.000036	0.000014	0.00010
A	Bis(2-ethylhexyl)phthalate	117-81-7	0.00010	0.000084	0.000037	0.00020
A	Dibenzofuran	132-64-9	0.00010	0.000088	0.000020	0.00010
A	Fluoranthene	206-44-0	0.000050	0.000038	0.000010	0.00010
A	Phenanthrene	85-01-8	0.000050	0.000039	0.000021	0.00010
A	Pyrene	129-00-0	0.000050	0.000040	0.000019	0.00010
S	2,4,6-Tribromophenol	118-79-6	0	0	0	0.00020
S	2-Fluorobiphenyl	321-60-8	0	0	0	0.00020
S	2-Fluorophenol	367-12-4	0	0	0	0.00020
S	4-Terphenyl-d14	1718-51-0	0	0	0	0.00020
S	Nitrobenzene-d5	4165-60-0	0	0	0	0.00020
S	Phenol-d6	13127-88-3	0	0	0	0.00020

WorkOrder: HS25010364

InstrumentID: SV-7

Test Code: 8270\_LOW\_W

Test Number: SW8270

Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /  
REPORTING LIMITS****Matrix:** Aqueous**Units:** mg/L

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	Acenaphthylene	208-96-8	0.000050	0.000041	0.000015	0.00010
A	Anthracene	120-12-7	0.000050	0.000042	0.000014	0.00010
A	Bis(2-ethylhexyl)phthalate	117-81-7	0.00010	0.000067	0.000037	0.00020
A	Dibenzofuran	132-64-9	0.000050	0.000050	0.000020	0.00010
A	Di-n-butyl phthalate	84-74-2	0.00010	0.000087	0.000020	0.00020
A	Fluoranthene	206-44-0	0.000050	0.000045	0.000010	0.00010
A	Phenol	108-95-2	0.00010	0.000099	0.000035	0.00020
A	Pyrene	129-00-0	0.000050	0.000045	0.000019	0.00010
A	2-Methylnaphthalene	91-57-6	0.000050	0.000039	0.000019	0.00010
A	Acenaphthene	83-32-9	0.000050	0.000040	0.000027	0.00010
A	Fluorene	86-73-7	0.000050	0.000040	0.000030	0.00010
A	Naphthalene	91-20-3	0.000050	0.000034	0.000020	0.00010
A	Phenanthrene	85-01-8	0.000050	0.000044	0.000021	0.00010
S	2,4,6-Tribromophenol	118-79-6	0	0	0	0.00020
S	2-Fluorobiphenyl	321-60-8	0	0	0	0.00020
S	2-Fluorophenol	367-12-4	0	0	0	0.00020
S	4-Terphenyl-d14	1718-51-0	0	0	0	0.00020
S	Nitrobenzene-d5	4165-60-0	0	0	0	0.00020
S	Phenol-d6	13127-88-3	0	0	0	0.00020

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010364

**QC BATCH REPORT**

Batch ID: 222764 ( 1 )		Instrument: SV-7		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
<b>MBLK</b>	Sample ID: <b>MBLK-222764</b>	Units: <b>ug/L</b>		Analysis Date: <b>13-Jan-2025 18:57</b>						
Client ID:	Run ID: <b>SV-7_504303</b>		SeqNo: <b>8633246</b>		PrepDate: <b>10-Jan-2025</b>		DF: <b>1</b>			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	< 0.019	0.10								
Acenaphthene	< 0.027	0.10								
Acenaphthylene	< 0.015	0.10								
Anthracene	< 0.014	0.10								
Bis(2-ethylhexyl)phthalate	< 0.037	0.20								
Dibenzofuran	< 0.020	0.10								
Di-n-butyl phthalate	< 0.020	0.20								
Fluoranthene	< 0.010	0.10								
Fluorene	< 0.030	0.10								
Naphthalene	< 0.020	0.10								
Phenanthrene	< 0.021	0.10								
Phenol	< 0.035	0.20								
Pyrene	< 0.019	0.10								
<i>Surr: 2,4,6-Tribromophenol</i>	<i>1.745</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>34.9</i>	<i>34 - 129</i>				
<i>Surr: 2-Fluorobiphenyl</i>	<i>3.611</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>72.2</i>	<i>40 - 125</i>				
<i>Surr: 2-Fluorophenol</i>	<i>2.37</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>47.4</i>	<i>20 - 120</i>				
<i>Surr: 4-Terphenyl-d14</i>	<i>4.568</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>91.4</i>	<i>40 - 135</i>				
<i>Surr: Nitrobenzene-d5</i>	<i>3.433</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>68.7</i>	<i>41 - 120</i>				
<i>Surr: Phenol-d6</i>	<i>2.807</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>56.1</i>	<i>20 - 120</i>				



**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010364

**QC BATCH REPORT**

Batch ID: 222764 ( 1 )		Instrument: SV-7		Method: LOW-LEVEL SEMIVOLATILES BY 8270D					
<b>LCS</b>		Sample ID: <b>LCS-222764</b>		Units: <b>ug/L</b>		Analysis Date: <b>13-Jan-2025 19:20</b>			
Client ID:		Run ID: <b>SV-7_504303</b>		SeqNo: <b>8633247</b>		PrepDate: <b>10-Jan-2025</b>		DF: <b>1</b>	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
2-Methylnaphthalene	3.665	0.10	5	0	73.3	50 - 120			
Acenaphthene	4.09	0.10	5	0	81.8	45 - 120			
Acenaphthylene	4.151	0.10	5	0	83.0	47 - 120			
Anthracene	4.537	0.10	5	0	90.7	45 - 120			
Bis(2-ethylhexyl)phthalate	3.286	0.20	5	0	65.7	40 - 139			
Dibenzofuran	4.293	0.10	5	0	85.9	50 - 120			
Di-n-butyl phthalate	4.149	0.20	5	0	83.0	45 - 123			
Fluoranthene	4.428	0.10	5	0	88.6	45 - 125			
Fluorene	4.3	0.10	5	0	86.0	49 - 120			
Naphthalene	3.69	0.10	5	0	73.8	45 - 120			
Phenanthrene	4.309	0.10	5	0	86.2	45 - 121			
Phenol	4.015	0.20	5	0	80.3	20 - 124			
Pyrene	4.035	0.10	5	0	80.7	40 - 130			
<i>Surr: 2,4,6-Tribromophenol</i>	<i>4.255</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>85.1</i>	<i>34 - 129</i>			
<i>Surr: 2-Fluorobiphenyl</i>	<i>4.761</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>95.2</i>	<i>40 - 125</i>			
<i>Surr: 2-Fluorophenol</i>	<i>3.254</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>65.1</i>	<i>20 - 120</i>			
<i>Surr: 4-Terphenyl-d14</i>	<i>5.007</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>100</i>	<i>40 - 135</i>			
<i>Surr: Nitrobenzene-d5</i>	<i>3.737</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>74.7</i>	<i>41 - 120</i>			
<i>Surr: Phenol-d6</i>	<i>2.953</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>59.1</i>	<i>20 - 120</i>			

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010364

**QC BATCH REPORT**

Batch ID: 222764 ( 1 )		Instrument: SV-7		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
LCSD		Sample ID: LCSD-222764		Units: ug/L		Analysis Date: 13-Jan-2025 19:44				
Client ID:		Run ID: SV-7_504303		SeqNo: 8633248		PrepDate: 10-Jan-2025		DF: 1		
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	3.905	0.10	5	0	78.1	50 - 120	3.665	6.35	20	
Acenaphthene	4.156	0.10	5	0	83.1	45 - 120	4.09	1.6	20	
Acenaphthylene	4.36	0.10	5	0	87.2	47 - 120	4.151	4.91	20	
Anthracene	4.517	0.10	5	0	90.3	45 - 120	4.537	0.438	20	
Bis(2-ethylhexyl)phthalate	3.484	0.20	5	0	69.7	40 - 139	3.286	5.84	20	
Dibenzofuran	4.442	0.10	5	0	88.8	50 - 120	4.293	3.41	20	
Di-n-butyl phthalate	4.033	0.20	5	0	80.7	45 - 123	4.149	2.82	20	
Fluoranthene	4.426	0.10	5	0	88.5	45 - 125	4.428	0.0572	20	
Fluorene	4.516	0.10	5	0	90.3	49 - 120	4.3	4.89	20	
Naphthalene	3.981	0.10	5	0	79.6	45 - 120	3.69	7.58	20	
Phenanthrene	4.234	0.10	5	0	84.7	45 - 121	4.309	1.77	20	
Phenol	3.703	0.20	5	0	74.1	20 - 124	4.015	8.09	20	
Pyrene	4.085	0.10	5	0	81.7	40 - 130	4.035	1.23	20	
Surr: 2,4,6-Tribromophenol	3.723	0.20	5	0	74.5	34 - 129	4.255	13.3	20	
Surr: 2-Fluorobiphenyl	4.724	0.20	5	0	94.5	40 - 125	4.761	0.777	20	
Surr: 2-Fluorophenol	2.702	0.20	5	0	54.0	20 - 120	3.254	18.5	20	
Surr: 4-Terphenyl-d14	5.125	0.20	5	0	102	40 - 135	5.007	2.33	20	
Surr: Nitrobenzene-d5	3.578	0.20	5	0	71.6	41 - 120	3.737	4.36	20	
Surr: Phenol-d6	3.577	0.20	5	0	71.5	20 - 120	2.953	19.1	20	
The following samples were analyzed in this batch:										
HS25010364-01 HS25010364-02 HS25010364-03										

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010364

**QC BATCH REPORT**

Batch ID: 222853 ( 1 )		Instrument: SV-10		Method: LOW-LEVEL SEMIVOLATILES BY 8270D					
<b>MBLK</b>	Sample ID: <b>MBLK-222853</b>	Units: <b>ug/L</b>		Analysis Date: <b>16-Jan-2025 13:37</b>					
Client ID:	Run ID: <b>SV-10_504486</b>		SeqNo: <b>8636272</b>		PrepDate: <b>14-Jan-2025</b>		DF: <b>1</b>		
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
2-Methylnaphthalene	< 0.019	0.10							
Acenaphthene	< 0.027	0.10							
Acenaphthylene	< 0.015	0.10							
Anthracene	< 0.014	0.10							
Bis(2-ethylhexyl)phthalate	< 0.037	0.20							
Dibenzofuran	< 0.020	0.10							
Fluoranthene	< 0.010	0.10							
Fluorene	< 0.030	0.10							
Naphthalene	< 0.020	0.10							
Phenanthrene	< 0.021	0.10							
Pyrene	< 0.019	0.10							
<i>Surr: 2,4,6-Tribromophenol</i>	<i>4.511</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>90.2</i>	<i>34 - 129</i>			
<i>Surr: 2-Fluorobiphenyl</i>	<i>3.826</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>76.5</i>	<i>40 - 125</i>			
<i>Surr: 2-Fluorophenol</i>	<i>3.655</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>73.1</i>	<i>20 - 120</i>			
<i>Surr: 4-Terphenyl-d14</i>	<i>4.081</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>81.6</i>	<i>40 - 135</i>			
<i>Surr: Nitrobenzene-d5</i>	<i>3.254</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>65.1</i>	<i>41 - 120</i>			
<i>Surr: Phenol-d6</i>	<i>3.908</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>78.2</i>	<i>20 - 120</i>			

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010364

**QC BATCH REPORT**

Batch ID: 222853 ( 1 )		Instrument: SV-10		Method: LOW-LEVEL SEMIVOLATILES BY 8270D					
<b>LCS</b>		Sample ID: LCS-222853		Units: ug/L		Analysis Date: 16-Jan-2025 13:59			
Client ID:		Run ID: SV-10_504486		SeqNo: 8636273		PrepDate: 14-Jan-2025		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
2-Methylnaphthalene	3.094	0.10	5	0	61.9	50 - 120			
Acenaphthene	3.533	0.10	5	0	70.7	45 - 120			
Acenaphthylene	3.695	0.10	5	0	73.9	47 - 120			
Anthracene	3.611	0.10	5	0	72.2	45 - 120			
Bis(2-ethylhexyl)phthalate	4.043	0.20	5	0	80.9	40 - 139			
Dibenzofuran	3.588	0.10	5	0	71.8	50 - 120			
Fluoranthene	3.826	0.10	5	0	76.5	45 - 125			
Fluorene	3.644	0.10	5	0	72.9	49 - 120			
Naphthalene	3.434	0.10	5	0	68.7	45 - 120			
Phenanthrene	3.661	0.10	5	0	73.2	45 - 121			
Pyrene	3.615	0.10	5	0	72.3	40 - 130			
Surr: 2,4,6-Tribromophenol	4.366	0.20	5	0	87.3	34 - 129			
Surr: 2-Fluorobiphenyl	3.61	0.20	5	0	72.2	40 - 125			
Surr: 2-Fluorophenol	3.564	0.20	5	0	71.3	20 - 120			
Surr: 4-Terphenyl-d14	3.549	0.20	5	0	71.0	40 - 135			
Surr: Nitrobenzene-d5	3.164	0.20	5	0	63.3	41 - 120			
Surr: Phenol-d6	3.788	0.20	5	0	75.8	20 - 120			

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010364

**QC BATCH REPORT**

Batch ID: 222853 ( 1 )		Instrument: SV-10		Method: LOW-LEVEL SEMIVOLATILES BY 8270D						
LCSD		Sample ID: LCSD-222853		Units: ug/L		Analysis Date: 16-Jan-2025 14:21				
Client ID:		Run ID: SV-10_504486		SeqNo: 8636340		PrepDate: 14-Jan-2025		DF: 1		
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	3.069	0.10	5	0	61.4	50 - 120	3.094	0.808	20	
Acenaphthene	3.564	0.10	5	0	71.3	45 - 120	3.533	0.892	20	
Acenaphthylene	3.669	0.10	5	0	73.4	47 - 120	3.695	0.706	20	
Anthracene	3.593	0.10	5	0	71.9	45 - 120	3.611	0.491	20	
Bis(2-ethylhexyl)phthalate	4.079	0.20	5	0	81.6	40 - 139	4.043	0.893	20	
Dibenzofuran	3.512	0.10	5	0	70.2	50 - 120	3.588	2.15	20	
Fluoranthene	3.831	0.10	5	0	76.6	45 - 125	3.826	0.113	20	
Fluorene	3.624	0.10	5	0	72.5	49 - 120	3.644	0.562	20	
Naphthalene	3.394	0.10	5	0	67.9	45 - 120	3.434	1.17	20	
Phenanthrene	3.627	0.10	5	0	72.5	45 - 121	3.661	0.926	20	
Pyrene	3.578	0.10	5	0	71.6	40 - 130	3.615	1.02	20	
Surr: 2,4,6-Tribromophenol	4.048	0.20	5	0	81.0	34 - 129	4.366	7.55	20	
Surr: 2-Fluorobiphenyl	3.508	0.20	5	0	70.2	40 - 125	3.61	2.89	20	
Surr: 2-Fluorophenol	3.608	0.20	5	0	72.2	20 - 120	3.564	1.22	20	
Surr: 4-Terphenyl-d14	3.546	0.20	5	0	70.9	40 - 135	3.549	0.0983	20	
Surr: Nitrobenzene-d5	3.113	0.20	5	0	62.3	41 - 120	3.164	1.6	20	
Surr: Phenol-d6	3.779	0.20	5	0	75.6	20 - 120	3.788	0.242	20	
The following samples were analyzed in this batch:										
HS25010364-04		HS25010364-05		HS25010364-06		HS25010364-07				

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010364

**QUALIFIERS,  
ACRONYMS, UNITS**

<b>Qualifier</b>	<b>Description</b>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

<b>Acronym</b>	<b>Description</b>
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

<b>Unit Reported</b>	<b>Description</b>
mg/L	Milligrams per Liter

---

**CERTIFICATIONS,ACCREDITATIONS & LICENSES**

---

Agency	Number	Expire Date
Arizona	AZ0793	27-May-2025
Arkansas	88-00356_2024	27-Mar-2025
California	2919; 2025	30-Apr-2025
Dept of Defense	L24-240	30-Apr-2026
Dept of Defense	L24-239	30-Apr-2026
Florida	E87611-38	30-Jun-2025
Illinois	2000322023-11	31-Jul-2025
Kansas	E-10352 2023-2024	31-Jul-2025
Kentucky	123043	30-Apr-2025
Louisiana	03087 2023-2024	30-Jun-2025
Maine	2024017	23-Jun-2026
Michigan	9971	30-Apr-2025
Nebraska	NE-OS-25-13	30-Apr-2025
New Jersey	TX008	30-Jun-2025
Pennsylvania	018	30-Jun-2025
Tennessee	04016	30-Apr-2025
Texas	T104704231 TX-C24-00130	30-Apr-2025
Utah	TX026932023-14	31-Jul-2025

## Sample Receipt Checklist

Work Order ID: HS25010364

Date/Time Received: 09-Jan-2025 09:55

Client Name: PBW

Received by: Paresh M. Giga

Completed By: /S/ Michael Lucio

09-Jan-2025 20:31

Reviewed by:

eSignature

Date/Time

eSignature

Date/Time

Matrices: WCarrier name: FedEx

Shipping container/cooler in good condition?

Yes ☒No ☐Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☐No ☐Not Present ☒

Custody seals intact on sample bottles?

Yes ☐No ☐Not Present ☒

VOA/TX1005/TX1006 Solids in hermetically sealed vials?

Yes ☐No ☐Not Present ☒

Chain of custody present?

Yes ☒No ☐

1 Page(s)

Chain of custody signed when relinquished and received?

Yes ☒No ☐

COC IDs:320995

Samplers name present on COC?

Yes ☒No ☐

Chain of custody agrees with sample labels?

Yes ☒No ☐

Samples in proper container/bottle?

Yes ☒No ☐

Sample containers intact?

Yes ☒No ☐

Sufficient sample volume for indicated test?

Yes ☒No ☐

All samples received within holding time?

Yes ☒No ☐

Container/Temp Blank temperature in compliance?

Yes ☒No ☐

Temperature(s)/Thermometer(s):

0.8uc/0.8c

IR36

Cooler(s)/Kit(s):

49467

Date/Time sample(s) sent to storage:

01/9/2025 1633

Water - VOA vials have zero headspace?

Yes ☐No ☐No VOA vials submitted ☒

Water - pH acceptable upon receipt?

Yes ☐No ☐N/A ☒

pH adjusted?

Yes ☐No ☐N/A ☒

pH adjusted by:

Login Notes:

Client Contacted:

Date Contacted:

Person Contacted:

Contacted By:

Regarding:

Comments:

Corrective Action:





Cincinnati, OH  
+1 513 733 5336

Everett, WA  
+1 425 356 2600

Fort Collins, CO  
+1 970 490 1511

Holland, MI  
+1 616 399 6070


# Chain of Custody Form

Page 1 of 1

COC ID: 320995

WSP Austin

Houston TX-Wood Preserving Works



ALS Project Manager:

Customer Information		Project Information	
Purchase Order	UPRR/Kevin Peterburs	Project Name	Houston TX-Wood Preserving Works
Work Order		Project Number	1620-21-Rev0 SR 92688
Company Name	WSP Austin	Bill To Company	Union Pacific Railroad- A/P
Send Report To	<del>emmanuel.higa@wsp.com</del> <b>MANNY HIGA</b>	Invoice Attn	Accounts Payable
Address	1601 S. MoPac Expressway Suite 325D	Address	1400 Douglas Street Stop 0750
City/State/Zip	Austin, TX 78745	City/State/Zip	Omaha NE 681790750
Phone	(512) <del>673-3434</del> <b>275-0593</b>	Phone	
Fax	(512) <del>673-3434</del> <b>(832) 792-6659</b>	Fax	
e-Mail Address	<del>emmanuel.higa@wsp.com</del> <b>emmanuel.higa@wsp.com</b>	e-Mail Address	arthur.gibson@aisglobal.com

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	WG-1620-P10-20250107	1-7-2025	1225	W	N <sub>8</sub>	2		X									
2	WG-1620-MW07-20250107	1-7-2025	1329	W	N <sub>8</sub>	2	X										
3	WG-1620-FDD1-20250107	1-7-2025	—	W	N <sub>8</sub>	2		X									
4	WG-1620-MW02-20250107	1-7-2025	1458	W	N <sub>8</sub>	2	X										
5	WG-1620-FB-01-20250107	1-7-2025	1530	W	N <sub>8</sub>	2			X								
6	WG-1620-FD-02-20250107	1-7-2025	—	W	N <sub>8</sub>	2	X										
7	WG-1620-MW01A-20250107	1-7-2025	1543	W	N <sub>8</sub>	2	X										
8																	
9																	
10																	

Sampler(s) Please Print & Sign <b>Charles Young</b>		Shipment Method <b>Hand Carry</b>		Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hour				Results Due Date:					
Relinquished by:	Date: <b>1-9-2025</b>	Time: <b>0836</b>	Received by:	Notes: UPRR HWPW 1620-21									
Relinquished by:	Date: <b>1/9/25</b>	Time: <b>955</b>	Received by (Laboratory):	Cooler ID	Cooler Temp.	QC Package: (Check One Box Below)							
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):	<b>49467</b>	<b>0.80°</b>	<input type="checkbox"/> Level II Std QX	<input checked="" type="checkbox"/> ITRP Checklist						
Preservative Key: 1-HCl 2-HNO <sub>3</sub> 3-H <sub>2</sub> SO <sub>4</sub> 4-NaOH 5-Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> 6-NaHSO <sub>4</sub> 7-Other 8-4°C 9-5035				<b>456</b>				<input type="checkbox"/> Level III Std QCPaw Date	<input type="checkbox"/> ITRP Level II				
								<input type="checkbox"/> Level IV Std 6/1 P	<input type="checkbox"/> Other				

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.  
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.  
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.



---

10450 Stancliff Rd. Suite 210  
Houston, TX 77099  
T: +1 281 530 5656  
F: +1 281 530 5887

January 27, 2025

Manny Higa  
WSP Austin  
1601 S. MoPac Expressway  
Suite 325D  
Austin, TX 78746

Work Order: **HS25010430**

Laboratory Results for: **Houston TX-Wood Preserving Works**

Dear Manny Higa ,

ALS Environmental received 5 sample(s) on Jan 10, 2025 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: DAYNA.FISHER

Luis Aguilar

---

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010430

---

**TRRP Laboratory Data  
Package Cover Page**

This data package consists of all or some of the following as applicable:

This signature page, the laboratory review checklist, and the following reportable data:

- R1 Field chain-of-custody documentation;
  - R2 Sample identification cross-reference;
  - R3 Test reports (analytical data sheets) for each environmental sample that includes:
    - a) Items consistent with NELAC Chapter 5,
    - b) dilution factors,
    - c) preparation methods,
    - d) cleanup methods, and
    - e) if required for the project, tentatively identified compounds (TICs).
  - R4 Surrogate recovery data including:
    - a) Calculated recovery (%R), and
    - b) The laboratory's surrogate QC limits.
  - R5 Test reports/summary forms for blank samples;
  - R6 Test reports/summary forms for laboratory control samples (LCSs) including:
    - a) LCS spiking amounts,
    - b) Calculated %R for each analyte, and
    - c) The laboratory's LCS QC limits.
  - R7 Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
    - a) Samples associated with the MS/MSD clearly identified,
    - b) MS/MSD spiking amounts,
    - c) Concentration of each MS/MSD analyte measured in the parent and spiked samples,
    - d) Calculated %Rs and relative percent differences (RPDs), and
    - e) The laboratory's MS/MSD QC limits.
  - R8 Laboratory analytical duplicate (if applicable) recovery and precision:
    - a) the amount of analyte measured in the duplicate,
    - b) the calculated RPD, and
    - c) the laboratory's QC limits for analytical duplicates.
  - R9 List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
  - R10 Other problems or anomalies.
- The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

---

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010430

---

**TRRP Laboratory Data  
Package Cover Page**

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the attached exception reports. By my signature below, I affirm to the best of my knowledge, all problems/anomalies, observed by the laboratory have been identified by the laboratory in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Check, if applicable: [NA] This laboratory meets an exception under 30 TAC §25.6 and was last inspected by [ ] TCEQ or [ ] \_\_\_\_\_ on (enter date of last inspection). Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.



Luis Aguilar

Laboratory Review Checklist: Reportable Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 01/27/2025			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS25010430			
Reviewer Name: Luis Aguilar				Prep Batch Number(s): 222920			
# <sup>1</sup>	A <sup>2</sup>	Description	Yes	No	NA <sup>3</sup>	NR <sup>4</sup>	ER# <sup>5</sup>
R1	OI	<b>Chain-of-custody (C-O-C)</b>					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
R2	OI	<b>Sample and quality control (QC) identification</b>					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	<b>Test reports</b>					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?			X		
		Were % moisture (or solids) reported for all soil and sediment samples?			X		
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW-846 Method 5035?			X		
		If required for the project, TICs reported?			X		
R4	O	<b>Surrogate recovery data</b>					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?		X			1
R5	OI	<b>Test reports/summary forms for blank samples</b>					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	<b>Laboratory control samples (LCS):</b>					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	<b>Matrix spike (MS) and matrix spike duplicate (MSD) data</b>					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	<b>Analytical duplicate data</b>					
		Were appropriate analytical duplicates analyzed for each matrix?			X		
		Were analytical duplicates analyzed at the appropriate frequency?			X		
		Were RPDs or relative standard deviations within the laboratory QC limits?			X		
R9	OI	<b>Method quantitation limits (MQLs):</b>					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	<b>Other problems/anomalies</b>					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Were all necessary corrective actions performed for the reported data?	X				
		Was applicable and available technology used to lower the SDL and minimize the matrix interference affects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Program for the analytes, matrices and methods associated with this laboratory data package?	X				

Laboratory Review Checklist: Supporting Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 01/27/2025			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS25010430			
Reviewer Name: Luis Aguilar				Prep Batch Number(s): 222920			
# <sup>1</sup>	A <sup>2</sup>	Description	Yes	No	NA <sup>3</sup>	NR <sup>4</sup>	ER# <sup>5</sup>
S1	OI	<b>Initial calibration (ICAL)</b>					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	<b>Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB)</b>					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?			X		
S3	O	<b>Mass spectral tuning:</b>					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	<b>Internal standards (IS):</b>					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	<b>Raw data</b> (NELAC section 1 appendix A glossary, and section 5.12 or ISO/IEC 17025 section					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	<b>Dual column confirmation</b>					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	<b>Tentatively identified compounds (TICs):</b>					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	<b>Interference Check Sample (ICS) results:</b>					
		Were percent recoveries within method QC limits?			X		
S9	I	<b>Serial dilutions, post digestion spikes, and method of standard additions</b>					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	<b>Method detection limit (MDL) studies</b>					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	<b>Proficiency test reports:</b>					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	<b>Standards documentation</b>					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	<b>Compound/analyte identification procedures</b>					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	<b>Demonstration of analyst competency (DOC)</b>					
		Was DOC conducted consistent with NELAC Chapter 5C or ISO/IEC 4?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	<b>Verification/validation documentation for methods</b> (NELAC Chap 5 or ISO/IEC 17025 Section 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	<b>Laboratory standard operating procedures (SOPs):</b>					
		Are laboratory SOPs current and on file for each method performed?	X				

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.  
O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);  
NA = Not Applicable;  
NR = Not Reviewed;  
R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Exception Reports	
Laboratory Name: ALS Laboratory Group	LRC Date: 01/27/2025
Project Name: Houston TX-Wood Preserving Works	Laboratory Job Number: HS25010430
Reviewer Name: Luis Aguilar	Prep Batch Number(s): 222920
ER# <sup>5</sup>	Description
1	<p>Batch 222920, Semivolatiles by method SW8270, Sample WG-1620-MW11B-20250110: The surrogate recoveries could not be determined due to dilution below the calibration range.</p> <p>Batch 222920, Semivolatiles by method SW8270, Samples WG-1620-MW11A-20250110, WG-1620-MW10B-20250110, WG-1620-MW10A-20250110: Surrogate recoveries were outside of the control limits due to matrix interference. 2,4,6-Tribromophenol.</p> <p>Batch 222920, Semivolatiles by method SW8270, Sample WG-1620-MW10B-20250110, Surrogate recoveries were outside of the control limits due to matrix interference.</p>
<p>Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.</p> <p>O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);</p> <p>NA = Not Applicable;</p> <p>NR = Not Reviewed;</p> <p>R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</p>	

Client:

Project:

Work Order:

WSP Austin  
Houston TX-Wood Preserving Works  
HS25010430

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS25010430-01	WG-1620-MW11B-20250110	Water		10-Jan-2025 09:13	10-Jan-2025 17:25	<input type="checkbox"/>
HS25010430-02	WG-1620-MW11A-20250110	Water		10-Jan-2025 09:55	10-Jan-2025 17:25	<input type="checkbox"/>
HS25010430-03	WG-1620-MW10B-20250110	Water		10-Jan-2025 10:49	10-Jan-2025 17:25	<input type="checkbox"/>
HS25010430-04	WG-1620-MW10A-20250110	Water		10-Jan-2025 13:25	10-Jan-2025 17:25	<input type="checkbox"/>
HS25010430-05	WG-1620-P12-20250110	Water		10-Jan-2025 14:35	10-Jan-2025 17:25	<input type="checkbox"/>



Client: WSP Austin  
 Project: Houston TX-Wood Preserving Works  
 Sample ID: WG-1620-MW11B-20250110  
 Collection Date: 10-Jan-2025 09:13

**ANALYTICAL REPORT**

WorkOrder:HS25010430  
 Lab ID:HS25010430-01  
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
<b>LOW-LEVEL SEMIVOLATILES BY 8270D</b>		<b>Method:SW8270</b>		Prep:SW3510 / 15-Jan-2025		Analyst: ML	
Acenaphthene	0.14		0.0027	0.010	mg/L	100	24-Jan-2025 15:05
Acenaphthylene	0.0023		0.000015	0.00010	mg/L	1	23-Jan-2025 18:09
Anthracene	0.0056		0.000014	0.00010	mg/L	1	23-Jan-2025 18:09
Bis(2-ethylhexyl)phthalate	0.000067	J	0.000037	0.00020	mg/L	1	23-Jan-2025 18:09
Dibenzofuran	0.031		0.00020	0.0010	mg/L	10	24-Jan-2025 12:53
Di-n-butyl phthalate	< 0.000020		0.000020	0.00020	mg/L	1	23-Jan-2025 18:09
Fluoranthene	0.014		0.00010	0.0010	mg/L	10	24-Jan-2025 12:53
Fluorene	0.057		0.00030	0.0010	mg/L	10	24-Jan-2025 12:53
Naphthalene	0.0077		0.000020	0.00010	mg/L	1	23-Jan-2025 18:09
Phenol	< 0.000035		0.000035	0.00020	mg/L	1	23-Jan-2025 18:09
Pyrene	0.0056		0.000019	0.00010	mg/L	1	23-Jan-2025 18:09
Surr: 2,4,6-Tribromophenol	0	JS		34-129	%REC	100	24-Jan-2025 15:05
Surr: 2,4,6-Tribromophenol	115			34-129	%REC	10	24-Jan-2025 12:53
Surr: 2,4,6-Tribromophenol	101			34-129	%REC	1	23-Jan-2025 18:09
Surr: 2-Fluorobiphenyl	89.0			40-125	%REC	10	24-Jan-2025 12:53
Surr: 2-Fluorobiphenyl	0	JS		40-125	%REC	100	24-Jan-2025 15:05
Surr: 2-Fluorobiphenyl	79.0			40-125	%REC	1	23-Jan-2025 18:09
Surr: 2-Fluorophenol	74.2			20-120	%REC	1	23-Jan-2025 18:09
Surr: 2-Fluorophenol	0	JS		20-120	%REC	100	24-Jan-2025 15:05
Surr: 2-Fluorophenol	80.8			20-120	%REC	10	24-Jan-2025 12:53
Surr: 4-Terphenyl-d14	77.3			40-135	%REC	1	23-Jan-2025 18:09
Surr: 4-Terphenyl-d14	0	JS		40-135	%REC	100	24-Jan-2025 15:05
Surr: 4-Terphenyl-d14	89.7			40-135	%REC	10	24-Jan-2025 12:53
Surr: Nitrobenzene-d5	78.3			41-120	%REC	10	24-Jan-2025 12:53
Surr: Nitrobenzene-d5	72.2			41-120	%REC	1	23-Jan-2025 18:09
Surr: Nitrobenzene-d5	0	JS		41-120	%REC	100	24-Jan-2025 15:05
Surr: Phenol-d6	0	JS		20-120	%REC	100	24-Jan-2025 15:05
Surr: Phenol-d6	81.0			20-120	%REC	1	23-Jan-2025 18:09
Surr: Phenol-d6	89.5			20-120	%REC	10	24-Jan-2025 12:53

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: WSP Austin  
 Project: Houston TX-Wood Preserving Works  
 Sample ID: WG-1620-MW11A-20250110  
 Collection Date: 10-Jan-2025 09:55

**ANALYTICAL REPORT**

WorkOrder:HS25010430  
 Lab ID:HS25010430-02  
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
<b>LOW-LEVEL SEMIVOLATILES BY 8270D</b>		<b>Method:SW8270</b>		Prep:SW3510 / 15-Jan-2025		Analyst: ML	
<b>2-Methylnaphthalene</b>	<b>0.00066</b>		<b>0.000019</b>	<b>0.00010</b>	<b>mg/L</b>	1	17-Jan-2025 16:01
<b>Acenaphthene</b>	<b>0.0044</b>		<b>0.000027</b>	<b>0.00010</b>	<b>mg/L</b>	1	17-Jan-2025 16:01
Acenaphthylene	< 0.000015		0.000015	0.00010	mg/L	1	17-Jan-2025 16:01
<b>Anthracene</b>	<b>0.00058</b>		<b>0.000014</b>	<b>0.00010</b>	<b>mg/L</b>	1	17-Jan-2025 16:01
Bis(2-ethylhexyl)phthalate	< 0.000037		0.000037	0.00020	mg/L	1	17-Jan-2025 16:01
<b>Dibenzofuran</b>	<b>0.0011</b>		<b>0.000020</b>	<b>0.00010</b>	<b>mg/L</b>	1	17-Jan-2025 16:01
<b>Fluoranthene</b>	<b>0.0011</b>		<b>0.000010</b>	<b>0.00010</b>	<b>mg/L</b>	1	17-Jan-2025 16:01
<b>Fluorene</b>	<b>0.0010</b>		<b>0.000030</b>	<b>0.00010</b>	<b>mg/L</b>	1	17-Jan-2025 16:01
<b>Naphthalene</b>	<b>0.0033</b>		<b>0.000020</b>	<b>0.00010</b>	<b>mg/L</b>	1	17-Jan-2025 16:01
<b>Phenanthrene</b>	<b>0.0016</b>		<b>0.000021</b>	<b>0.00010</b>	<b>mg/L</b>	1	17-Jan-2025 16:01
<b>Pyrene</b>	<b>0.00059</b>		<b>0.000019</b>	<b>0.00010</b>	<b>mg/L</b>	1	17-Jan-2025 16:01
Surr: 2,4,6-Tribromophenol	4.26	S		34-129	%REC	1	17-Jan-2025 16:01
Surr: 2-Fluorobiphenyl	103			40-125	%REC	1	17-Jan-2025 16:01
Surr: 2-Fluorophenol	61.0			20-120	%REC	1	17-Jan-2025 16:01
Surr: 4-Terphenyl-d14	108			40-135	%REC	1	17-Jan-2025 16:01
Surr: Nitrobenzene-d5	86.8			41-120	%REC	1	17-Jan-2025 16:01
Surr: Phenol-d6	78.8			20-120	%REC	1	17-Jan-2025 16:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: WSP Austin  
 Project: Houston TX-Wood Preserving Works  
 Sample ID: WG-1620-MW10B-20250110  
 Collection Date: 10-Jan-2025 10:49

**ANALYTICAL REPORT**

WorkOrder:HS25010430  
 Lab ID:HS25010430-03  
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
<b>LOW-LEVEL SEMIVOLATILES BY 8270D</b>		<b>Method:SW8270</b>		Prep:SW3510 / 15-Jan-2025		Analyst: ML	
Acenaphthene	0.013		0.00027	0.0010	mg/L	10	24-Jan-2025 13:37
Acenaphthylene	0.00018		0.000015	0.00010	mg/L	1	17-Jan-2025 16:23
Anthracene	0.00041		0.000014	0.00010	mg/L	1	17-Jan-2025 16:23
Bis(2-ethylhexyl)phthalate	0.000059	J	0.000037	0.00020	mg/L	1	17-Jan-2025 16:23
Dibenzofuran	0.0028		0.000020	0.00010	mg/L	1	17-Jan-2025 16:23
Di-n-butyl phthalate	< 0.000020		0.000020	0.00020	mg/L	1	17-Jan-2025 16:23
Fluoranthene	0.00066		0.000010	0.00010	mg/L	1	17-Jan-2025 16:23
Fluorene	0.0044		0.000030	0.00010	mg/L	1	17-Jan-2025 16:23
Naphthalene	0.0089		0.000020	0.00010	mg/L	1	17-Jan-2025 16:23
Phenol	< 0.000035		0.000035	0.00020	mg/L	1	17-Jan-2025 16:23
Pyrene	0.00034		0.000019	0.00010	mg/L	1	17-Jan-2025 16:23
Surr: 2,4,6-Tribromophenol	27.9	S		34-129	%REC	1	17-Jan-2025 16:23
Surr: 2,4,6-Tribromophenol	129	S		34-129	%REC	10	24-Jan-2025 13:37
Surr: 2-Fluorobiphenyl	103			40-125	%REC	10	24-Jan-2025 13:37
Surr: 2-Fluorobiphenyl	93.6			40-125	%REC	1	17-Jan-2025 16:23
Surr: 2-Fluorophenol	85.9			20-120	%REC	1	17-Jan-2025 16:23
Surr: 2-Fluorophenol	93.7			20-120	%REC	10	24-Jan-2025 13:37
Surr: 4-Terphenyl-d14	100			40-135	%REC	10	24-Jan-2025 13:37
Surr: 4-Terphenyl-d14	91.6			40-135	%REC	1	17-Jan-2025 16:23
Surr: Nitrobenzene-d5	81.0			41-120	%REC	1	17-Jan-2025 16:23
Surr: Nitrobenzene-d5	91.2			41-120	%REC	10	24-Jan-2025 13:37
Surr: Phenol-d6	89.8			20-120	%REC	1	17-Jan-2025 16:23
Surr: Phenol-d6	102			20-120	%REC	10	24-Jan-2025 13:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: WSP Austin  
 Project: Houston TX-Wood Preserving Works  
 Sample ID: WG-1620-MW10A-20250110  
 Collection Date: 10-Jan-2025 13:25

**ANALYTICAL REPORT**

WorkOrder:HS25010430  
 Lab ID:HS25010430-04  
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
<b>LOW-LEVEL SEMIVOLATILES BY 8270D</b>		<b>Method:SW8270</b>		Prep:SW3510 / 15-Jan-2025		Analyst: ML	
2-Methylnaphthalene	0.0033		0.000019	0.00010	mg/L	1	17-Jan-2025 16:45
Acenaphthene	0.013		0.00027	0.0010	mg/L	10	23-Jan-2025 18:31
Acenaphthylene	0.00016		0.000015	0.00010	mg/L	1	17-Jan-2025 16:45
Anthracene	0.00017		0.000014	0.00010	mg/L	1	17-Jan-2025 16:45
Bis(2-ethylhexyl)phthalate	< 0.000037		0.000037	0.00020	mg/L	1	17-Jan-2025 16:45
Dibenzofuran	0.0027		0.000020	0.00010	mg/L	1	17-Jan-2025 16:45
Fluoranthene	0.000072	J	0.000010	0.00010	mg/L	1	17-Jan-2025 16:45
Fluorene	0.0040		0.000030	0.00010	mg/L	1	17-Jan-2025 16:45
Naphthalene	0.052		0.00020	0.0010	mg/L	10	23-Jan-2025 18:31
Phenanthrene	0.00095		0.000021	0.00010	mg/L	1	17-Jan-2025 16:45
Pyrene	0.000040	J	0.000019	0.00010	mg/L	1	17-Jan-2025 16:45
Surr: 2,4,6-Tribromophenol	130	S		34-129	%REC	10	23-Jan-2025 18:31
Surr: 2,4,6-Tribromophenol	47.9			34-129	%REC	1	17-Jan-2025 16:45
Surr: 2-Fluorobiphenyl	94.6			40-125	%REC	1	17-Jan-2025 16:45
Surr: 2-Fluorobiphenyl	114			40-125	%REC	10	23-Jan-2025 18:31
Surr: 2-Fluorophenol	106			20-120	%REC	10	23-Jan-2025 18:31
Surr: 2-Fluorophenol	86.1			20-120	%REC	1	17-Jan-2025 16:45
Surr: 4-Terphenyl-d14	119			40-135	%REC	10	23-Jan-2025 18:31
Surr: 4-Terphenyl-d14	104			40-135	%REC	1	17-Jan-2025 16:45
Surr: Nitrobenzene-d5	81.6			41-120	%REC	1	17-Jan-2025 16:45
Surr: Nitrobenzene-d5	101			41-120	%REC	10	23-Jan-2025 18:31
Surr: Phenol-d6	112			20-120	%REC	10	23-Jan-2025 18:31
Surr: Phenol-d6	91.8			20-120	%REC	1	17-Jan-2025 16:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: WSP Austin  
 Project: Houston TX-Wood Preserving Works  
 Sample ID: WG-1620-P12-20250110  
 Collection Date: 10-Jan-2025 14:35

**ANALYTICAL REPORT**

WorkOrder:HS25010430  
 Lab ID:HS25010430-05  
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
<b>LOW-LEVEL SEMIVOLATILES BY 8270D</b>		<b>Method:SW8270</b>		Prep:SW3510 / 15-Jan-2025		Analyst: ML	
Acenaphthene	< 0.000027		0.000027	0.00010	mg/L	1	15-Jan-2025 21:20
Acenaphthylene	< 0.000015		0.000015	0.00010	mg/L	1	15-Jan-2025 21:20
Anthracene	< 0.000014		0.000014	0.00010	mg/L	1	15-Jan-2025 21:20
Bis(2-ethylhexyl)phthalate	< 0.000037		0.000037	0.00020	mg/L	1	15-Jan-2025 21:20
Dibenzofuran	< 0.000020		0.000020	0.00010	mg/L	1	15-Jan-2025 21:20
Di-n-butyl phthalate	< 0.000020		0.000020	0.00020	mg/L	1	15-Jan-2025 21:20
Fluoranthene	< 0.000010		0.000010	0.00010	mg/L	1	15-Jan-2025 21:20
Fluorene	< 0.000030		0.000030	0.00010	mg/L	1	15-Jan-2025 21:20
Naphthalene	< 0.000020		0.000020	0.00010	mg/L	1	15-Jan-2025 21:20
Phenol	< 0.000035		0.000035	0.00020	mg/L	1	15-Jan-2025 21:20
<b>Pyrene</b>	<b>0.00064</b>		<b>0.000019</b>	<b>0.00010</b>	<b>mg/L</b>	1	15-Jan-2025 21:20
<i>Surr: 2,4,6-Tribromophenol</i>	<i>82.0</i>			<i>34-129</i>	<i>%REC</i>	<i>1</i>	<i>15-Jan-2025 21:20</i>
<i>Surr: 2-Fluorobiphenyl</i>	<i>80.8</i>			<i>40-125</i>	<i>%REC</i>	<i>1</i>	<i>15-Jan-2025 21:20</i>
<i>Surr: 2-Fluorophenol</i>	<i>78.6</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>15-Jan-2025 21:20</i>
<i>Surr: 4-Terphenyl-d14</i>	<i>88.1</i>			<i>40-135</i>	<i>%REC</i>	<i>1</i>	<i>15-Jan-2025 21:20</i>
<i>Surr: Nitrobenzene-d5</i>	<i>70.4</i>			<i>41-120</i>	<i>%REC</i>	<i>1</i>	<i>15-Jan-2025 21:20</i>
<i>Surr: Phenol-d6</i>	<i>84.4</i>			<i>20-120</i>	<i>%REC</i>	<i>1</i>	<i>15-Jan-2025 21:20</i>

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Weight / Prep Log

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010430

<b>Batch ID:</b> 222920	<b>Start Date:</b> 15 Jan 2025 11:37	<b>End Date:</b> 15 Jan 2025 11:37
<b>Method:</b> SV AQ SEP FUN EXTRACT-LOWLEV - 3510C	<b>Prep Code:</b> 3510_B_LOW	

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor	
HS25010430-01	1	1000 (mL)	1 (mL)	0.001	1-liter amber glass, Neat
HS25010430-02	1	1000 (mL)	1 (mL)	0.001	1-liter amber glass, Neat
HS25010430-03	1	1000 (mL)	1 (mL)	0.001	1-liter amber glass, Neat
HS25010430-04	1	1000 (mL)	1 (mL)	0.001	1-liter amber glass, Neat
HS25010430-05	1	1000 (mL)	1 (mL)	0.001	1-liter amber glass, Neat

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010430

**DATES REPORT**

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
<b>Batch ID:</b> 222920 ( 0 )		<b>Test Name :</b> LOW-LEVEL SEMIVOLATILES BY 8270D			<b>Matrix:</b> Water	
HS25010430-01	WG-1620-MW11B-20250110	10 Jan 2025 09:13		15 Jan 2025 11:37	24 Jan 2025 15:05	100
HS25010430-01	WG-1620-MW11B-20250110	10 Jan 2025 09:13		15 Jan 2025 11:37	24 Jan 2025 12:53	10
HS25010430-01	WG-1620-MW11B-20250110	10 Jan 2025 09:13		15 Jan 2025 11:37	23 Jan 2025 18:09	1
HS25010430-02	WG-1620-MW11A-20250110	10 Jan 2025 09:55		15 Jan 2025 11:37	17 Jan 2025 16:01	1
HS25010430-03	WG-1620-MW10B-20250110	10 Jan 2025 10:49		15 Jan 2025 11:37	24 Jan 2025 13:37	10
HS25010430-03	WG-1620-MW10B-20250110	10 Jan 2025 10:49		15 Jan 2025 11:37	17 Jan 2025 16:23	1
HS25010430-04	WG-1620-MW10A-20250110	10 Jan 2025 13:25		15 Jan 2025 11:37	23 Jan 2025 18:31	10
HS25010430-04	WG-1620-MW10A-20250110	10 Jan 2025 13:25		15 Jan 2025 11:37	17 Jan 2025 16:45	1
HS25010430-05	WG-1620-P12-20250110	10 Jan 2025 14:35		15 Jan 2025 11:37	15 Jan 2025 21:20	1

WorkOrder: HS25010430

InstrumentID: SV-10

Test Code: 8270\_LOW\_W

Test Number: SW8270

Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /  
REPORTING LIMITS****Matrix:** Aqueous**Units:** mg/L

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	Acenaphthene	83-32-9	0.000050	0.000034	0.000027	0.00010
A	Acenaphthylene	208-96-8	0.000050	0.000030	0.000015	0.00010
A	Anthracene	120-12-7	0.000050	0.000036	0.000014	0.00010
A	Bis(2-ethylhexyl)phthalate	117-81-7	0.00010	0.000084	0.000037	0.00020
A	Dibenzofuran	132-64-9	0.00010	0.000088	0.000020	0.00010
A	Di-n-butyl phthalate	84-74-2	0.00010	0.000088	0.000020	0.00020
A	Fluoranthene	206-44-0	0.000050	0.000038	0.000010	0.00010
A	Fluorene	86-73-7	0.000050	0.000033	0.000030	0.00010
A	Naphthalene	91-20-3	0.000050	0.000037	0.000020	0.00010
A	Phenol	108-95-2	0.00010	0.000096	0.000035	0.00020
A	Pyrene	129-00-0	0.000050	0.000040	0.000019	0.00010
A	2-Methylnaphthalene	91-57-6	0.00010	0.000083	0.000019	0.00010
A	Phenanthrene	85-01-8	0.000050	0.000039	0.000021	0.00010
S	2,4,6-Tribromophenol	118-79-6	0	0	0	0.00020
S	2-Fluorobiphenyl	321-60-8	0	0	0	0.00020
S	2-Fluorophenol	367-12-4	0	0	0	0.00020
S	4-Terphenyl-d14	1718-51-0	0	0	0	0.00020
S	Nitrobenzene-d5	4165-60-0	0	0	0	0.00020
S	Phenol-d6	13127-88-3	0	0	0	0.00020



**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010430

**QC BATCH REPORT**

Batch ID: 222920 ( 0 )		Instrument: SV-10		Method: LOW-LEVEL SEMIVOLATILES BY 8270D					
<b>MBLK</b>	Sample ID: <b>MBLK-222920</b>	Units: <b>ug/L</b>		Analysis Date: <b>15-Jan-2025 18:46</b>					
Client ID:	Run ID: <b>SV-10_504468</b>	SeqNo: <b>8634485</b>		PrepDate: <b>15-Jan-2025</b>		DF: <b>1</b>			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
2-Methylnaphthalene	< 0.019	0.10							
Acenaphthene	< 0.027	0.10							
Acenaphthylene	< 0.015	0.10							
Anthracene	< 0.014	0.10							
Bis(2-ethylhexyl)phthalate	< 0.037	0.20							
Dibenzofuran	< 0.020	0.10							
Di-n-butyl phthalate	< 0.020	0.20							
Fluoranthene	< 0.010	0.10							
Fluorene	< 0.030	0.10							
Naphthalene	< 0.020	0.10							
Phenanthrene	< 0.021	0.10							
Phenol	< 0.035	0.20							
Pyrene	< 0.019	0.10							
<i>Surr: 2,4,6-Tribromophenol</i>	3.962	0.20	5	0	79.2	34 - 129			
<i>Surr: 2-Fluorobiphenyl</i>	3.94	0.20	5	0	78.8	40 - 125			
<i>Surr: 2-Fluorophenol</i>	4.108	0.20	5	0	82.2	20 - 120			
<i>Surr: 4-Terphenyl-d14</i>	4.038	0.20	5	0	80.8	40 - 135			
<i>Surr: Nitrobenzene-d5</i>	3.537	0.20	5	0	70.7	41 - 120			
<i>Surr: Phenol-d6</i>	4.361	0.20	5	0	87.2	20 - 120			

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010430

**QC BATCH REPORT**

Batch ID: 222920 ( 0 )		Instrument: SV-10		Method: LOW-LEVEL SEMIVOLATILES BY 8270D					
<b>LCS</b>		Sample ID: LCS-222920		Units: ug/L		Analysis Date: 15-Jan-2025 19:52			
Client ID:		Run ID: SV-10_504468		SeqNo: 8634486		PrepDate: 15-Jan-2025		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
2-Methylnaphthalene	3.337	0.10	5	0	66.7	50 - 120			
Acenaphthene	3.877	0.10	5	0	77.5	45 - 120			
Acenaphthylene	4.005	0.10	5	0	80.1	47 - 120			
Anthracene	4.075	0.10	5	0	81.5	45 - 120			
Bis(2-ethylhexyl)phthalate	4.635	0.20	5	0	92.7	40 - 139			
Dibenzofuran	4.027	0.10	5	0	80.5	50 - 120			
Di-n-butyl phthalate	4.419	0.20	5	0	88.4	45 - 123			
Fluoranthene	4.08	0.10	5	0	81.6	45 - 125			
Fluorene	3.955	0.10	5	0	79.1	49 - 120			
Naphthalene	3.657	0.10	5	0	73.1	45 - 120			
Phenanthrene	3.952	0.10	5	0	79.0	45 - 121			
Phenol	4.436	0.20	5	0	88.7	20 - 124			
Pyrene	4.075	0.10	5	0	81.5	40 - 130			
Surr: 2,4,6-Tribromophenol	4.361	0.20	5	0	87.2	34 - 129			
Surr: 2-Fluorobiphenyl	3.84	0.20	5	0	76.8	40 - 125			
Surr: 2-Fluorophenol	3.949	0.20	5	0	79.0	20 - 120			
Surr: 4-Terphenyl-d14	3.934	0.20	5	0	78.7	40 - 135			
Surr: Nitrobenzene-d5	3.711	0.20	5	0	74.2	41 - 120			
Surr: Phenol-d6	4.141	0.20	5	0	82.8	20 - 120			

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010430

**QC BATCH REPORT**

Batch ID: 222920 ( 0 )		Instrument: SV-10		Method: LOW-LEVEL SEMIVOLATILES BY 8270D					
<b>MS</b>		Sample ID: <b>HS25010430-05MS</b>		Units: <b>ug/L</b>		Analysis Date: <b>16-Jan-2025 12:53</b>			
Client ID: <b>WG-1620-P12-20250110</b>		Run ID: <b>SV-10_504486</b>		SeqNo: <b>8634945</b>		PrepDate: <b>15-Jan-2025</b>		DF: <b>1</b>	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
2-Methylnaphthalene	3.819	0.10	5	0	76.4	50 - 120			
Acenaphthene	4.683	0.10	5	0	93.7	45 - 120			
Acenaphthylene	4.826	0.10	5	0	96.5	47 - 120			
Anthracene	5.053	0.10	5	0	101	45 - 120			
Bis(2-ethylhexyl)phthalate	5.658	0.20	5	0	113	40 - 139			
Dibenzofuran	4.621	0.10	5	0	92.4	50 - 120			
Di-n-butyl phthalate	5.457	0.20	5	0	109	45 - 123			
Fluoranthene	5.242	0.10	5	0	105	45 - 125			
Fluorene	4.846	0.10	5	0	96.9	49 - 120			
Naphthalene	4.196	0.10	5	0	83.9	45 - 120			
Phenanthrene	4.906	0.10	5	0	98.1	45 - 121			
Phenol	5.114	0.20	5	0	102	20 - 124			
Pyrene	5.447	0.10	5	0.6449	96.0	40 - 130			
<i>Surr: 2,4,6-Tribromophenol</i>	<i>5.764</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>115</i>	<i>34 - 129</i>			
<i>Surr: 2-Fluorobiphenyl</i>	<i>4.755</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>95.1</i>	<i>40 - 125</i>			
<i>Surr: 2-Fluorophenol</i>	<i>4.551</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>91.0</i>	<i>20 - 120</i>			
<i>Surr: 4-Terphenyl-d14</i>	<i>5.017</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>100</i>	<i>40 - 135</i>			
<i>Surr: Nitrobenzene-d5</i>	<i>4.157</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>83.1</i>	<i>41 - 120</i>			
<i>Surr: Phenol-d6</i>	<i>4.797</i>	<i>0.20</i>	<i>5</i>	<i>0</i>	<i>95.9</i>	<i>20 - 120</i>			

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010430

**QC BATCH REPORT**

Batch ID: 222920 ( 0 )		Instrument: SV-10		Method: LOW-LEVEL SEMIVOLATILES BY 8270D					
MSD		Sample ID: HS25010430-05MSD		Units: ug/L		Analysis Date: 15-Jan-2025 22:04			
Client ID: WG-1620-P12-20250110		Run ID: SV-10_504468		SeqNo: 8634521		PrepDate: 15-Jan-2025		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
2-Methylnaphthalene	4.009	0.10	5	0	80.2	50 - 120	3.819	4.86	20
Acenaphthene	4.728	0.10	5	0	94.6	45 - 120	4.683	0.949	20
Acenaphthylene	4.9	0.10	5	0	98.0	47 - 120	4.826	1.53	20
Anthracene	5.034	0.10	5	0	101	45 - 120	5.053	0.376	20
Bis(2-ethylhexyl)phthalate	5.796	0.20	5	0	116	40 - 139	5.658	2.42	20
Dibenzofuran	4.859	0.10	5	0	97.2	50 - 120	4.621	5.02	20
Di-n-butyl phthalate	5.728	0.20	5	0	115	45 - 123	5.457	4.86	20
Fluoranthene	5.208	0.10	5	0	104	45 - 125	5.242	0.651	20
Fluorene	5.002	0.10	5	0	100	49 - 120	4.846	3.18	20
Naphthalene	4.404	0.10	5	0	88.1	45 - 120	4.196	4.84	20
Phenanthrene	4.977	0.10	5	0	99.5	45 - 121	4.906	1.44	20
Phenol	5.457	0.20	5	0	109	20 - 124	5.114	6.49	20
Pyrene	5.498	0.10	5	0.6449	97.1	40 - 130	5.447	0.928	20
Surr: 2,4,6-Tribromophenol	5.447	0.20	5	0	109	34 - 129	5.764	5.65	20
Surr: 2-Fluorobiphenyl	4.663	0.20	5	0	93.3	40 - 125	4.755	1.97	20
Surr: 2-Fluorophenol	4.839	0.20	5	0	96.8	20 - 120	4.551	6.14	20
Surr: 4-Terphenyl-d14	4.834	0.20	5	0	96.7	40 - 135	5.017	3.73	20
Surr: Nitrobenzene-d5	4.322	0.20	5	0	86.4	41 - 120	4.157	3.89	20
Surr: Phenol-d6	4.962	0.20	5	0	99.2	20 - 120	4.797	3.39	20
The following samples were analyzed in this batch:									
HS25010430-01		HS25010430-02		HS25010430-03		HS25010430-04			
HS25010430-05									

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010430

**QUALIFIERS,  
ACRONYMS, UNITS**

<b>Qualifier</b>	<b>Description</b>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

<b>Acronym</b>	<b>Description</b>
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

<b>Unit Reported</b>	<b>Description</b>
mg/L	Milligrams per Liter

**CERTIFICATIONS,ACCREDITATIONS & LICENSES**

<b>Agency</b>	<b>Number</b>	<b>Expire Date</b>
Arizona	AZ0793	27-May-2025
Arkansas	88-00356_2024	27-Mar-2025
California	2919; 2025	30-Apr-2025
Dept of Defense	L24-240	30-Apr-2026
Dept of Defense	L24-239	30-Apr-2026
Florida	E87611-38	30-Jun-2025
Illinois	2000322023-11	31-Jul-2025
Kansas	E-10352 2023-2024	31-Jul-2025
Kentucky	123043	30-Apr-2025
Louisiana	03087 2023-2024	30-Jun-2025
Maine	2024017	23-Jun-2026
Michigan	9971	30-Apr-2025
Nebraska	NE-OS-25-13	30-Apr-2025
New Jersey	TX008	30-Jun-2025
Pennsylvania	018	30-Jun-2025
Tennessee	04016	30-Apr-2025
Texas	T104704231 TX-C24-00130	30-Apr-2025
Utah	TX026932023-14	31-Jul-2025

## Sample Receipt Checklist

Work Order ID: HS25010430

Date/Time Received: 10-Jan-2025 17:25

Client Name: PBW

Received by: Paresh M. Giga

Completed By: /S/ Michael Lucio	09-Jan-2025 20:31	Reviewed by: /S/ salina zaid	13-Jan-2025 14:00
eSignature	Date/Time	eSignature	Date/Time

Matrices: WCarrier name: FedEx

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	1 Page(s)
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	COC IDs:320995
Samplers name present on COC?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temperature(s)/Thermometer(s):	0.8uc/0.8c IR36		
Cooler(s)/Kit(s):	49467		
Date/Time sample(s) sent to storage:	01/9/2025 1633		
Water - VOA vials have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted by:			

Login Notes:

Client Contacted:

Date Contacted:

Person Contacted:

Contacted By:

Regarding:

Comments:

Corrective Action:

## Sample Receipt Checklist

Work Order ID: HS25010430

Date/Time Received: 10-Jan-2025 17:25

Client Name: PBW

Received by: Paresh M. Giga

Completed By: /S/ Michael Lucio	11-Jan-2025 12:35	Reviewed by: /S/ salina zaid	13-Jan-2025 14:00
eSignature	Date/Time	eSignature	Date/Time

Matrices: WCarrier name: Client

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	1 Page(s)
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	COC IDs:320999
Samplers name present on COC?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temperature(s)/Thermometer(s):	3.8uc/3.8c IR36		
Cooler(s)/Kit(s):	49218		
Date/Time sample(s) sent to storage:	01/11/2025 1236		
Water - VOA vials have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted by:			

Login Notes:

Client Contacted:

Date Contacted:

Person Contacted:

Contacted By:

Regarding:

Comments:

Corrective Action:





Cincinnati, OH  
+1 513 733 5336

Everett, WA  
+1 425 356 2600

Fort Collins, CO  
+1 970 490 1511

Holland, MI  
+1 616 399 6070

# Chain of Custody Form

Page 1 of 1

COC ID: 320999

ALS Project Manager:

11020010700

WSP Austin

Houston TX-Wood Preserving Works

n, WV  
8

0



Customer Information		Project Information	
Purchase Order	UPRR/KEVIN Peterburs	Project Name	Houston TX-Wood Pres.
Work Order	PO# 4300241947	Project Number	1620-21-REVOSR92688B
Company Name	WSP AUSTIN	Bill To Company	Union Pacific Railroad A.P.C
Send Report To	MANNY Higa	Invoice Attn	Accounts Payable
Address	1601 S. MO PAC EXP. Suite 325D	Address	1400 Douglas Street Stop 0750
City/State/Zip	AUSTIN, TX, 78746	City/State/Zip	Omaha NE 68110750
Phone	(512) 275-0593	Phone	
Fax	(832) 792-6659	Fax	
e-Mail Address	emmanuel.higa@wsp.com	e-Mail Address	arthur.gibson@ALSglobal.com

8270-LOW-W (Semi Volatile Select List ATZ)  
8270-LOW-W (Semi Volatile Select List BTZ)  
8270-LOW-W (ATZ & BTZ Semi Volatiles)

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	WG-1620-MW11B-20250110	1-10-25	0913	W	8	2		X									
2	WG-1620-MW11A-20250110	1-10-25	0955	W	8	2	X										
3	WG-1620-MW-10B-20250110	1-10-25	1049	W	8	2		X									
4	WG-1620-MW-10A-20250110	1-10-25	1325	W	8	2	X										
5	WG-1620-P12-20250110	1-10-25	1435	W	8	2		X									
6	WG-1620-P12-MS-20250110	1-10-25	1435	W	8	2		X									
7	WG-1620-P12-MSD-20250110	1-10-25	1435	W	8	2		X									
8																	
9																	
10																	

Sampler(s) Please Print & Sign Charles Young		Shipment Method Hand Carry		Required Turnaround Time: (Check Box)		Results Due Date:	
Relinquished by:	Date: 1-10-2025	Time: 1601	Received by:	Notes:			
Relinquished by:	Date: 1/10/25	Time: 1725	Received by (Laboratory):	Cooler ID	Cooler Temp.	QC Package: (Check One Box Below)	
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):	49218	3.8		
Preservative Key: 1-HCl 2-HNO <sub>3</sub> 3-H <sub>2</sub> SO <sub>4</sub> 4-NaOH 5-Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> 6-NaHSO <sub>4</sub> 7-Other 8-4°C 9-5035					1236		

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.  
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.  
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.



---

10450 Stancliff Rd. Suite 210  
Houston, TX 77099  
T: +1 281 530 5656  
F: +1 281 530 5887

January 30, 2025

Manny Higa  
WSP Austin  
1601 S. MoPac Expressway  
Suite 325D  
Austin, TX 78746

Work Order: **HS25010681**

Laboratory Results for: **Houston TX-Wood Preserving Works**

Dear Manny Higa ,

ALS Environmental received 1 sample(s) on Jan 15, 2025 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL  
Hussam Kelany

---

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010681

---

**TRRP Laboratory Data  
Package Cover Page**

This data package consists of all or some of the following as applicable:

This signature page, the laboratory review checklist, and the following reportable data:

- R1 Field chain-of-custody documentation;
- R2 Sample identification cross-reference;
- R3 Test reports (analytical data sheets) for each environmental sample that includes:
  - a) Items consistent with NELAC Chapter 5,
  - b) dilution factors,
  - c) preparation methods,
  - d) cleanup methods, and
  - e) if required for the project, tentatively identified compounds (TICs).
- R4 Surrogate recovery data including:
  - a) Calculated recovery (%R), and
  - b) The laboratory's surrogate QC limits.
- R5 Test reports/summary forms for blank samples;
- R6 Test reports/summary forms for laboratory control samples (LCSs) including:
  - a) LCS spiking amounts,
  - b) Calculated %R for each analyte, and
  - c) The laboratory's LCS QC limits.
- R7 Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
  - a) Samples associated with the MS/MSD clearly identified,
  - b) MS/MSD spiking amounts,
  - c) Concentration of each MS/MSD analyte measured in the parent and spiked samples,
  - d) Calculated %Rs and relative percent differences (RPDs), and
  - e) The laboratory's MS/MSD QC limits.
- R8 Laboratory analytical duplicate (if applicable) recovery and precision:
  - a) the amount of analyte measured in the duplicate,
  - b) the calculated RPD, and
  - c) the laboratory's QC limits for analytical duplicates.
- R9 List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 Other problems or anomalies.  
The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

---

**Client:** WSP Austin**Project:** Houston TX-Wood Preserving Works**WorkOrder:** HS25010681**TRRP Laboratory Data  
Package Cover Page**

---

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the attached exception reports. By my signature below, I affirm to the best of my knowledge, all problems/anomalies, observed by the laboratory have been identified by the laboratory in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Check, if applicable: [NA] This laboratory meets an exception under 30 TAC §25.6 and was last inspected by [ ] TCEQ or [ ] \_\_\_\_\_ on (enter date of last inspection). Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.



Hussam Kelany

Laboratory Review Checklist: Reportable Data							
Laboratory Name: ALS Laboratory Group				LRC Date: 01/30/2025			
Project Name: Houston TX-Wood Preserving Works				Laboratory Job Number: HS25010681			
Reviewer Name: Hussam Kelany				Prep Batch Number(s): 223046			
# <sup>1</sup>	A <sup>2</sup>	Description	Yes	No	NA <sup>3</sup>	NR <sup>4</sup>	ER# <sup>5</sup>
R1	OI	<b>Chain-of-custody (C-O-C)</b>					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
R2	OI	<b>Sample and quality control (QC) identification</b>					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	<b>Test reports</b>					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?			X		
		Were % moisture (or solids) reported for all soil and sediment samples?			X		
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW-846 Method 5035?			X		
		If required for the project, TICs reported?			X		
R4	O	<b>Surrogate recovery data</b>					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?	X				
R5	OI	<b>Test reports/summary forms for blank samples</b>					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	<b>Laboratory control samples (LCS):</b>					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	<b>Matrix spike (MS) and matrix spike duplicate (MSD) data</b>					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	<b>Analytical duplicate data</b>					
		Were appropriate analytical duplicates analyzed for each matrix?			X		
		Were analytical duplicates analyzed at the appropriate frequency?			X		
		Were RPDs or relative standard deviations within the laboratory QC limits?			X		
R9	OI	<b>Method quantitation limits (MQLs):</b>					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	<b>Other problems/anomalies</b>					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Were all necessary corrective actions performed for the reported data?	X				
		Was applicable and available technology used to lower the SDL and minimize the matrix interference affects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Program for the analytes, matrices and methods associated with this laboratory data package?	X				

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable); NA = Not Applicable; NR = Not Reviewed;

R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Supporting Data							
Laboratory Name: ALS Laboratory Group			LRC Date: 01/30/2025				
Project Name: Houston TX-Wood Preserving Works			Laboratory Job Number: HS25010681				
Reviewer Name: Hussam Kelany			Prep Batch Number(s): 223046				
# <sup>1</sup>	A <sup>2</sup>	Description	Yes	No	NA <sup>3</sup>	NR <sup>4</sup>	ER# <sup>5</sup>
S1	OI	<b>Initial calibration (ICAL)</b>					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	<b>Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB)</b>					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?			X		
S3	O	<b>Mass spectral tuning:</b>					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	<b>Internal standards (IS):</b>					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	<b>Raw data</b> (NELAC section 1 appendix A glossary, and section 5.12 or ISO/IEC 17025 section					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	<b>Dual column confirmation</b>					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	<b>Tentatively identified compounds (TICs):</b>					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	<b>Interference Check Sample (ICS) results:</b>					
		Were percent recoveries within method QC limits?			X		
S9	I	<b>Serial dilutions, post digestion spikes, and method of standard additions</b>					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	<b>Method detection limit (MDL) studies</b>					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	<b>Proficiency test reports:</b>					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	<b>Standards documentation</b>					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	<b>Compound/analyte identification procedures</b>					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	<b>Demonstration of analyst competency (DOC)</b>					
		Was DOC conducted consistent with NELAC Chapter 5C or ISO/IEC 4?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	<b>Verification/validation documentation for methods</b> (NELAC Chap 5 or ISO/IEC 17025 Section 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	<b>Laboratory standard operating procedures (SOPs):</b>					
		Are laboratory SOPs current and on file for each method performed?	X				

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.  
O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);  
NA = Not Applicable; NR = Not Reviewed;  
R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Exception Reports	
Laboratory Name: ALS Laboratory Group	LRC Date: 01/30/2025
Project Name: Houston TX-Wood Preserving Works	Laboratory Job Number: HS25010681
Reviewer Name: Hussam Kelany	Prep Batch Number(s): 223046
<b>ER#<sup>5</sup></b>	<b>Description</b>
	No Exceptions
<p>Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.</p> <p>O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);</p> <p>NA = Not Applicable;</p> <p>NR = Not Reviewed;</p> <p>R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</p>	

Client:

Project:

Work Order:

WSP Austin

Houston TX-Wood Preserving Works

HS25010681

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS25010681-01	WG-1620-MW08-20250115	Water		15-Jan-2025 11:10	15-Jan-2025 15:10	<input type="checkbox"/>



Client: WSP Austin  
 Project: Houston TX-Wood Preserving Works  
 Sample ID: WG-1620-MW08-20250115  
 Collection Date: 15-Jan-2025 11:10

**ANALYTICAL REPORT**

WorkOrder:HS25010681  
 Lab ID:HS25010681-01  
 Matrix:Water

ANALYSES	RESULT	QUAL	SDL	MQL	UNITS	DILUTION FACTOR	DATE ANALYZED
<b>LOW-LEVEL SEMIVOLATILES BY 8270D</b>		<b>Method:SW8270</b>		Prep:SW3510 / 17-Jan-2025		Analyst: GEY	
2-Methylnaphthalene	< 0.000019		0.000019	0.00010	mg/L	1	27-Jan-2025 13:58
Acenaphthene	< 0.000027		0.000027	0.00010	mg/L	1	27-Jan-2025 13:58
Acenaphthylene	< 0.000015		0.000015	0.00010	mg/L	1	27-Jan-2025 13:58
Anthracene	< 0.000014		0.000014	0.00010	mg/L	1	27-Jan-2025 13:58
<b>Bis(2-ethylhexyl)phthalate</b>	<b>0.000065</b>	J	<b>0.000037</b>	<b>0.00020</b>	<b>mg/L</b>	1	27-Jan-2025 13:58
Dibenzofuran	< 0.000020		0.000020	0.00010	mg/L	1	27-Jan-2025 13:58
Fluoranthene	< 0.000010		0.000010	0.00010	mg/L	1	27-Jan-2025 13:58
Fluorene	< 0.000030		0.000030	0.00010	mg/L	1	27-Jan-2025 13:58
<b>Naphthalene</b>	<b>0.00016</b>		<b>0.000020</b>	<b>0.00010</b>	<b>mg/L</b>	1	27-Jan-2025 13:58
Phenanthrene	< 0.000021		0.000021	0.00010	mg/L	1	27-Jan-2025 13:58
Pyrene	< 0.000019		0.000019	0.00010	mg/L	1	27-Jan-2025 13:58
<i>Surr: 2-Fluorobiphenyl</i>	85.5			40-125	%REC	1	27-Jan-2025 13:58
<i>Surr: 4-Terphenyl-d14</i>	88.5			40-135	%REC	1	27-Jan-2025 13:58
<i>Surr: Nitrobenzene-d5</i>	79.4			41-120	%REC	1	27-Jan-2025 13:58

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Weight / Prep Log

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010681

<b>Batch ID:</b> 223046	<b>Start Date:</b> 17 Jan 2025 11:25	<b>End Date:</b> 17 Jan 2025 11:25
<b>Method:</b> SV AQ SEP FUN EXTRACT-LOWLEV - 3510C		<b>Prep Code:</b> 3510_B_LOW

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor	
HS25010681-01	1	1000 (mL)	1 (mL)	0.001	1-liter amber glass, Neat

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010681

**DATES REPORT**

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
<b>Batch ID:</b> 223046 ( 0 )		<b>Test Name :</b> LOW-LEVEL SEMIVOLATILES BY 8270D			<b>Matrix:</b> Water	
HS25010681-01	WG-1620-MW08-20250115	15 Jan 2025 11:10		17 Jan 2025 11:25	27 Jan 2025 13:58	1

WorkOrder: HS25010681

InstrumentID: SV-8

Test Code: 8270\_LOW\_W

Test Number: SW8270

Test Name: Low-Level Semivolatiles by 8270D

**METHOD DETECTION /  
REPORTING LIMITS****Matrix:** Aqueous**Units:** mg/L

Type	Analyte	CAS	DCS Spike	DCS	MDL	PQL
A	2-Methylnaphthalene	91-57-6	0.000050	0.000032	0.000019	0.00010
A	Acenaphthene	83-32-9	0.000050	0.000034	0.000027	0.00010
A	Acenaphthylene	208-96-8	0.000050	0.000031	0.000015	0.00010
A	Anthracene	120-12-7	0.000050	0.000035	0.000014	0.00010
A	Bis(2-ethylhexyl)phthalate	117-81-7	0.00010	0.000090	0.000037	0.00020
A	Dibenzofuran	132-64-9	0.000050	0.000035	0.000020	0.00010
A	Fluoranthene	206-44-0	0.000050	0.000036	0.000010	0.00010
A	Fluorene	86-73-7	0.000050	0.000032	0.000030	0.00010
A	Naphthalene	91-20-3	0.000050	0.000033	0.000020	0.00010
A	Phenanthrene	85-01-8	0.000050	0.000037	0.000021	0.00010
A	Pyrene	129-00-0	0.000050	0.000035	0.000019	0.00010
S	2-Fluorobiphenyl	321-60-8	0	0	0	0.00020
S	4-Terphenyl-d14	1718-51-0	0	0	0	0.00020
S	Nitrobenzene-d5	4165-60-0	0	0	0	0.00020

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010681

**QC BATCH REPORT**

Batch ID: 223046 ( 0 )		Instrument: SV-8		Method: LOW-LEVEL SEMIVOLATILES BY 8270D					
<b>MBLK</b>	Sample ID: <b>MBLK-223046</b>	Units: <b>ug/L</b>		Analysis Date: <b>23-Jan-2025 19:58</b>					
Client ID:	Run ID: <b>SV-8_504980</b>	SeqNo: <b>8645291</b>		PrepDate: <b>17-Jan-2025</b>		DF: <b>1</b>			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
2-Methylnaphthalene	< 0.019	0.10							
Acenaphthene	< 0.027	0.10							
Acenaphthylene	< 0.015	0.10							
Anthracene	< 0.014	0.10							
Bis(2-ethylhexyl)phthalate	< 0.037	0.20							
Dibenzofuran	< 0.020	0.10							
Fluoranthene	< 0.010	0.10							
Fluorene	< 0.030	0.10							
Naphthalene	< 0.020	0.10							
Phenanthrene	< 0.021	0.10							
Pyrene	< 0.019	0.10							
Surr: 2-Fluorobiphenyl	4.072	0.20	5	0	81.4	40 - 125			
Surr: 4-Terphenyl-d14	4.729	0.20	5	0	94.6	40 - 135			
Surr: Nitrobenzene-d5	3.963	0.20	5	0	79.3	41 - 120			

<b>LCS</b>	Sample ID: <b>LCS-223046</b>	Units: <b>ug/L</b>		Analysis Date: <b>23-Jan-2025 20:20</b>					
Client ID:	Run ID: <b>SV-8_504980</b>	SeqNo: <b>8645292</b>		PrepDate: <b>17-Jan-2025</b>		DF: <b>1</b>			
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
2-Methylnaphthalene	4.332	0.10	5	0	86.6	50 - 120			
Acenaphthene	4.94	0.10	5	0	98.8	45 - 120			
Acenaphthylene	4.927	0.10	5	0	98.5	47 - 120			
Anthracene	5.064	0.10	5	0	101	45 - 120			
Bis(2-ethylhexyl)phthalate	5.789	0.20	5	0	116	40 - 139			
Dibenzofuran	4.816	0.10	5	0	96.3	50 - 120			
Fluoranthene	5.178	0.10	5	0	104	45 - 125			
Fluorene	4.871	0.10	5	0	97.4	49 - 120			
Naphthalene	4.768	0.10	5	0	95.4	45 - 120			
Phenanthrene	5.068	0.10	5	0	101	45 - 121			
Pyrene	4.988	0.10	5	0	99.8	40 - 130			
Surr: 2-Fluorobiphenyl	5.059	0.20	5	0	101	40 - 125			
Surr: 4-Terphenyl-d14	5.56	0.20	5	0	111	40 - 135			
Surr: Nitrobenzene-d5	5.146	0.20	5	0	103	41 - 120			

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010681

**QC BATCH REPORT**

Batch ID: 223046 ( 0 )		Instrument: SV-8		Method: LOW-LEVEL SEMIVOLATILES BY 8270D					
<b>MS</b>		Sample ID: HS25010657-05MS		Units: ug/L		Analysis Date: 27-Jan-2025 12:51			
Client ID:		Run ID: SV-8_505058		SeqNo: 8646720		PrepDate: 17-Jan-2025		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
2-Methylnaphthalene	3.995	0.10	5	0	79.9	50 - 120			
Acenaphthene	4.367	0.10	5	0	87.3	45 - 120			
Acenaphthylene	4.38	0.10	5	0	87.6	47 - 120			
Anthracene	4.713	0.10	5	0	94.3	45 - 120			
Bis(2-ethylhexyl)phthalate	5.252	0.20	5	0	105	40 - 139			
Dibenzofuran	4.308	0.10	5	0	86.2	50 - 120			
Fluoranthene	4.918	0.10	5	0	98.4	45 - 125			
Fluorene	4.45	0.10	5	0	89.0	49 - 120			
Naphthalene	4.638	0.10	5	0.2217	88.3	45 - 120			
Phenanthrene	4.803	0.10	5	0.08601	94.3	45 - 121			
Pyrene	4.544	0.10	5	0	90.9	40 - 130			
Surr: 2-Fluorobiphenyl	4.274	0.20	5	0	85.5	40 - 125			
Surr: 4-Terphenyl-d14	5.067	0.20	5	0	101	40 - 135			
Surr: Nitrobenzene-d5	4.134	0.20	5	0	82.7	41 - 120			

<b>MSD</b>		Sample ID: HS25010657-05MSD		Units: ug/L		Analysis Date: 23-Jan-2025 22:33			
Client ID:		Run ID: SV-8_504981		SeqNo: 8646721		PrepDate: 17-Jan-2025		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
2-Methylnaphthalene	3.617	0.10	5	0	72.3	50 - 120	3.995	9.92	20
Acenaphthene	4.056	0.10	5	0	81.1	45 - 120	4.367	7.4	20
Acenaphthylene	4.195	0.10	5	0	83.9	47 - 120	4.38	4.32	20
Anthracene	4.526	0.10	5	0	90.5	45 - 120	4.713	4.05	20
Bis(2-ethylhexyl)phthalate	5.088	0.20	5	0	102	40 - 139	5.252	3.16	20
Dibenzofuran	3.999	0.10	5	0	80.0	50 - 120	4.308	7.44	20
Fluoranthene	4.648	0.10	5	0	93.0	45 - 125	4.918	5.65	20
Fluorene	4.089	0.10	5	0	81.8	49 - 120	4.45	8.44	20
Naphthalene	4.234	0.10	5	0.2217	80.3	45 - 120	4.638	9.1	20
Phenanthrene	4.585	0.10	5	0.08601	90.0	45 - 121	4.803	4.65	20
Pyrene	4.409	0.10	5	0	88.2	40 - 130	4.544	3.01	20
Surr: 2-Fluorobiphenyl	3.887	0.20	5	0	77.7	40 - 125	4.274	9.46	20
Surr: 4-Terphenyl-d14	4.642	0.20	5	0	92.8	40 - 135	5.067	8.75	20
Surr: Nitrobenzene-d5	3.888	0.20	5	0	77.8	41 - 120	4.134	6.15	20

The following samples were analyzed in this batch: HS25010681-01

**Client:** WSP Austin  
**Project:** Houston TX-Wood Preserving Works  
**WorkOrder:** HS25010681

**QUALIFIERS,  
ACRONYMS, UNITS**

<b>Qualifier</b>	<b>Description</b>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

<b>Acronym</b>	<b>Description</b>
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

<b>Unit Reported</b>	<b>Description</b>
mg/L	Milligrams per Liter

---

**CERTIFICATIONS,ACCREDITATIONS & LICENSES**

---

Agency	Number	Expire Date
Arizona	AZ0793	27-May-2025
Arkansas	88-00356_2024	27-Mar-2025
California	2919; 2025	30-Apr-2025
Dept of Defense	L24-240	30-Apr-2026
Dept of Defense	L24-239	30-Apr-2026
Florida	E87611-38	30-Jun-2025
Illinois	2000322023-11	31-Jul-2025
Kansas	E-10352 2023-2024	31-Jul-2025
Kentucky	123043	30-Apr-2025
Louisiana	03087 2023-2024	30-Jun-2025
Maine	2024017	23-Jun-2026
Michigan	9971	30-Apr-2025
Nebraska	NE-OS-25-13	30-Apr-2025
New Jersey	TX008	30-Jun-2025
Pennsylvania	018	30-Jun-2025
Tennessee	04016	30-Apr-2025
Texas	T104704231 TX-C24-00130	30-Apr-2025
Utah	TX026932023-14	31-Jul-2025



## Sample Receipt Checklist

Work Order ID: HS25010681

Date/Time Received: 15-Jan-2025 15:10

Client Name: PBW

Received by: Paresh M. Giga

Completed By: /S/ Jacob Coronado	16-Jan-2025 16:46	Reviewed by: /S/ salina zaid	16-Jan-2025 17:36
eSignature	Date/Time	eSignature	Date/Time

Matrices: WCarrier name: Client

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	1 Page(s)
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	COC IDs:320567
Samplers name present on COC?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temperature(s)/Thermometer(s):	2.5uc/2.5c   ir34		
Cooler(s)/Kit(s):	52754		
Date/Time sample(s) sent to storage:	1/16/2025 1646		
Water - VOA vials have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted by:			

Login Notes:

Client Contacted:

Date Contacted:

Person Contacted:

Contacted By:

Regarding:

Comments:

Corrective Action:



Cincinnati, OH  
+1 513 733 5336

Everett, WA  
+1 425 356 2600

Fort Collins, CO  
+1 970 490 1511

Holland, MI  
+1 616 399 6070

# Chain of Custody Form

Page 1 of 1

COC ID: 320567

HS25010681

WSP Austin

Houston TX-Wood Preserving Works



ALS Project Manager:

Customer Information		Project Information	
Purchase Order	UPRR/Kevin Peterburs	Project Name	Houston TX-Wood Preserving Works
Work Order	4300241947	Project Number	1620-21-Rev0 SR 92688
Company Name	WSP Austin	Bill To Company	Union Pacific Railroad- A/P
Send Report To	<del>Eric Holzer</del> Manny Higa	Invoice Attn	Accounts Payable
Address	1601 S. MoPac Expressway Suite 325D	Address	1400 Douglas Street Stop 0750
City/State/Zip	Austin, TX 78745	City/State/Zip	Omaha NE 681790750
Phone	(512) <del>671-3434</del> 275-0593	Phone	
Fax	(512) <del>671-3434</del> 832-792-6659	Fax	
e-Mail Address	<del>emmanuel.higa@wsp.com</del> emmanuel.higa@wsp.com	e-Mail Address	arthur.gibson@aisglobal.com

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	WG-1620-MW08-20250115	1-15-2025	1110	W	8	2				X							
2																	
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign Charles Young		Shipment Method		Required Turnaround Time: (Check Box) <input checked="" type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 6 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hour		Results Due Date:	
Relinquished by:	Date: 1-15-2025 Time: 1100	Received by:		Notes: UPRR HWPW 1620-21			
Relinquished by:	Date: 1/15/25 Time: 1510	Received by (Laboratory):		Cooler ID	Cooler Temp.	QC Package: (Check One Box Below)	
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):	52754	25.0°	<input checked="" type="checkbox"/> Level II Std. QC	TRRP Check/Init
				48454	1.00°	<input type="checkbox"/> Level III Std. COFlow Data	TRRP Level/Init
				52333	1.7°	<input type="checkbox"/> Level IV SAMREC LP	
				<input type="checkbox"/> Other			
Preservative Key: 1-HCl 2-HNO <sub>3</sub> 3-H <sub>2</sub> SO <sub>4</sub> 4-NaOH 5-Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> 6-NaHSO <sub>4</sub> 7-Other 8-4°C 9-5035							

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.

2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.

3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.



# Data Validation Report

March 21, 2025

<b>To</b>	Matthew Wickham (matthew.wickham@wsp.com)	<b>Project No.</b>	12653513 06.1620
<b>Copy to</b>	Jesse Orth	<b>DVR No.</b>	97
<b>From</b>	Chris G. Knight/eew	<b>Contact No.</b>	512-777-5833
<b>Project Name</b>	UPRR - Various Data Mgmt	<b>Email</b>	christopher.knight@ghd.com
<b>Subject</b>	Data Usability Summary HWPW - Semiannual SWMU 1 Groundwater Monitoring Union Pacific Railroad (UPRR)/Houston TX-Wood Preserving Works Houston, Texas January 2025		

*The services undertaken by GHD in connection with preparing this report were limited to those specifically detailed in the report and are subject to the scope limitations set out in the report.*

## 1. Scope of Data Usability Summary

This document details a Data Usability Summary (DUS) of analytical results for samples collected in support of the HWPW - Semi-Annual SWMU 1 Groundwater Monitoring at the UPRR/Houston TX-Wood Preserving Works site during January 2025. Samples were submitted to ALS Global, located in Houston, Texas and are reported in data packages HS24071389 and HS24071568. The intended use of the data is to support the HWPW - Semiannual SWMU 1 Groundwater Monitoring at the site by providing current concentrations of chemicals of concern.

Data were reviewed and validated by Chris G. Knight of GHD Services Inc. (GHD), in accordance with Title 30 of the Texas Risk Reduction Program (TRRP) Texas Administrative Code Section 350.54 (30 TAC 350.54) as described in the Texas Commission on Environmental Quality (TCEQ) Regulatory Guidance document entitled "Review and Reporting of COC Concentration Data under TRRP", (RG-366/TRRP-13), revised May 2010, herein referred to as "TRRP-13 Guidance". Evaluation of the data was based on information obtained from the chain of custody forms, finished report forms, method blank data, recovery data from surrogate spikes/laboratory control samples (LCS)/matrix spikes (MS), field quality assurance/quality control (QA/QC) samples, the laboratory review checklist (LRC), and the laboratory exception reports (ER).

A sample collection and analysis summary are presented in Table 1. This summary provides a cross-reference of field sample identification numbers and location identification. Each sample is assigned a unique field identification number.

The validated sample results are presented in Table 2. A summary of the analytical methodology is presented in Table 3. Each data packages includes a cross-reference list of field sample identifications to laboratory sample designations.

## **2. Laboratory Qualifications**

The Laboratory's quality assurance program is consistent with the quality standards outlined in the National Environmental Laboratory Accreditation Program (NELAP). This laboratory was accredited under Texas Certification number # T104704231 at the time the analysis was performed, and the certificate is included in Attachment A.

## **3. Project Objectives**

### **3.1 Sampling/Analytical QA/QC Objectives**

The QA/QC program was designed to identify contamination resulting from the sampling, sample transport and analytical process through the analysis of a field blank sample, field duplicate sample sets, and method blanks. The QA/QC program was designed to evaluate the quality of the resulting data with respect to bias and precision through analysis of LCS and MS analyses.

## **4. Data Review/Validation Results**

### **4.1 Sample Holding Time and Preservation**

Samples were shipped with chains of custody and the paperwork was filled out properly. All samples were properly preserved, delivered on ice, and stored by the laboratory at the required temperature (0-6°C).

Sample chain of custody documents and analytical reports were used to determine sample holding times. All samples were prepared and analyzed within the required holding time.

### **4.2 Sample Containers**

Sample containers used were certified pre-cleaned glass containers provided by the laboratory. These containers meet or exceed analyte specifications established in the United States Environmental Protection Agency (USEPA) *Specifications and Guidance for Contaminant-Free Sample Containers*.

### **4.3 Calibrations**

According to the LRC, initial calibration and continuing calibration data met the criteria for the selected methods.

### **4.4 Laboratory Method Blank Analyses**

Method blanks are prepared from a purified matrix and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the analytical procedures. As these were not discrete samples managed in the field, these blanks are not listed on the sample identification cross-reference list found in the data packages.

For this summary, laboratory method blanks were analyzed at a minimum frequency of one per analytical batch and results are reported in the laboratory data packages.

The method blank results were non-detect or below the method quantitation limit (MQL), indicating that laboratory contamination was not a factor for this investigation.

### **4.5 Internal Standard and Surrogate Spike Recoveries**

Recoveries of internal standards (IS) are addressed in the LRC of the data packages. Most IS recoveries associated with the compounds of interest were acceptable per the LRC. The following outliers were noted:

- i.) The semi-volatile organic compounds (SVOCs) IS recoveries for the following samples were outside the control limit for 1,4-Dichlorobenzene, Chrysene-d12, and Perylene-d12: WG-1620-MW07-20250107, WG-1620-P10-20250107, and WG-1620-FDD1-20250107. These IS failures did not affect the target compounds, and no qualification of the data was deemed necessary.

In accordance with the methods employed, all samples, blanks, and QC samples analyzed for organic determinations are spiked with the appropriate number of surrogate compounds prior to sample extraction and analysis. Surrogate recoveries provide a means to evaluate the effects of laboratory performance on individual sample matrices. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project. Each individual surrogate compound is expected to meet the laboratory control limits. According to the TRRP-13 Guidelines, one outlying surrogate is acceptable for methods with multiple surrogate spike compounds if the recovery is at least ten percent.

Surrogate recoveries were assessed against laboratory control limits and/or the guidance in TRRP-13. Samples analyzed at elevated sample dilutions (five times or greater) were not assessed. All surrogate recoveries met the above criteria.

## **4.6 Laboratory Control Sample Analyses**

LCS or LCS/laboratory control sample duplicates (LCSD) are prepared and analyzed as samples to assess the analytical efficiencies of the methods employed, independent of sample matrix effects. The relative percent difference (RPD) of the LCS/LCSD recoveries is used to evaluate analytical precision.

For this study, LCS or LCS/LCSD were analyzed at a minimum frequency of one per analytical batch.

The LCS or LCS/LCSD contained all compounds of interest. All LCS recoveries and RPDs were within the laboratory control limits, demonstrating acceptable analytical accuracy and/or precision (where applicable).

## **4.7 Matrix Spike Analyses**

To evaluate the effects of sample matrices on the preparation process, measurement procedures, and accuracy of a particular analysis, samples are spiked with a known concentration of the analytes of concern and analyzed as MS/matrix spike duplicate (MSD) samples. The RPD between the MS and MSD is used to assess analytical precision.

The MS/MSD samples were spiked with all compounds of interest. All percent recoveries and RPD values were within the laboratory control limits, demonstrating acceptable analytical accuracy and precision.

The laboratory also performed additional MS/MSD analyses on non-site samples. These cannot be used to assess accuracy and precision for the site samples.

## **4.8 Field QA/QC Samples**

The field QA/QC consisted of one field blank sample and two field duplicate sample sets.

### **Field Blank Sample Analysis**

To assess ambient conditions at the site, one field blank samples were submitted for SVOCs analysis. All results were non-detect for the compounds of interest.

### **Field Duplicate Sample Analysis**

To assess the analytical and sampling protocol precision, two field duplicate sample sets were collected and submitted to the laboratory, as specified in Table 1. The RPDs associated with these duplicate samples must be less than thirty percent for water samples. The RPDs are only used when sample concentrations are above the estimated regions of detection.

Field duplicate summary data are presented in Table 2. Most field duplicate results met the above criteria demonstrating acceptable sampling and analytical precision. The following outliers were noted (see Table 5):

- i.) WG-1620-MW01A-20250107 and WG-1620-FD-02-20250107 were reported with variability in several SVOCs and were qualified as estimated.

## **4.9 Field Procedures**

WSP USA, Inc. collected groundwater and surface water samples in accordance with their Standard Operating Procedures (SOP) for sample collection.

## **4.10 Analyte Reporting**

The laboratory reported detected results for each analyte down to the sample detection limit (SDL), which is defined as the method detection limit (MDL) with sample-specific adjustments for dilutions, aliquot size, volumes, etc. Positive analyte detections less than the MQL but greater than the SDL were qualified as estimated (J) in Table 2 unless qualified otherwise in this report.

All detectability check standard (DCS) results supported the laboratory MDLs.

## **5. Conclusion**

Based on the assessment detailed in the foregoing, the analytical data summarized in Table 2 are usable for the purpose of supporting the HWPW - Semiannual SWMU 1 Groundwater Monitoring at the site with the specific qualifications noted herein.

Regards



**Chris G. Knight**

**NA Environmental – Mid-Con / Chemistry Data Validator / Analytical Coordinator / Chemistry Team Lead**

Table 1

**Sample Collection and Analysis Summary**  
**HWPW - Semiannual SWMU 1 Groundwater Monitoring**  
**Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works**  
**Houston, Texas**  
**January 2025**

Sample Identification	Location	Matrix	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	<u>Analysis/Parameters</u>	
					SVOCs	Comments
WG-1620-P10-20250107	P-10	Water	01/07/2025	12:25	X	
WG-1620-FDD1-20250107	P-10	Water	01/07/2025	12:25	X	Field duplicate of P-10
WG-1620-MW07-20250107	MW-07	Water	01/07/2025	13:29	X	
WG-1620-MW02-20250107	MW-02	Water	01/07/2025	14:58	X	
WG-1620-FB-01-20250107	-	Water	01/07/2025	15:30	X	Field Blank
WG-1620-MW01A-20250107	MW-01A	Water	01/07/2025	15:43	X	
WG-1620-FD-02-20250107	MW-01A	Water	01/07/2025	15:43	X	Field duplicate of MW-01A
WG-1620-MW11B-20250110	MW-11B	Water	01/10/2025	09:13	X	
WG-1620-MW11A-20250110	MW-11A	Water	01/10/2025	09:55	X	
WG-1620-MW10B-20250110	MW-10B	Water	01/10/2025	10:49	X	
WG-1620-MW10A-20250110	MW-10A	Water	01/10/2025	13:25	X	
WG-1620-P12-20250110	P-12	Water	01/10/2025	14:35	X	MS/MSD
WG-1620-MW08-20250115	MW-08	Water	01/15/2025	11:10	X	

## Notes:

SVOCs      - Semi-volatile Organic Compounds  
MS/MSD    - Matrix Spike/Matrix Spike Duplicate  
"\_"        - Not Applicable

Table 2

**Analytical Results Summary**  
**HWPW - Semiannual SWMU 1 Groundwater Monitoring**  
**Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works**  
**Houston, Texas**  
**January 2025**

Location ID:		MW-01A	MW-01A	MW-02	MW-07
Sample Name:		WG-1620-MW01A-20250107	WG-1620-FD-02-20250107	WG-1620-MW02-20250107	WG-1620-MW07-20250107
Sample Date:		01/07/2025	01/07/2025	01/07/2025	01/07/2025
			Duplicate		
Parameters	Unit				
<b>Semi-volatile Organic Compounds</b>					
2-Methylnaphthalene	mg/L	0.0035	0.0026	0.0022	<0.000019
Acenaphthene	mg/L	0.051 J	0.033 J	<0.000027	0.000076 J
Acenaphthylene	mg/L	0.00058 J	0.00034 J	<0.000015	<0.000015
Anthracene	mg/L	0.0016 J	0.0011 J	0.00024	0.000061 J
bis(2-Ethylhexyl)phthalate (DEHP)	mg/L	0.000059 J	<0.000037	<0.000037	<0.000037
Di-n-butylphthalate (DBP)	mg/L	--	--	--	--
Dibenzofuran	mg/L	0.016 J	0.0092 J	0.00015	<0.000020
Fluoranthene	mg/L	0.0025 J	0.0017 J	0.0014	<0.000010
Fluorene	mg/L	0.027 J	0.017 J	0.0048	<0.000030
Naphthalene	mg/L	0.00046	0.00036	<0.000020	<0.000020
Phenanthrene	mg/L	0.0033	0.0025	0.00042	0.000086 J
Phenol	mg/L	--	--	--	--
Pyrene	mg/L	0.0011 J	0.00076 J	0.00085	<0.000019



Table 2

**Analytical Results Summary**  
**HWPW - Semiannual SWMU 1 Groundwater Monitoring**  
**Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works**  
**Houston, Texas**  
**January 2025**

Location ID:		MW-08	MW-10A	MW-10B	MW-11A
Sample Name:		WG-1620-MW08-20250115	WG-1620-MW10A-20250110	WG-1620-MW10B-20250110	WG-1620-MW11A-20250110
Sample Date:		01/15/2025	01/10/2025	01/10/2025	01/10/2025
Parameters	Unit				
<b>Semi-volatile Organic Compounds</b>					
2-Methylnaphthalene	mg/L	<0.000019	0.0033	--	0.00066
Acenaphthene	mg/L	<0.000027	0.013	0.013	0.0044
Acenaphthylene	mg/L	<0.000015	0.00016	0.00018	<0.000015
Anthracene	mg/L	<0.000014	0.00017	0.00041	0.00058
bis(2-Ethylhexyl)phthalate (DEHP)	mg/L	0.000065 J	<0.000037	0.000059 J	<0.000037
Di-n-butylphthalate (DBP)	mg/L	--	--	<0.000020	--
Dibenzofuran	mg/L	<0.000020	0.0027	0.0028	0.0011
Fluoranthene	mg/L	<0.000010	0.000072 J	0.00066	0.0011
Fluorene	mg/L	<0.000030	0.0040	0.0044	0.0010
Naphthalene	mg/L	0.00016	0.052	0.0089	0.0033
Phenanthrene	mg/L	<0.000021	0.00095	--	0.0016
Phenol	mg/L	--	--	<0.000035	--
Pyrene	mg/L	<0.000019	0.000040 J	0.00034	0.00059

Table 2

**Analytical Results Summary**  
**HWPW - Semiannual SWMU 1 Groundwater Monitoring**  
**Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works**  
**Houston, Texas**  
**January 2025**

Location ID:		MW-11B	P-10	P-10	P-12
Sample Name:		WG-1620-MW11B-20250110	WG-1620-P10-20250107	WG-1620-FDD1-20250107	WG-1620-P12-20250110
Sample Date:		01/10/2025	01/07/2025	01/07/2025 Duplicate	01/10/2025
Parameters	Unit				
<b>Semi-volatile Organic Compounds</b>					
2-Methylnaphthalene	mg/L	--	--	--	--
Acenaphthene	mg/L	0.14	0.047	0.046	<0.000027
Acenaphthylene	mg/L	0.0023	<0.000015	<0.000015	<0.000015
Anthracene	mg/L	0.0056	0.0030	0.0033	<0.000014
bis(2-Ethylhexyl)phthalate (DEHP)	mg/L	0.000067 J	<0.000037	<0.000037	<0.000037
Di-n-butylphthalate (DBP)	mg/L	<0.000020	<0.000020	<0.000020	<0.000020
Dibenzofuran	mg/L	0.031	0.0035	0.0030	<0.000020
Fluoranthene	mg/L	0.014	0.0027	0.0031	<0.000010
Fluorene	mg/L	0.057	0.018	0.018	<0.000030
Naphthalene	mg/L	0.0077	0.014	0.016	<0.000020
Phenanthrene	mg/L	--	--	--	--
Phenol	mg/L	<0.000035	<0.000035	<0.000035	<0.000035
Pyrene	mg/L	0.0056	0.0011	0.0013	0.00064

## Notes:

&lt; - Not detected at the associated reporting limit

J - Estimated concentration

"--" - Not analyzed

**Table 3**

**Analytical Methods**  
**HWPW - Semiannual SWMU 1 Groundwater Monitoring**  
**Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works**  
**Houston, Texas**  
**January 2025**

Parameter	Method	Matrix	Holding Time	
			Collection to Extraction (Days)	Extraction to Analysis (Days)
SVOCs	SW-846 8270D	Water	7	40

**Notes:**

SVOCs - Semi-volatile Organic Compounds

**Method References:**

SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions

Table 4

**Qualified Sample Data Due to Variability in Field Duplicate Results**  
**HWPW - Semiannual SWMU 1 Groundwater Monitoring**  
**Union Pacific Railroad (UPRR)/Houston, TX-Wood Preserving Works**  
**Houston, Texas**  
**January 2025**

Parameter	Analyte	RPD	Diff	Sample ID	Qualified Result	Field Duplicate Sample ID	Qualified Result	Units
SVOCs	Acenaphthene	42.9	0.018	WG-1620-MW01A-20250107	0.051 J	WG-1620-FD-02-20250107	0.033 J	mg/L
	Acenaphthylene	52.2	0.0002		0.00058 J		0.00034 J	mg/L
	Anthracene	37.0	0.0005		0.0016 J		0.0011 J	mg/L
	Dibenzofuran	54.0	0.0068		0.016 J		0.0092 J	mg/L
	Fluoranthene	38.1	0.0008		0.0025 J		0.0017 J	mg/L
	Fluorene	45.5	0.010		0.027 J		0.017 J	mg/L
	Pyrene	36.6	0.0003		0.0011 J		0.00076 J	mg/L

## Notes:

- RPD - Relative Percent Difference  
Diff - Difference  
SVOCs - Semi-volatile Organic Compounds  
J - Estimated concentration

# **Attachment A**

## **Laboratory NELAP Certificate**

**TCEQ Accreditation Certificate**

ALS Laboratory Group, Environmental Services Division  
(Houston, Texas)

State Lab ID: T104704231

Document ID: TX-C24-00130

Effective Date: 05/01/2024

Expiration Date: 04/30/2025



Texas Commission on  
Environmental Quality

## Certificate of Accreditation



*Accreditation is hereby granted to*

**ALS Laboratory Group, Environmental Services Division (Houston,  
Texas)**

10450 Stancliff Road, Suite 210  
Houston, TX 77099-4338

State Lab ID: T104704231  
Effective Date: 05/01/2024  
Expiration Date: 04/30/2025  
Document ID: TX-C24-00130

### Conditions of Accreditation

This laboratory has been found to conform with TCEQ rules and applicable standards for laboratory accreditation. The scope of accreditation is limited to the Fields of Accreditation specifically listed on the subsequent page(s) of this certificate. Accreditation is for all version of a method approved per 40 CFR 136, 40 CFR 141, and/or 40 CFR 143. Continued accreditation requires ongoing compliance with all applicable standards and requirements.

A handwritten signature in black ink, reading "K Keel".

Issued By: Kelly Keel, Executive Director Texas Commission on Environmental Quality  
Date Issued: 05/01/2024





APPENDIX D

Waste Manifest

---

Please print or type.

Form Approved. OMB No. 2050-0039

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <b>TXD000820266</b>	2. Page 1 of <b>1</b>	3. Emergency Response Phone <b>(888) 877-7267</b>	4. Manifest Tracking Number <b>027082578 JJK</b>		
5. Generator's Name and Mailing Address <b>UNION PACIFIC RAILROAD C/O GHD SERVICES, INC. 9100 CENTRE POINTE DRIVE SUITE 240 WEST CHESTER, OH 45069 (414) 267-4164</b>				Generator's Site Address (if different than mailing address) <b>4910 Liberty Road Houston, TX 77026</b>			
6. Transporter 1 Company Name <b>Enhanced Environmental &amp; Emergency Services</b>				U.S. EPA ID Number <b>TXR000083939</b>			
7. Transporter 2 Company Name <b>US ECOLOGY</b>				U.S. EPA ID Number <b>MIK593743838</b>			
8. Designated Facility Name and Site Address <b>US Ecology-Robstown 3277 County Rd 69 Robstown, TX 78380 (361) 387-3518</b>				U.S. EPA ID Number <b>TXD069452340</b>			
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
			No. Type				
	X	<b>1. RQ, NA3082, Hazardous Waste, liquid, n.o.s., (creosote), 9, PG III (F034)</b>	<b>4 DM</b>	<b>11000</b>	<b>P</b>	<b>F034 0914 101H</b>	
14. Special Handling Instructions and Additional Information <b>1. Profile# 090129643-0/WR#021144</b> <b>Bill to: E3 Environmental- PO Box 7, Clinton, MS 39060</b> <b>Email invoices: e3admin@e3enviro.com/claraque@e3enviro.com</b> <div style="text-align: right;"><b>Job: 135-25-0018</b> <b>PO: 135-2025-0145</b></div>							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded; and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offor's Printed/Typed Name <b>Anthony McMullins OBO UPRR</b>				Signature 		Month Day Year 	
INT'L	16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____						
	Transporter signature (for exports only): _____						
TRANSPORTER	17. Transporter Acknowledgment of Receipt of Materials						
	Transporter 1 Printed/Typed Name <b>JAMES HENRY</b>				Signature 		Month Day Year   4   3   25
	Transporter 2 Printed/Typed Name <b>Richard Almaguer</b>				Signature 		Month Day Year   4   3   25
DESIGNATED FACILITY	18. Discrepancy						
	18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection <b>Generator signed date is 4/3/25 per Anthony McMullins - ME 417</b>						
	18b. Alternate Facility (or Generator)				Manifest Reference Number: _____ U.S. EPA ID Number _____		
	Facility's Phone: _____						
	18c. Signature of Alternate Facility (or Generator) _____ Month Day Year						
	19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)						
	1. <b>H042</b>	2. _____	3. _____	4. _____			
	20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a						
	Printed/Typed Name <b>Noah Eadie</b>				Signature 		Month Day Year   4   7   25



**APPENDIX E**

**POC Concentration vs. Time  
Graphs**



Figure E-1  
2-Methylnaphthalene Concentrations vs Time - A-TZ Unit  
UPRR HWPW Facility - RCRA SWMU No. 1




Figure E-2  
Dibenzofuran Concentrations vs Time - A-TZ Unit  
UPRR HWPW Facility - RCRA SWMU No. 1




Figure E-3  
Naphthalene Concentrations vs Time - A-TZ Unit  
UPRR HWPW Facility - RCRA SWMU No. 1




Figure E-4  
Dibenzofuran Concentrations vs Time - B-TZ Unit  
UPRR HWPW Facility - RCRA SWMU No. 1





Figure E-5  
Naphthalene Concentrations vs Time - B-TZ Unit  
UPRR HWPW Facility - RCRA SWMU No. 1



\* = unverified result

**APPENDIX F**

## Updated Compliance Schedule



ID	Task Name/Permit or CP Section No.	2025												2026						
		Qtr 1, 2025			Qtr 2, 2025			Qtr 3, 2025			Qtr 4, 2025			Qtr 1, 2026			Qtr 2, 2026			
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	
1	Facility Management																			
2	RCRA Permit/Compliance Plan Renewal and Major Amendments																			
15	Permit Revision No. 5, 6, and 7																			
16	Preliminary Decision and Final Draft Permit Issued																			
17	Public Meeting																			
18	Public Comment Period																			
19	General Inspection Requirements (quarterly) [Permit Section III.D; Table III.D]																			
103	Corrective Measures Implementation (CMI)/Response Action Plan (RAP) [CP Section VIII.F]																			
110	Implement Corrective Action as detailed in RAP (pending approval of Permit Renewal/Compliance Plan)																			
111	Ground-Water Monitoring Program [Permit Section VI.A.; CP Section VI.]																			
112	Water Level Measurements (Semiannually) [CP Section VI.C.4.a]1																			
152	Monitoring Well Inspections (Semiannually) [CP Section VI.C.4.a]1																			
193	Groundwater Sampling and Data Evaluation [CP Section VI.C.2]																			
244	Response and Reporting [Permit Section II.B.7; CP Section VII.]																			
245	First Semi-Annual GW Monitoring Report - July 21 [CP Section VII.C.2]																			
265	Second Semi-Annual GW Monitoring Report - January 21 [CP Section VII.C.2]																			
Compliance Schedule UPRR Houston Wood Preserving Works Site Houston, Texas		Task			Rolled Up Task				External Tasks											
		Milestone			Rolled Up Milestone				Manual Summary											
		Summary			Rolled Up Progress															
January 2025		Page 1 of 1														WSP USA Inc.				



**APPENDIX G**

**Laboratory Data QA/QC Report  
Checklist**

---

**FORMER HOUSTON WOOD PRESERVING WORKS  
LABORATORY DATA QA/QC REPORT CHECKLIST  
ANALYTICAL REPORT HS25010364  
March 28, 2025**

<b>Facility Name: Former Houston Wood Preserving Works SWMU 1</b>	<b>Permit/ISW Reg No.: 50343</b>	<b>For TCEQ Use Only</b>	
<b>Laboratory Name: ALS Environmental</b>	<b>EPA I.D. No.:</b>	<b>Project Mgr:</b>	
<b>Reviewer Name: Gabriel Garcia</b>			
<b>Date: 03/28/2025</b>	<b>Date:</b>		
<b>Description</b>	<b>Status</b>	<b>More in Case Narrative (Check Box)</b>	<b>Technically Complete</b>
1. Were laboratory analyses performed by a laboratory accredited by TCEQ, whose accreditation included the matrix (es), methods, and parameters associated with the data?  If not was an explanation given in the Case-Narrative (e.g., laboratory exemption, accreditation for method /parameter not available from TCEQ)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
2. Was a Case Narrative from laboratory (QC data description summary) submitted with the data set?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
3. Are the sample collection, preparation and analyses methods listed in the permit, preparation and analysis methods listed in the permit or other documents specifying criteria the ones used on the final report?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
4. Were there any modifications to the sample collection, preparation and/or analytical methodology (ies)?  If so was the description included on the Case-Narrative?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
5. Were all samples prepared and analyzed within required holding times?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
6. Were samples properly preserved according to method and QAPP requirements?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>

Description	Status	More in Case Narrative (Check Box)	Technically Complete
7. Have the method detection limits (MDL) and/or practical quantitation limit (PQL) been defined in the final report? Note: NELAC uses terms limit of detection (LOD) and Limit of Quantitation respectively.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
8. Do parameters listed on final report match regulatory parameters of concern (POC) specified in permit and/or Waste Analysis Plan or other required document? Note: POC may also be referred to chemicals of concern (COCs)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
9. Are the POCs included within the analytical methods target analyte list?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
10. Were the appropriate type(s) of blanks analyzed?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	
11. Did any blank samples contain POC concentrations >5x or 10x of MDL? If so, please explain potential bias?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
12. Were method blanks taken through the entire preparation and analytical process?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
13. Did the calibration curve and continuing calibration verification meet regulatory (e.g. NELAC Standards) method specifications (No. of standards, acceptance criteria, etc.)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
14. Do the initial calibration standards include a concentration below the regulatory limit/decision level? If not please explain? If an MDL and PQL are each used on a report then the relationship between the two must be defined for each method.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
15. Were manual peak integrations performed? If so pre and post chromatograms and method change histories may be requested?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
16. Were all results bracketed by a lower and upper range calibration standard?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
17. Was any result reported outside of the range of the calibration standards?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
18. Were all matrix spike (MS) and MS duplicate (MSD) recoveries within the data decision making goals of QC data in the RCRA/UIC QAPP and/or within the laboratories control charts? If not were data flagged with explanation in case narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
19. Were all of the MS and MSD relative percent differences (RPDs) within the data decision making goals of QC data in the RCRA/UIC QAPP? If not were data flagged with explanation in case narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
20. Were all laboratory control sample (LCS) recoveries at least within the MS and MSD ranges of recoveries and within laboratories control charts? If not were data flagged with explanation in Case Narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>

Description	Status	More in Case Narrative (Check Box)	Technically Complete
21. Were all POCs (COCs) in the LCS?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
22. Were the MS and MSD from samples collected for this work order or other samples in the analytical batch as defined by the NELAC Standards? <i>This information is used to identify factors contributing to matrix interferences. It should not be assumed, unless it is understood by the laboratory, that samples relating to this report were the ones selected to be fortified with the POCs.</i>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	<input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
23. Were any of the samples diluted? If so were appropriate calculations made to the MDL and/or PQL of the final report?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>

**LABORATORY DATA REPORT QA/QC CHECKLIST**  
**LABORATORY CASE-NARRATIVE**  
**(To accompany laboratory checklist)**

---

<b>Facility Name: Former Houston Wood Preserving Works SWMU 1</b>		<b>Permit/ISW Reg No.: 50343</b>
<b>Laboratory Name: ALS Environmental</b>		<b>EPA I.D. No.:</b>
Method No.	Non-conformance Description	Method Modification Description
SW8270	LCS/LCSD were analyzed and reported in lieu of an MS/MSD for this batch. The batch quality control criteria were met.	
SW8270	Internal standard recoveries for 1,4-Dichlorobenzene, Chrysene-d12, and Perylene-d12 were outside the control limit. Internal standard failures did not affect target analyte, no qualification necessary.	

**FORMER HOUSTON WOOD PRESERVING WORKS  
LABORATORY DATA QA/QC REPORT CHECKLIST  
ANALYTICAL REPORT HS25010430  
March 28, 2025**

<b>Facility Name: Former Houston Wood Preserving Works SWMU 1</b>	<b>Permit/ISW Reg No.: 50343</b>	<b>For TCEQ Use Only</b>	
<b>Laboratory Name: ALS Environmental</b>	<b>EPA I.D. No.:</b>	<b>Project Mgr:</b>	
<b>Reviewer Name: Gabriel Garcia</b>			
<b>Date: 3/28/2025</b>	<b>Date:</b>		
<b>Description</b>	<b>Status</b>	<b>More in Case Narrative (Check Box)</b>	<b>Technically Complete</b>
1. Were laboratory analyses performed by a laboratory accredited by TCEQ, whose accreditation included the matrix (ces), methods, and parameters associated with the data?  If not was an explanation given in the Case-Narrative (e.g., laboratory exemption, accreditation for method /parameter not available from TCEQ)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
2. Was a Case Narrative from laboratory (QC data description summary) submitted with the data set?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
3. Are the sample collection, preparation and analyses methods listed in the permit, preparation and analysis methods listed in the permit or other documents specifying criteria the ones used on the final report?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
4. Were there any modifications to the sample collection, preparation and/or analytical methodology (ies)?  If so was the description included on the Case-Narrative?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
5. Were all samples prepared and analyzed within required holding times?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
6. Were samples properly preserved according to method and QAPP requirements?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>

Description	Status	More in Case Narrative (Check Box)	Technically Complete
7. Have the method detection limits (MDL) and/or practical quantitation limit (PQL) been defined in the final report? Note: NELAC uses terms limit of detection (LOD) and Limit of Quantitation respectively.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
8. Do parameters listed on final report match regulatory parameters of concern (POC) specified in permit and/or Waste Analysis Plan or other required document? Note: POC may also be referred to chemicals of concern (COCs)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
9. Are the POCs included within the analytical methods target analyte list?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
10. Were the appropriate type(s) of blanks analyzed?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	
11. Did any blank samples contain POC concentrations >5x or 10x of MDL? If so, please explain potential bias?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
12. Were method blanks taken through the entire preparation and analytical process?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
13. Did the calibration curve and continuing calibration verification meet regulatory (e.g. NELAC Standards) method specifications (No. of standards, acceptance criteria, etc.)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
14. Do the initial calibration standards include a concentration below the regulatory limit/decision level? If not please explain? If an MDL and PQL are each used on a report then the relationship between the two must be defined for each method.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
15. Were manual peak integrations performed? If so pre and post chromatograms and method change histories may be requested?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
16. Were all results bracketed by a lower and upper range calibration standard?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
17. Was any result reported outside of the range of the calibration standards?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
18. Were all matrix spike (MS) and MS duplicate (MSD) recoveries within the data decision making goals of QC data in the RCRA/UIC QAPP and/or within the laboratories control charts? If not were data flagged with explanation in case narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
19. Were all of the MS and MSD relative percent differences (RPDs) within the data decision making goals of QC data in the RCRA/UIC QAPP? If not were data flagged with explanation in case narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
20. Were all laboratory control sample (LCS) recoveries at least within the MS and MSD ranges of recoveries and within laboratories control charts? If not were data flagged with explanation in Case Narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>

Description	Status	More in Case Narrative (Check Box)	Technically Complete
21. Were all POCs (COCs) in the LCS?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
22. Were the MS and MSD from samples collected for this work order or other samples in the analytical batch as defined by the NELAC Standards? <i>This information is used to identify factors contributing to matrix interferences. It should not be assumed, unless it is understood by the laboratory, that samples relating to this report were the ones selected to be fortified with the POCs.</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
23. Were any of the samples diluted? If so were appropriate calculations made to the MDL and/or PQL of the final report?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>

**LABORATORY DATA REPORT QA/QC CHECKLIST**  
**LABORATORY CASE-NARRATIVE**  
**(To accompany laboratory checklist)**

---

<b>Facility Name: Former Houston Wood Preserving Works SWMU 1</b>		<b>Permit/ISW Reg No.: 50343</b>
<b>Laboratory Name: ALS Environmental</b>		<b>EPA I.D. No.:</b>
Method No.	Non-conformance Description	Method Modification Description
SW8270	Sample WG-1620-MW11B-20250110: The surrogate recoveries could not be determined due to dilution below the calibration range.	
SW8270	Samples WG-1620-MW11A-20250110, WG-1620-MW10B-20250110, WG-1620-MW10A-20250110: Surrogate recoveries were outside of the control limits due to matrix interference. 2,4,6-Tribromophenol.	
SW8270	Sample WG-1620-MW10B-20250110, Surrogate recoveries were outside of the control limits due to matrix interference.	

**FORMER HOUSTON WOOD PRESERVING WORKS  
LABORATORY DATA QA/QC REPORT CHECKLIST  
ANALYTICAL REPORT HS25010681  
March 28, 2025**

<b>Facility Name: Former Houston Wood Preserving Works SWMU 1</b>	<b>Permit/ISW Reg No.: 50343</b>	<b>For TCEQ Use Only</b>	
<b>Laboratory Name: ALS Environmental</b>	<b>EPA I.D. No.:</b>	<b>Project Mgr:</b>	
<b>Reviewer Name: Gabriel Garcia</b>			
<b>Date: 03/28/2025</b>	<b>Date:</b>		
<b>Description</b>	<b>Status</b>	<b>More in Case Narrative (Check Box)</b>	<b>Technically Complete</b>
1. Were laboratory analyses performed by a laboratory accredited by TCEQ, whose accreditation included the matrix (es), methods, and parameters associated with the data?  If not was an explanation given in the Case-Narrative (e.g., laboratory exemption, accreditation for method /parameter not available from TCEQ)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
2. Was a Case Narrative from laboratory (QC data description summary) submitted with the data set?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
3. Are the sample collection, preparation and analyses methods listed in the permit, preparation and analysis methods listed in the permit or other documents specifying criteria the ones used on the final report?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
4. Were there any modifications to the sample collection, preparation and/or analytical methodology (ies)?  If so was the description included on the Case-Narrative?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
5. Were all samples prepared and analyzed within required holding times?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
6. Were samples properly preserved according to method and QAPP requirements?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>



Description	Status	More in Case Narrative (Check Box)	Technically Complete
7. Have the method detection limits (MDL) and/or practical quantitation limit (PQL) been defined in the final report? Note: NELAC uses terms limit of detection (LOD) and Limit of Quantitation respectively.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
8. Do parameters listed on final report match regulatory parameters of concern (POC) specified in permit and/or Waste Analysis Plan or other required document? Note: POC may also be referred to chemicals of concern (COCs)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
9. Are the POCs included within the analytical methods target analyte list?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
10. Were the appropriate type(s) of blanks analyzed?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	
11. Did any blank samples contain POC concentrations >5x or 10x of MDL? If so, please explain potential bias?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
12. Were method blanks taken through the entire preparation and analytical process?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
13. Did the calibration curve and continuing calibration verification meet regulatory (e.g. NELAC Standards) method specifications (No. of standards, acceptance criteria, etc.)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
14. Do the initial calibration standards include a concentration below the regulatory limit/decision level? If not please explain? If an MDL and PQL are each used on a report then the relationship between the two must be defined for each method.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
15. Were manual peak integrations performed? If so pre and post chromatograms and method change histories may be requested?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
16. Were all results bracketed by a lower and upper range calibration standard?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
17. Was any result reported outside of the range of the calibration standards?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
18. Were all matrix spike (MS) and MS duplicate (MSD) recoveries within the data decision making goals of QC data in the RCRA/UIC QAPP and/or within the laboratories control charts? If not were data flagged with explanation in case narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
19. Were all of the MS and MSD relative percent differences (RPDs) within the data decision making goals of QC data in the RCRA/UIC QAPP? If not were data flagged with explanation in case narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
20. Were all laboratory control sample (LCS) recoveries at least within the MS and MSD ranges of recoveries and within laboratories control charts? If not were data flagged with explanation in Case Narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>

Description	Status	More in Case Narrative (Check Box)	Technically Complete
21. Were all POCs (COCs) in the LCS?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
22. Were the MS and MSD from samples collected for this work order or other samples in the analytical batch as defined by the NELAC Standards? <i>This information is used to identify factors contributing to matrix interferences. It should not be assumed, unless it is understood by the laboratory, that samples relating to this report were the ones selected to be fortified with the POCs.</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
23. Were any of the samples diluted? If so were appropriate calculations made to the MDL and/or PQL of the final report?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>

**LABORATORY DATA REPORT QA/QC CHECKLIST**  
**LABORATORY CASE-NARRATIVE**  
**(To accompany laboratory checklist)**

---

<b>Facility Name: Former Houston Wood Preserving Works SWMU 1</b>		<b>Permit/ISW Reg No.: 50343</b>
<b>Laboratory Name: ALS Environmental</b>		<b>EPA I.D. No.:</b>
Method No.	Non-conformance Description	Method Modification Description
SW8270		
SW8270		