

PASTOR, BEHLING & WHEELER, LLC 2201 Double Creek Drive, Suite 4004 Round Rock, TX 78664

Tel (512) 671-3434 Fax (512) 671-3446

July 2, 2012 PBW Project No. 1358

Mr. Mark Arthur
MC-127
Environmental Cleanup Section I, Team 3, Remediation Division
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

Subject:

Correction Action Monitoring Report: 2012 First Semi-Annual Event

Houston Wood Preserving Works, Houston, Texas

TCEQ SWR No. 31547; Hazardous Solid Waste Permit No. 50343

Dear Mr. Arthur:

Pastor, Behling & Wheeler, LLC (PBW), on behalf of Union Pacific Railroad Company (UPRR), is pleased to provide two copies of the Corrective Action Monitoring Report: 2012 First Semi-Annual Event for your review. The report was prepared in accordance with Section VII.C.2 of Compliance Plan No. CP-50343, which was issued in conjunction with Post-Closure Care Permit No. HW-50343, both dated June 10, 2005.

If you have any questions or need additional information, please feel free to call me at (512) 671-3434 or Mr. Geoffrey Reeder of UPRR at (281) 350-7197.

Sincerely,

PASTOR, BEHLING & WHEELER, LLC

Eric C. Matzner, P.G. Senior Hydrogeologist

cc:

Waste Program Manager, TCEQ Region 12, Houston

Mr. Geoffrey Reeder, P.G., UPRR – Spring, TX

Hand Delivered

Received

JUL 02 **201**2

TCEQ
Remediation Division

CORRECTIVE ACTION MONITORING REPORT 2012 FIRST SEMIANNUAL EVENT

FORMER HOUSTON WOOD PRESERVING WORKS 4910 LIBERTY ROAD HOUSTON, TEXAS

June 29, 2012

Prepared for:

Mr. Geoffrey Reeder, P.G. UNION PACIFIC RAILROAD COMPANY

24125 Aldine Westfield Road Spring, Texas 77373

Prepared by:

PASTOR, BEHLING & WHEELER, LLC

2201 Double Creek Drive, Suite 4004 Round Rock, Texas 78664 (512) 671-3434

N. O. C. C.

PBW Project No. 1358

CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision according to a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Date

6-26-2012

Signature

JOEL STRAFELDA

GENERAL MANAGER
ENVIRONMENTAL MANAGEMENT

Name

Title

TABLE OF CONTENTS

		<u> P</u>	age
LIST	OF TABL	.ES	iii
LIST	OF FIGU	RES	iii
LIST	OF APPE	NDICES	iii
1.0	EXECU	JTIVE SUMMARY	1
2.0	INTRO	DUCTION	2
3.0	2011 F	IRST SEMI-ANNUAL GROUNDWATER MONITORING EVENT	4
	3.1	Narrative Summary of First Semi-Annual Monitoring Activities	
	5,1	3.1.1 Corrective Action Program	4
		3.1.2 Groundwater Monitoring	5
	3.2	Purge Water Management	5
	3.3	Monitoring and Corrective Action System Wells	6
	3.4	Analytical Results	6
	3.5	Well Measurements	6
	3.6	Potentiometric Surface Maps	
	3.7	Non-Aqueous Phase Liquids	
	3.8	Recovered Groundwater and NAPL	
	3.9	Contaminant Mass Recovered	8
	3.10	Analytical Data Evaluation	
	3.11	Reported Concentration Maps	9
	3.12	Extent of NAPL	9
	3.13	Updated Compliance Schedule	9
	3.14	Summary of Changes Made to Corrective Action Program	9
	3.15	Modifications and Amendments to Compliance Plan	10
	3.16	Corrective Measures Implementation (CMI) Report	10
	3.17	Well Casing Elevations	10
	3.18	Recommendation for Changes	10
	3.19	Well Installation and/or Abandonment	10
	3.20	Activity Within Area Subject to Institutional Control	10
	3.21	Other Requested Items	11

LIST OF TABLES

Summary of Analytical Results for the A-Transmissive Zone (A-TZ)	
2 Summary of Analytical Results for the B-Transmissive Zone (B-TZ)	
3 Summary of Analytical Results for Quality Assurance/Quality Control Sam	oles
4 Water Level Measurements	
5 Compliance Status of Wells and Piezometers	

LIST OF FIGURES

<u>Figure</u>	<u>Title</u>
1	Site Location Map
2	Corrective Action Monitoring Well Network
3	A-TZ Potentiometric Surface Contour Map – January 30-31, 2012
4	B-TZ Potentiometric Surface Contour Map – January 30-31, 2012
5	A-TZ Reported Concentrations – 2012 1 st Semi Annual Monitoring Event
6	B-TZ Reported Concentrations – 2012 1 st Semi Annual Monitoring Event

LIST OF APPENDICES

<u>Appendix</u>	<u>Title</u>
Α	Compliance Plan Tables
В	Field Parameters
C	Laboratory Analytical Reports and Data Usability Summaries
D	Waste Manifest
\mathbf{E}	POC Concentrations vs. Time Graphs
F	Updated Compliance Schedule
G	Laboratory Data QA/QC Report Checklist

1.0 EXECUTIVE SUMMARY

This semi-annual report presents a summary and evaluation of the Corrective Action Groundwater Monitoring for January through June 2012 for the Closed Surface Impoundment (Solid Waste Management Unit (SWMU) No. 1) at the former Wood Preserving Works facility (the Site) located in Houston, Texas. The groundwater monitoring activities for this period were performed by Pastor, Behling & Wheeler, LLC (PBW) on behalf of Union Pacific Railroad (UPRR) in January 2012.

The two uppermost groundwater bearing units, the A-Transmissive Zone (A-TZ) and the B-Transmissive Zone (B-TZ), were monitored during this period. Groundwater elevation data collected during the January 2012 sampling event show groundwater flow in the A-TZ to the southeast with a hydraulic gradient of approximately 0.003 ft/ft. Groundwater flow during the previous event (2011 second semi-annual monitoring event) was to the west.

Groundwater elevation data collected in the B-TZ show groundwater flow to the east-southeast at SWMU No. 1 with a hydraulic gradient of approximately 0.006 ft/ft. Groundwater flow during the previous event (2011 second semi-annual monitoring event) was to the west.

Analytical results from the January 2012 sampling event were compared to Texas Commission on Environmental Quality Texas Risk Reduction Program Protective Concentration Limits, as designated in Section IV.D of the Compliance Plan, dated June 10, 2005. Constituent concentrations were below their respective PCLs for the twelfth consecutive semi-annual monitoring event. Monitoring wells in both the A-TZ and B-TZ are considered to be compliant for this monitoring period.

2.0 INTRODUCTION

This semi-annual report presents a summary and evaluation of groundwater monitoring data collected during the 2012 first semi-annual monitoring period (January through June) at the Union Pacific Railroad (UPRR) former Houston Wood Preserving Works facility (the Site) located at 4910 Liberty Road in Houston, Texas (Figure 1). Semi-annual groundwater monitoring is required for the Site as a condition of the Texas Commission on Environmental Quality (TCEQ) Hazardous Waste Permit No. 50343 and associated Compliance Plan (CP) No. 50343, both renewed and issued on June 10, 2005. Groundwater monitoring at the Site is performed to monitor groundwater quality beneath the Closed Surface Impoundment Unit No. 001 (Solid Waste Management Unit (SWMU) No. 1).

On behalf of UPRR, Pastor, Behling & Wheeler, LLC. (PBW) conducted groundwater monitoring activities at the Site on January 30-31, 2012. Groundwater monitoring activities included sampling and gauging the background and point of compliance (POC) wells and piezometers associated with SWMU No. 1. The sampling event, analytical data, and data evaluation provided in this report fulfill the semi-annual corrective action reporting requirements for the first half of 2012 as described in the CP, Section VII.C.2. This section requires the following reporting elements:

Semi-Annual Corrective Action Report Requirements	Report Section, Table(s) and/or Figure(s)
A narrative summary of the evaluations made in accordance with CP Sections V, VI, and VII for the preceding six-month period. These periods shall be January 1 through June	
30 and July 1 through December 31 (VII.C.2.a.)	3.0
Summary of Methods utilized for management of recovered/purged water (VII.C.2.b.)	3.2
An updated table and map of the monitoring and corrective action system wells (VII.C.2.c.)	Section 3.1.1 and Figure 2
The results of the chemical analyses, submitted in a tabulated format in a form acceptable to the Executive Director, which clearly indicates each parameter that exceeds the Groundwater Protection Standard (GWPS). Copies of the original laboratory report for chemical analyses showing detection limits and quality control and quality assurance data shall be provided if requested by the Executive Director (VII.C.2.d.)	Tables 1 & 2 Appendix C
Tabulation of the water level elevations (relative to mean sea level), depth to water measurements, and total depth of well measurements collected since the data that was submitted in the previous semiannual report (VII.C.2.e.)	Table 4
Potentiometric surface maps showing the elevation of the water table at the time of sampling and direction of groundwater flow gradients (VII.C.2.f.)	Figures 3 & 4
A notation of the presence or absence of non-aqueous phase liquids (NAPLs), both light and dense phases, in each well during each sampling event since the last event covered in the previous semiannual report and tabulation of depth and thickness of NAPLs, if detected (VII.C.2.g.)	Table 4

Semi-Annual Corrective Action Report Requirements (cont'd)	Report Section, Table(s) and/or Figure(s)
Quarterly tabulations of quantities of recovered groundwater and NAPLs, and graphs of monthly recorded flow rates versus time for the recovery wells during each period. A narrative summary describing and evaluating the NAPL recovery program shall also be included (VII.C.2.h.)	Not Applicable
Tabulation of the total contaminant mass recovered from each recovery system for each reporting period, if such a system is installed (VII.C.2.i.)	Not Applicable
Tabulation of the data evaluation results pursuant to Section VI.D and status of each well listed on CP Table V with regard to compliance with the corrective action objectives and compliance with the GWPSs (VII.C.2.j.)	Table 5
Maps of the contaminated area depicting concentrations of constituents listed in Table IV and any newly detected Table III constituents as isopleths contours or discrete concentrations if isopleths contours cannot be inferred (VII.C.2.k.)	Not Applicable
Maps indicating the extent and thickness of the LNAPLs and DNAPLs, if detected (VII.C.2.1.)	Not Detected
An updated schedule summary as required by Section X (VII.C.2.m.)	Appendix D
Summary of any changes made to the monitoring/corrective action program and a summary of recovery well inspections, repairs, and any operational difficulties (VII.C.2.n.)	None
A table of the modifications and amendments made to this Compliance Plan with their corresponding approval dates by the executive director or the Commission and a brief description of each action (VII.C.2.o.)	None
Corrective Measures Implementation (CMI) Report to be submitted in accordance with Section VIII.F, if necessary (VII.C.2.p.)	Not Applicable
Tabulation of well casing elevations in accordance with Attachment B No. 16 (VII.C.2.q.)	Table 4
Recommendation for any changes (VII.C.2.r.)	None
Certification and well installation diagram for any new well installation or replacement and certification for any well plugging and abandonment (VII.C.2.s.)	Not Applicable
A summary of any activity within an area subject to institutional control (VII.C.2.t.)	None
Any other items requested by the Executive Director (VII.C.2.u.)	None

As of January 2012, a recovery system had not been installed and is not necessary for the regulated unit. Therefore, Provisions 8, 9, and 10 that relate to recovery wells or recovery system, are not applicable for this reporting period.

Responses to each of the semi-annual report provisions required by CP Section VII.C.2 are provided in Section 3.0. Conclusions and recommendations are provided in Section 4.0.

3.0 2011 FIRST SEMI-ANNUAL GROUNDWATER MONITORING EVENT

A discussion of each of the semi-annual report provisions required by CP Section VII.C.2 is presented below by reference number to the list of provisions in Section 2.0.

3.1 Narrative Summary of First Semi-Annual Monitoring Activities

The CP requires an evaluation of the Corrective Action Program (Section V) and Groundwater Monitoring Program summarizing the overall effectiveness of the Corrective Action Program (Section VI). This narrative summary includes provisions for response and reporting requirements as detailed in the CP Section VII, as discussed below.

3.11 Corrective Action Program

Groundwater samples were collected from the Background and POC wells (as detailed in CP Table V, which is provided in Appendix A) to assess potentially affected groundwater quality in the A-Transmissive Zone (A-TZ) and the B-Transmissive Zone (B-TZ). These water-bearing zones are defined as:

- A-TZ refers to the first sand unit encountered at approximately 13 feet below ground surface (bgs) and averages 7 feet in thickness; and
- B-TZ refers to the second sand unit encountered at approximately 30 feet bgs and averages 9 feet in thickness.

The definitions of the A-TZ and B-TZ are consistent with the Uppermost Transmissive Zone (UTZ) and Second Transmissive Zone (STZ), respectively, as defined in CP Provision I.A.

The following monitoring wells were sampled during this event (Figure 2):

- A-TZ POC wells: MW-01A, MW-02, MW-07, MW-10A, and MW-11A;
- A-TZ Background well: MW-08;
- B-TZ POC wells: MW-10B, MW-11B, and P-10; and
- B-TZ background well: P-12.

3.1.2 Groundwater Monitoring

PBW performed quarterly inspections of SWMU No. 1 in January and April, 2012 and conducted semi-annual groundwater sampling activities on January 30-31, 2012. Groundwater sampling was performed using procedures outlined in a U.S. Environmental Protection Agency (EPA) document titled *Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures* (EPA/540/S-95/504) published in April 1996 and approved in the CP application. Groundwater samples were analyzed for the Detected Hazardous and Solid Waste Constituents listed in the CP, Table III (Appendix A).

Monitoring wells are equipped with dedicated polytetrafluoroethylene (PTFE) tubing for groundwater sampling. A peristaltic pump was used to purge and collect the groundwater samples. An approximate one-foot section of disposable silicon tubing was placed around the pump head and attached to the PTFE tubing for proper operation of the pump. Groundwater was pumped from the screened interval of each well at a flow rate of less than 0.5 L/min using a flow-through cell. Field parameters including temperature, pH, specific conductivity, dissolved oxygen, and turbidity were measured during purging and sampling activities. When field parameters had stabilized to the EPA-specified criteria, a sample was then collected for analysis. The samples were also collected at a flow rate of less than 0.5 L/min. Recorded field parameters are summarized in Appendix B.

For each well, sample bottles were filled directly from the pumping apparatus described above, and were sealed and packed in coolers with sufficient ice to maintain a sample temperature of approximately 4°C. The sample coolers were delivered to ALS Laboratory, in Houston, Texas for analysis. Chain-of-Custody (COC) forms were completed and kept with their respective samples. Copies of the analytical data and COCs are included in Appendix C. Groundwater samples were then analyzed for the Detected Hazardous and Solid Waste Constituents listed in the CP, Table III (Appendix A).

3.2 Purge Water Management

Approximately 5 gallons of purge water were generated during the January 2012 low-flow groundwater sampling event. The purge water was containerized in a Department of Transportation (DOT) certified, 55-gallon steel drum and temporarily stored on site in a fenced and locked container storage area (NOR 006). Since the groundwater sampled and analyzed during this event did not contain hazardous constituents above the applicable health-based levels (i.e. PCLs discussed in Section 3.10), the purge water generated was not considered hazardous in accordance with the EPA "contained-in determination"

detailed in the 1986 EPA memorandum "RCRA Regulatory Status of Contaminated Groundwater". However, wastes generated during the 2012 first semi-annual monitoring event were picked up from the Site by USA Environment, LP and transported to the U.S. Ecology Texas, LP facility, located in Robstown, Texas on March 28, 2012 for disposal under EPA waste code F034 and TCEQ Notice of Registration (NOR) waste code 0914101H (purge water). Waste manifests are provided in Appendix D.

3.3 Monitoring and Corrective Action System Wells

A summary of the current monitoring and corrective action groundwater wells is discussed in Section 3.1.1. Configuration of the current monitoring and corrective action well network is presented on Figure 2.

3.4 Analytical Results

The 2012 first semi-annual groundwater analytical results from the A-TZ and B-TZ are summarized in Tables 1 and 2, respectively and the laboratory analytical report is provided in Appendix C. The analytical results were compared to the Detected Hazardous and Solid Waste Constituent limits, which are taken from the current TCEQ Texas Risk Reduction Program (TRRP) Tier 1 Protective Concentration Levels (PCLs). TRRP PCLs serve as the Groundwater Protection Standard (GWPS), as detailed in Section IV.D and Table III of the CP. If any concentrations exceeded the concentration limits of this report, the concentration is bolded within the table.

Quality assurance/quality control (QA/QC) samples (matrix spike and matrix spike duplicate results) are summarized in Table 3.

3.5 Well Measurements

During the sampling event, the following information was recorded at each monitoring well:

Before Sampling

- The presence of light NAPLs was evaluated; and
- Depth to groundwater below the top of casing was measured to the nearest 0.01 foot.

After Sampling

- The presence of dense non-aqueous phase liquids (DNAPLs) were evaluated using visual observations and an oil-water interface probe; and
- Total well depths of the wells were measured.

Table 4 provides a summary of these measurements. None of the compliance wells had measurable amounts or any indication of LNAPL or DNAPL.

3.6 Potentiometric Surface Maps

Groundwater elevation data recorded during the 2012 first semi-annual monitoring event were used to create potentiometric surface maps of the A-TZ and B-TZ, presented on Figures 3 and 4, respectively.

The two uppermost groundwater bearing units, the A-Transmissive Zone (A-TZ) and the B-Transmissive Zone (B-TZ), were monitored during this period. Groundwater elevation data collected during the January 2012 sampling event show groundwater flow in the A-TZ to the southeast with a hydraulic gradient of approximately 0.003 ft/ft. Groundwater flow during the previous event (2011 second semi-annual monitoring event) was to the west.

Groundwater elevation data collected in the B-TZ show groundwater flow to the east-southeast at SWMU No. 1 with a hydraulic gradient of approximately 0.006 ft/ft. Groundwater flow during the previous event (2011 second semi-annual monitoring event) was to the west.

3.7 Non-Aqueous Phase Liquids

Measurable amounts of LNAPL and/or DNAPL were not observed in any of the compliance wells.

3.8 Recovered Groundwater and NAPL

To date, a recovery system has not been installed nor is necessary at the SWMU No. 1; therefore, this provision is not applicable.

3.9 Contaminant Mass Recovered

With the groundwater analytical data for the POC wells in compliance and no groundwater recovery system installed, or necessary, this provision is not applicable for the Site.

3.10 Analytical Data Evaluation

Section VI.D of the CP describes two methods which may be used to determine the compliance status of a given well:

- 1) Analytical results may be either directly compared with PCLs (CP Table III; included in Appendix A), or
- 2) Analytical results can be statistically compared PCLs using the Confidence Interval Procedure for the mean concentration based on normal, log-normal, or non-parametric distribution, which the 95% confidence coefficient of the t-distribution will be used in construction of the confidence interval.

Direct comparison to PCLs was used to evaluate the analytical data. Tables 1 (A-TZ) and 2 (B-TZ) show the results of a direct comparison of data for this sampling event to the respective PCLs. Wells and piezometers are in compliance if each of the constituents listed in the CP Table III was reported at a concentration less than or equal to the PCL. Based on the analytical results from the January 2012 monitoring event, the compliance wells completed in both transmissive zones are compliant with GWPSs; therefore the monitoring wells are considered to be compliant for this monitoring period. Compliance status for each of the monitoring wells is provided in Table 5.

Monitoring wells in A-TZ and B-TZ have not exceeded the established CP PCLs since July 2005, at which time dibenzofuran exceeded its respective PCL of 0.098 mg/L in MW-01A (0.11 mg/L). Including the 2012 first semi-annual analytical data, the SMWU No. 1 monitoring wells have been compliant for twelve consecutive semi-annual monitoring events (6 years). Concentration versus time graphs for COCs in the A-TZ (2-methylnaphthalene (Figure E-1), dibenzofuran (Figure E-2), and naphthalene (Figure E-3)) and the B-TZ (dibenzofuran (Figure E-4) and naphthalene (Figure E-5)) are provided in Appendix E. The graphs demonstrate that COC concentrations in the A-TZ and B-TZ POC wells have shown a steady decrease over time, and are currently compliant with the TCEQ Remedy Standard A requirements for groundwater protection.

A QA/QC review and Data Usability Summary (DUS) were prepared for the January 2012 analytical data by Conestoga-Rovers & Associates (CRA) (Appendix C). The laboratory qualified analytes with concentrations above the sample detection limits (SDLs) but below the method quantitation limits (MQLs) as estimated on analytical tables (Tables 1 and 2). None of the data required further qualification by CRA based on the established QC criteria. Based on the QA/QC data review, the analytical data are usable for the intended use.

3.11 Reported Concentration Maps

Reported concentrations of each constituent analyzed for the 2012 first semi-annual monitoring event are presented on Figures 5 and 6 for the A-TZ and B-TZ compliance wells, respectively. In the event a constituent exceeded their respective PCL, the value would be highlighted on the figures. There were no exceedances of PCLs for any of the required constituents.

3.12 Extent of NAPL

Measurable amounts of LNAPL or DNAPL were not detected in any of the compliance wells.

3.13 Updated Compliance Schedule

Section X of the CP requires that the Permittee submit a schedule summarizing the activities required by the Compliance Plan issued on June 10, 2005, which was originally submitted to the TCEQ on August 4, 2004. An updated compliance schedule is included as Appendix F of this report.

3.14 Summary of Changes Made to Corrective Action Program

No changes have been made to the corrective action program.

3.15 Modifications and Amendments to Compliance Plan

A compliance plan renewal application was submitted to TCEQ on December 23, 2003 consistent with the renewal requirements for the RCRA permit at the site. The RCRA permit and CP were issued June 10, 2005. There have been no modifications or amendments to the Compliance Plan since the last permit issued.

3.16 Corrective Measures Implementation (CMI) Report

A Response Action Plan (RAP) has not been submitted; therefore, this provision does not apply.

3.17 Well Casing Elevations

In accordance with the facility Groundwater Sampling and Analysis Plan (GWSAP) dated May 13, 2004 (Revision 1), which requires SWMU No. 1 monitoring well elevations to be resurveyed every five years, the six A-TZ and four B-TZ monitoring well elevations were most recently surveyed on December 2, 2010.

3.18 Recommendation for Changes

There are no recommendations for changes to the monitoring program or to the Corrective Action Program.

3.19 Well Installation and/or Abandonment

No monitoring wells were installed or abandoned as part of the monitoring program or the Corrective Action Program during the reporting period.

3.20 Activity Within Area Subject to Institutional Control

No areas are under institutional control; therefore, this provision does not apply.

3.21 Other Requested Items

No other items have been requested by the executive director.



Summary of Analytical Results for the A-Transmissive Zone (A-TZ) Semiannual Monitoring Report: 2012 First Semiannual Event Table 1

				Monitoring	Monitoring Well IDs (Concentrations mg/L)	tions mg/L)		
Analyte	PCL (ma/l)	MW-01A	11P-01	MW-02	MW-07	MW-08	MW-10A	MW-11A
) in	1/31/2012 LQ VQ	1/31/2	1/30/2012 LQ VQ	1/31/2012 LQ VQ	1/31/2012 VQ	1/30/2012 La Va	1/30/2012 La Va
Acenanhthene	ر. در	0 0 0	0.028	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U
Aceraphthylene	- <u>-</u>	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U
Anthracene	7 3	<0.0005	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U
his/2-ethylbexyl\nhthalate	9000	<0.0005 U	0.0013	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U
Diberzofiran	860.0	0.0045	0.0044	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U
	9 6	1. 6100.0	0.0012	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U
	80.0	0.0013	0.0013	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U
2 Methylpaphthalene	0.00	0.0005 0.0005	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U
Northholone	0.49	<0.0005	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U
	2 2	<0.0005	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U
Pyrene	0.73	<0.0005 U	<0.0005	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U	<0.0005 U

Notes:
PCL = Protective Concentration Level
The Compliance Plan Section IV.D defines the Groundwater Protection Standard (GWPS) as the PCL
DUP-01 = Duplicate sample collected at MW-01A

LQ - Lab Qualifier
J = Estimated value between the SDL and the MQL
U = Value not detected greater than the MQL

VQ - Validation Qualifier

Summary of Analytical Results for the B-Transmissive Zone (B-TZ) Semiannual Monitoring Report: 2012 First Semiannual Event Table 2

Analyte PCL (mg/L) MW-1 Acenaphthene 1.5 0.0011 Acenaphthylene 1.5 0.0011	8 2 -	WW-11B VQ 1/30/2012 L0 0.025	B						
(mg/L) 1/30/. 1.5	9 -	1/30/2012 0.025	10 VO	P-10		DUP-02	75	P-12	
1.5	7	0.025		1/31/2012	ON OI	1/31/2	LQ VQ	1/31/2012	Lo Vo
5: 1:	0.0057 J	0.0011		ll 10			- 11	<0.0005	D
2	0.0057			<0.0005	· ⊃	<0.0005		<0.0005	_
7.3		<0.0005		<0.0005	_	<0.0005	_	<0.0005	
·	0.00051 U	<0.0005		<0.0005		0.0015	7	<0.0005	>
8600	0.038	<0.0005		<0.0005	_	<0.0005	_	<0.0005	_
otoloo	0 0005	<0.0005		<0.0005	_	<0.0005	<u></u>	<0.0005	D
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0.0046	0.0013		<0.0005	_	<0.0005	_	<0.0005	<u></u>
	90 0	<0.0005		<0.0005	D	<0.0005	_	<0.0005	<u> </u>
0.50	0.084	<0.0005		<0.0005	_	<0.0005	_	<0.0005	<u> </u>
2:5 - % \	11 5000 02	<0.0005		<0.0005	_	<0.0005	_	<0.0005	>
-	0.002	<0.0005	· ⊃	<0.0005	_	<0.0005	n	<0.0005	n

Notes:
PCL = Protective Concentration Level
The Compliance Plan Section IV.D defines the Groundwater Protection Standard (GWPS) as the PCL
DUP-02 = Duplicate sample collected at P-10

LQ - Lab Qualifier

J=Estimated value between the SDL and the MDQ U=Value not detected greater than the MQL

VQ - Validation Qualifier

Summary of Analytical Results for Quality Assurance/Quality Control Samples Semiannual Monitoring Report: 2012 First Semiannual Event Table 3

	PCL	P-12(MS) ⁽¹⁾	P-12(MSD) ⁽¹⁾
Analyte	(mg/L)	Matrix Spike	Matrix Spike Duplicate
		1/31/2012	1/31/2012
Acenaphthene	1.5	0.04025	0.03682
Acenaphthylene	1.5	0.04082	0.03726
Anthracene	7.3	0.04893	0.04258
bis(2-ethylhexyl)phthalate	0.006	0.04944	0.04337
Dibenzofuran	0.098	0.04128	0.03831
Di-n-butyl phthalate	2.4	0.05154	0.04523
Fluoranthene	0.98	0.04973	0.04319
Fluorene	0.98	0.04399	0.0406
2-Methylnaphthalene	0.098	0.03249	0.02992
Naphthalene	0.49	0.03413	0.03017
Phenanthrene	0.73	0.04960	0.04421
Phenol	7.3	0.05741	0.05663
Pyrene	0.73	0.04874	0.04374

Notes: PCL = Protective Concentration Level (1) = P-12(MS) and P-12(MSD) are matrix spike and matrix spike duplicate samples collected at P-12, respectively, U = Value not detected greater than the MQL

Table 4

Water Level Measurements Semiannual Monitoring Report: 2012 First Semiannual Event

Well ID	Top of Casing Elevation (TOC) (ft MSL)	Date Measured	Water Depth (ft. BTOC)	Depth to NAPL (ft. BTOC)	Total Well Depth as Completed (ft. BTOC)	Total Well Depth (ft. BTOC)	Potentiometric Elevation (ft. MSL)
			A-TZ Monit	A-TZ Monitoring Locations			
MW-01A	47.88	1/31/2012	3.19	QN	20.2	19.90	44.69
MW-02	48.00	1/30/2012	2.67	QN	20.3	24.10	45.33
MW-07	48.92	1/31/2012	3.86	Q	ΨN	25.30	45.06
MW-08	49.33	1/31/2012	4.68	Q	26.8	25.10	44,65
MW-10A	49.82	1/30/2012	4.88	QN	25.9	20.20	44.94
MW-11A	50.07	1/30/2012	5.31	Q	24.4	24.05	44.76
			B-TZ Monit	B-TZ Monitoring Locations			
MW-10B	49.95	1/30/2012	5.02	Q	48.8	46.50	44.93
MW-11B	50.23	1/30/2012	5.38	No.	46.8	46.70	44.85
P-10	47.73	1/31/2012	3.12	Q	40.0	42.85	44.61
P-12	48.80	1/31/2012	4.52	QN	40.0	42.85	44.28

BTOC = feet below the top of the well casing


ft. MSL = feet above Mean Sea Level


NA = Not Available

*TOC elevations based on December 2010 survey (see Section 3.17)

Table 5
Compliance Status of Wells and Piezometers
Semiannual Monitoring Report: 2012 First Semiannual Event

Zone	Monitoring Well Location	Well Designation	Compliance Status
A-TZ Monitoring Location	MW-01A	Point of Compliance	Compliant
	MW-02	Point of Compliance	Compliant
	MW-07	Point of Compliance	Compliant
	MW-08	Background Well	Compliant
	MW-10A	Point of Compliance	Compliant
	MW-11A	Point of Compliance	Compliant
B-TZ Monitoring Location	MW-10B	Point of Compliance	Compliant
	MW-11B	Point of Compliance	Compliant
	P-10	Point of Compliance	Compliant
	P-12	Background Well	Compliant









Source: U.S.G.S. 7.5 minute quadrangle, Settegast, Texas, 1982.



UNION PACIFIC RAILROAD CO.

HOUSTON WOOD PRESERVING WORKS


Figure 1


SITE LOCATION MAP


PROJECT: 1358	BY: AJD	REVISIONS
DATE: MAY, 2012	CHECKED: ECM	


PASTOR, BEHLING & WHEELER, LLC

CONSULTING ENGINEERS AND SCIENTISTS










PASTOR, BEHLING & WHEELER, LLC CONSULTING ENGINEERS AND SCIENTISTS

J= Estimated value between SQL and MDL.
 U= Value not detected greater than the MDL



•

B-TZ Monitoring Well Location



Piezometer Location

Notes:
1. * Duplicates sample taken at P-10.

Sample collected on January 30-31, 2012
 J= Estimated value between SQL and MDL

4. U= Value not detected greater than the MDL.



2012 1°t SEMI ANNUAL **MONITORING EVENT**

PROJECT: 1358	BY: AJD	REVISIONS
DATE: MAY, 2012	CHECKED: ECM	

PASTOR, BEHLING & WHEELER, LLC

CONSULTING ENGINEERS AND SCIENTISTS

APPENDIX A COMPLIANCE PLAN TABLES

TABLE III - CORRECTIVE ACTION PROGRAM Table of Detected Hazardous and Solid Waste Constituents and Concentration Limits for the Ground-Water Protection Standard

Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)

A-Transmissive Z	one	B-Transmissive Z	one
COLUMN A Hazardous Constituents	COLUMN B Concentration Limits (mg/l)	COLUMN A Hazardous Constituents	COLUMN B Concentration Limits (mg/l)
Acenaphthene	1.5 ^{PCL}	Acenaphthene	1.5PCL
Acenaphthylene	1.5 ^{PCL}	Acenaphthylene	1.5 ^{PCL}
Anthracene	7.3 ^{PCL}	Anthracene	7.3 ^{PCL}
Dibenzofuran	0.098 ^{PCL}	Dibenzofuran	0.098PCL
Bis(2-ethylhexyl)phthalate	0.006^{PCL}	Bis(2-ethylhexyl)phthalate	0.006 ^{PCL}
Fluoranthene	0.98 ^{PCL}	Fluoranthene	0.98 ^{PCL}
Fluorene	0.98 ^{PCL}	Fluorene	0.98 ^{PCL}
2-Methylnaphthalene	0.098 ^{PCL}	Di-n-butyl phthalate	2.4 ^{PCL}
Naphthalene	0.49 ^{PCL}	Naphthalene	0.49 ^{PCL}
Phenanthrene	0.73 ^{PCL}	Phenol	7.3 ^{PCL}
Pyrene	0.73 ^{PCL}	Pyrene	0.73 ^{PCL}

PCL Alternate Concentration Limit pursuant to 30 TAC §335.160(b) based upon the Protective Concentration Level determined under 30 TAC Chapter 350 for Residential Land Use. The PCL value, Column B, will change as updates to the rule are promulgated. Changes to the rule automatically change the concentration value established in Column B in this table.

Union Pacific Railroad Company - Houston Tie Plant Compliance Plan No. 50343

TABLE V Designation of Wells by Function

POINT OF COMPLIANCE WELLS

1. Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)

A-Transmissive Zone: MW-01A, MW-02, MW-07, MW-10A, and MW-11A

B-Transmissive Zone: MW-10B, MW-11B, and P-10

POINT OF EXPOSURE WELLS

1. Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)
None

BACKGROUND WELLS

1. Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)

A-Transmissive Zone: MW-8 B-Transmissive Zone: P-12

Note: Wells and piezometers identified on Attachment A maps that are not listed in this table are subject to change, upon approval by the executive director, without modification to the Compliance Plan. The wells and piezometers for the Closed Surface Impoundment are depicted on Attachment A, Sheets 3 and 4.

APPENDIX B FIELD PARAMETERS

Table B-1
Groundwater Sampling Field Parameters
Semiannual Monitoring Report: 2012 First Semiannual Event

					Monitoring Well IDs	Well IDs				
			A-Transmissive Zone	ssive Zone				B-Transmissive Zone	ssive Zone	
Field Parameter	MW-01A	MW-02	MW-07	MW-08	MW-10A	MW-11A	MW-10B	MW-11B	P-10	P-12
	1/31/2012		-	1/31/2012	1/30/2012	1/30/2012	1/30/2012	1/30/2012	1/31/2012	1/31/2012
Time Sampled (hrs CST)	8:45	15:45	11:10	12:15	13:40	12:05	14:45	11:15	10:00	14:30
Temperature (°C)	21.7	22.1	22.6	22.9	22.4	22.6	21.9	22.7	22.3	22.2
DH (Standard Units)	6.79	6.86	6.91	6.74	6.79	6.67	6.92	6.78	6.85	6.82
Specific Conductivity (mmhos/cm)	3.160	3,190	3,060	3,020	2,720	2,910	2,870	2,720	2,730	2,990
Dissolved Oxygen (mg/l)	0.39	0.56	0.61	0.91	0.41	0.47	0.52	0.39	0.46	0.27
Turbidity (NTU)	11.0	16.0	13.0	6.2	5.7	22.0	14.0	19.0	5.9	7.9

APPENDIX C
LABORATORY ANALYTICAL REPORTS and DATA USABILITY SUMMARIES



07-Feb-2012

Eric Matzner
Pastor, Behling & Wheeler, LLC
2201 Double Creek Drive
Suite 4004
Round Rock, TX 78664

Tel: (512) 671-3434 Fax: (512) 671-3446

Re: HWPW SWMU 1 1129-03 Work Order: 1202001

Dear Eric,

ALS Environmental received 12 samples on 31-Jan-2012 06:00 PM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 29.

atricia L. Lynch

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Electronically approved by: Mary K. Knowles

Patricia L. Lynch Project Manager TNI

Certificate No: TX: T104704231-11-5

ADDRESS 10450 Standliff Rd, Suite 210 Houston, Texas 77039-4338 PHONE (261) 530-5656 FAX (281) 530-5667
ALS GROUP USA, CORP. Part of the ALS Laboratory Croup. A Campbell Brothers. Limited Company

Environmental 🎉

www.alsglobal.com

ALS Environmental Date: 07-Feb-12

Client: Pastor, Behling & Wheeler, LLC

Project: HWPW SWMU 1 1129-03

Work Order: 1202001

TRRP Laboratory Data Package Cover Page

This data package consists of all or some of the following as applicable:

This signature page, the laboratory review checklist, and the following reportable data:

- R1 Field chain-of-custody documentation;
- R2 Sample identification cross-reference;
- R3 Test reports (analytical data sheets) for each environmental sample that includes:
 - a) Items consistent with NELAC Chapter 5,
 - b) dilution factors,
 - c) preparation methods,
 - d) cleanup methods, and
 - e) if required for the project, tentatively identified compounds (TICs).
- R4 Surrogate recovery data including:
 - a) Calculated recovery (%R), and
 - b) The laboratory's surrogate QC limits.
- R5 Test reports/summary forms for blank samples;
- R6 Test reports/summary forms for laboratory control samples (LCSs) including:
 - a) LCS spiking amounts,
 - b) Calculated %R for each analyte, and
 - c)The laboratory's LCS QC limits.
- R7 Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a) Samples associated with the MS/MSD clearly identified,
 - b) MS/MSD spiking amounts,
 - c) Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d) Calculated %Rs and relative percent differences (RPDs), and
 - e) The laboratory's MS/MSD QC limits.
- R8 Laboratory analytical duplicate (if applicable) recovery and precision:
 - a) the amount of analyte measured in the duplicate,
 - b) the calculated RPD, and
 - c) the laboratory's QC limits for analytical duplicates.
- R9 List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 Other problems or anomalies.

The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

Client:

Pastor, Behling & Wheeler, LLC

Project:

HWPW SWMU 1 1129-03

Work Order:

1202001

TRRP Laboratory Data Package Cover Page

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the attached exception reports. By my signature below, I affirm to the best of my knowledge, all problems/anomalies, observed by the laboratory have been identified by the laboratory in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Check, if applicable: [NA] This laboratory meets an exception under 30 TAC §25.6 and was last inspected by [] TCEQ or [] ______ on (enter date of last inspection). Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.

Patricia L. Lynch

Patricia L. Lynch

Project Manager

Labor	atom N	Laboratory Review Checklis Name: ALS Laboratory Group	LRC Date: 2/7/2013					
Projec	t Nam	tunio. Tabb Euroritator, Group	Laboratory Job Nun		120200)1		
			Prep Batch Number					
#I	A ²	Description	1	Yes	No	NA ³	NR ⁴	ER#5
# R1	OI	Chain-of-custody (C-O-C)				T ROLL	TEN EN	TO BY
KI	OI .	Did samples meet the laboratory's standard conditions of sar	nple acceptability				1	
		upon receipt?		X				
		Were all departures from standard conditions described in an	exception report?	Х				
R2	OI	Sample and quality control (QC) identification		g neit		可可提前後		
		Are all field sample ID numbers cross-referenced to the labor	oratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corres	ponding QC data?	X		_		
R3	OI	Test reports		COLUM				是接近到
		Were all samples prepared and analyzed within holding time	es?	X				
		Other than those results < MQL, were all other raw values b	racketed by	37			1	
		calibration standards?		X	_		-	-
		Were calculations checked by a peer or supervisor?		X			-	
		Were all analyte identifications checked by a peer or superv	ISOT?	X	-		-	+
		Were sample detection limits reported for all analytes not de	decieu?		-	X		+
		Were all results for soil and sediment samples reported on a	nt comples?			X	+	+-
	_	Were % moisture (or solids) reported for all soil and sedime Were bulk soils/solids samples for volatile analysis extracte	d with methanol per				+	
		SW-846 Method 5035?	a with memanor ber			X		
		If required for the project, TICs reported?			1	X	1	
R4	0	Surrogate recovery data		(date)	THE STATE OF	i hamon		A SOLE
N4	10	Were surrogates added prior to extraction?		Х				
	1	Were surrogate percent recoveries in all samples within the	laboratory QC					
		limits?		X				
R5					JEONII	D Detroit		bi said
	T-	Were appropriate type(s) of blanks analyzed?		X				
		Were blanks analyzed at the appropriate frequency?		X				
		Were method blanks taken through the entire analytical pro	cess, including					
		preparation and, if applicable, cleanup procedures?		X				
		Were blank concentrations < MQL?		X				
R6	OI	Laboratory control samples (LCS):			S COLUMN			A REST
		Were all COCs included in the LCS?		X				
		Was each LCS taken through the entire analytical procedure	e, including prep and					
		cleanup steps?		X	-	_	-	
		Were LCSs analyzed at the required frequency?	. 001: 1:0	X	-	_	-	
		Were LCS (and LCSD, if applicable) %Rs within the labor	atory QC limits?	X	-			
		Does the detectability data document the laboratory's capal	onity to detect the	x				1
		COCs at the MDL used to calculate the SDLs?		X	-			_
77.5	-	Was the LCSD RPD within QC limits? Matrix spike (MS) and matrix spike duplicate (MSD) do	ata	A STATE OF	THE REAL PROPERTY.	(g)(a) (三)(g)(f)	G RESERV	00 (100 kg)
R7	OI	Were the project/method specified analytes included in the	MS and MSD?	X	U. PANNING	NAME OF TAXABLE PARTY.		
	+	Were MS/MSD analyzed at the appropriate frequency?	Wio and Wio.	X				
	-	Were MS (and MSD, if applicable) %Rs within the laborat	ory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?		X				1
R8	OI	Analytical duplicate data		Water !	d since			EU 6
110	+	Were appropriate analytical duplicates analyzed for each m	natrix?			X		
		Were analytical duplicates analyzed at the appropriate freq	uency?			X		
		Were RPDs or relative standard deviations within the labor	ratory QC limits?			X		
R9	OI	Method quantitation limits (MQLs):						TE SE'S
		Are the MQLs for each method analyte included in the lab	oratory data package?	X				
		Do the MQLs correspond to the concentration of the lowes	t non-zero calibration					
		standard?		X	-			-
		Are unadjusted MQLs and DCSs included in the laboratory	y data package?	X	WALTER STREET			Charles Salvers
R10	OI	Other problems/anomalies	11 41 770 1	BIES.	0 1888			REAL PROPERTY.
		Are all known problems/anomalies/special conditions note	d in this LRC and	37				
		ER?	4.11.0	X	-	-	_	-
		Were all necessary corrective actions performed for the re-	ported data?	X			_	_
		Was applicable and available technology used to lower the	SDL and minimize	\ v			1	
		the matrix interference affects on the sample results?		X	-		_	-
		Is the laboratory NELAC-accredited under the Texas Laboratory	oratory Program for oratory data package?	x				

Labor	atory 1	Laboratory Review Checklist: Name: ALS Laboratory Group LRC	Date: 2/7/2012					
		terries 1225 Europianor) Group	oratory Job Numb	er: 12	02001			
			Batch Number(s):					
# ¹	A ²	Description 2. Bynesi		Yes	No	NA ³	NR ⁴	ER#5
<u>s1</u>	OI	Initial calibration (ICAL)		100				TINE.
-		Were response factors and/or relative response factors for each ar	alyte within QC					
		limits?		X				
		Were percent RSDs or correlation coefficient criteria met?		X				
		Was the number of standards recommended in the method used f	or all analytes?	X				-
		Were all points generated between the lowest and highest standar	d used to					1
		calculate the curve?		X				-
		Are ICAL data available for all instruments used?		X		-	-	-
		Has the initial calibration curve been verified using an appropriate	e second source	х				
		standard?	U) and	A	for the same		No.	9 533311
CO.		Initial and continuing calibration verification (ICCV and CC	v) and					
S2	OI	continuing calibration blank (CCB) Was the CCV analyzed at the method-required frequency?		Х	CONTRACTOR OF THE PARTY OF THE	IN REVENUE		
_		Were percent differences for each analyte within the method-required	ired OC limits?	X			1	1
_		Was the ICAL curve verified for each analyte?	inou QU ininius.	X				
		Was the absolute value of the analyte concentration in the inorga	nic CCB < MDL?			X		
S3	0	Mass spectral tuning:			15 X 2 10		animy	
55	<u> </u>	Was the appropriate compound for the method used for tuning?		X				
		Were ion abundance data within the method-required QC limits?		X				
S4	0	Internal standards (IS):				W Takes	7 12 12 2	
-	Were IS area counts and retention times within the method-required QC limits?		red QC limits?	X				
		Raw data (NELAC section 1 appendix A glossary, and section 5	.12 or ISO/IEC					N Editi
S5	OI	17025 section						
		Were the raw data (for example, chromatograms, spectral data) r	eviewed by an					
		analyst?		X				
		Were data associated with manual integrations flagged on the rav	v data?	X				m (00) (10)
S6	0	Dual column confirmation		0.00			表 加多30章	
		Did dual column confirmation results meet the method-required	QC?	NAME OF REAL	No. 23 P. C.	X		
S7	0	Tentatively identified compounds (TICs):			A PARTIE		iii tieba	
		If TICs were requested, were the mass spectra and TIC data subj	ect to appropriate			v		
~~	1 -	checks?		Religios	BIOLIS SANS	X	NUMBER OF THE PARTY	no sissimo
S8	I	Interference Check Sample (ICS) results:			HENNE	X	NO DESIGNATIONS	SPECIAL SECTION SECTIO
00		Were percent recoveries within method QC limits? Serial dilutions, post digestion spikes, and method of standar	d additions	No.	T WELL SHOW			
S9	I	Were percent differences, recoveries, and the linearity within the	o OC limits	O'CHESTA			-	Olivina Contraction
		specified in the method?	c QC IIIIIG			X		
S10	OI	Method detection limit (MDL) studies		Kisalin	Barrier .	1028	W HERE	th history
310	101	Was a MDL study performed for each reported analyte?		X	1			
	1	Is the MDL either adjusted or supported by the analysis of DCS:	:?	X				
S11	OI	Proficiency test reports:			1000	版 (B) (B)	ER USCHAR	8 72 1
	-	Was the laboratory's performance acceptable on the applicable p	roficiency tests or					
		evaluation studies?		X				
S12	OI	Standards documentation				#1 #1 (V) ()	E E	
		Are all standards used in the analyses NIST-traceable or obtaine	d from other					1
		appropriate sources?		X				en umany
S13	OI	Compound/analyte identification procedures				10 (2)		
		Are the procedures for compound/analyte identification docume	nted?	X	and a file		CONTRACTOR OF THE PERSON NAMED IN COLUMN 1	
S14	OI	Demonstration of analyst competency (DOC)	2 7 7 2 4 2	医性	N LESSES	SOUTH REAL PROPERTY.	all Belling	MI ESTA
		Was DOC conducted consistent with NELAC Chapter 5C or ISo	J/IEC 4?	X	-		-	-
		Is documentation of the analyst's competency up-to-date and on	file?	X	(COLUMN	Mary Manager		Contraction of
		Verification/validation documentation for methods (NELAC	Chap 5 or		B TEVAS	50		
S15	OI	ISO/IEC 17025 Section 5)	. 4 1 1	HE WALLS		Marie Way	22 122000	
		Are all the methods used to generate the data documented, verif	ied, and validated,	v				
04.5	-	where applicable?		X	S 107116	S 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		N. Common
S16	OI	Laboratory standard operating procedures (SOPs):	mad9	X	100			ner finish
		Are laboratory SOPs current and on file for each method perfor	Hed!		ltama ida	atifical but the	Intter *C* of	hould be

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);

NA = Not Applicable; NR = Not Reviewed;

R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory IN	ame: ALS Laboratory Group	LRC Date: 2/7/2012					
	: HWPW SWMU 1 1129-03	Laboratory Job Number: 1202001					
	ne: Patricia L. Lynch	Prep Batch Number(s): 58610					
ER#5 Descri	Description						
	No exceptions. dentified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be						

R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Client:

Pastor, Behling & Wheeler, LLC

Project:

HWPW SWMU 1 1129-03

Work Order:

1202001

Work Order Sample Summary

						_
Lab Samp ID	Client Sample ID	<u>Matrix</u>	Tag Number	Collection Date	Date Received Ho	<u>old</u>
1202001-01	WG-1620-MW11B-20120130	Water		1/30/2012 11:15	1/31/2012 18:00	_
1202001-02	WG-1620-MW11A-20120130	Water		1/30/2012 12:05	1/31/2012 18:00	_
1202001-03	WG-1620-MW10A-20120130	Water		1/30/2012 13:40	1/31/2012 18:00	_
1202001-04	WG-1620-MW10B-20120130	Water		1/30/2012 14:45	1/31/2012 18:00	
1202001-05	WG-1620-MW02-20120130	Water		1/30/2012 15:45	1/31/2012 18:00	_
1202001-06	WG-1620-MW01A-20120131	Water		1/31/2012 08:45	1/31/2012 18:00	_
1202001-07	WG-1620-FD01-20120131	Water		1/31/2012 08:45	1/31/2012 18:00	
1202001-08	WG-1620-P10-20120131	Water		1/31/2012 10:00	1/31/2012 18:00	
1202001-09	WG-1620-FD02-20120131	Water		1/31/2012 10:00	1/31/2012 18:00	
1202001-10	WG-1620-MW07-20120131	Water		1/31/2012 11:10	1/31/2012 18:00	_
1202001-11	WG-1620-MW08-20120131	Water		1/31/2012 12:15	1/31/2012 18:00	_
1202001-12	WG-1620-P12-20120131	Water		1/31/2012 14:30	1/31/2012 18:00	╛

Date: 07-Feb-12

Client:

Pastor, Behling & Wheeler, LLC

Project:

Note:

HWPW SWMU 1 1129-03 WG-1620-MW11B-20120130

Sample ID:

Collection Date: 1/30/2012 11:15 AM

Work Order: 1202001

Lab ID: 1202001-01 **Matrix:** WATER

Dilution
Date Analyzed

Analyses	Result	Qual	SDL	MQL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D		Met	hod:SW8270		Prep: SW:	3510 / 2/5/12	Analyst: JLJ
Acenaphthene	0.025		0.00050	0.0050	mg/L	1	2/6/2012 14:49
Acenaphthylene	0.0011	J	0.00050	0.0050	mg/L	1	2/6/2012 14:49
Anthracene	U		0.00050	0.0050	mg/L	1	2/6/2012 14:49
Bis(2-ethylhexyl)phthalate	U		0.00050	0.0050	mg/L	1	2/6/2012 14:49
Dibenzofuran	υ		0.00050	0.0050	mg/L	1	2/6/2012 14:49
Di-n-butylphthalate	U		0.00050	0.0050	mg/L	1	2/6/2012 14:49
Fluoranthene	0.0013	J	0.00050	0.0050	mg/L	1	2/6/2012 14:49
Fluorene	U		0.00050	0.0050	mg/L	1	2/6/2012 14:49
Naphthalene	U		0.00050	0.0050	mg/L	1	2/6/2012 14:49
Phenol	U		0.00050	0.0050	mg/L	1	2/6/2012 14:49
Pyrene	U		0.00050	0.0050	mg/L	1	2/6/2012 14:49
Surr: 2,4,6-Tribromophenol	73.4			42-124	%REC	1	2/6/2012 14:49
Surr: 2-Fluorobiphenyl	62.5			48-120	%REC	1	2/6/2012 14:49
Surr: 2-Fluorophenol	48.0			20-120	%REC	1	2/6/2012 14:49
Surr: 4-Terphenyl-d14	95.2			51-135	%REC	1	2/6/2012 14:49
Surr: Nitrobenzene-d5	55.7			41-120	%REC	1	2/6/2012 14:49
Surr: Phenol-d6	48.9			20-120	%REC	1	2/6/2012 14:49

Date: 07-Feb-12

Client:

Pastor, Behling & Wheeler, LLC

Project:

HWPW SWMU 1 1129-03

Sample ID:

WG-1620-MW11A-20120130 **Collection Date:** 1/30/2012 12:05 PM

Work Order: 1202001

Lab ID: 1202001-02

Matrix: WATER

Analyses	Result	Qual	SDL	MQL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D		Meth	od: SW8270	N THE	Prep: SW3	510 / 2/5/12	Analyst: JLJ
2-Methylnaphthalene	U		0.00050	0.0050	mg/L	1	2/6/2012 15:15
Acenaphthene	U		0.00050	0.0050	mg/L	1	2/6/2012 15:15
Acenaphthylene	U		0.00050	0.0050	mg/L	1	2/6/2012 15:15
Anthracene	U		0.00050	0.0050	mg/L	1	2/6/2012 15:15
Bis(2-ethylhexyl)phthalate	U		0.00050	0.0050	mg/L	1	2/6/2012 15:15
Dibenzofuran	U		0.00050	0.0050	mg/L	1	2/6/2012 15:15
Fluoranthene	U		0.00050	0.0050	mg/L	1	2/6/2012 15:15
Fluorene	U		0.00050	0.0050	mg/L	1	2/6/2012 15:15
Naphthalene	U		0.00050	0.0050	mg/L	1	2/6/2012 15:15
Phenanthrene	U		0.00050	0.0050	mg/L	1	2/6/2012 15:15
Pyrene	U		0.00050	0.0050	mg/L	1	2/6/2012 15:15
Surr: 2,4,6-Tribromophenol	71.8			42-124	%REC	1	2/6/2012 15:15
Surr: 2-Fluorobiphenyl	65.6			48-120	%REC	1	2/6/2012 15:15
Surr: 2-Fluorophenol	44.0			20-120	%REC	1	2/6/2012 15:15
Surr: 4-Terphenyl-d14	92.6			51-135	%REC	1	2/6/2012 15:15
Surr: Nitrobenzene-d5	53.1			41-120	%REC	1	2/6/2012 15:15
Surr: Phenol-d6	46.2			20-120	%REC	1	2/6/2012 15:15

Date: 07-Feb-12

Client:

Pastor, Behling & Wheeler, LLC

Project:

Note:

HWPW SWMU 1 1129-03

Sample ID:

WG-1620-MW10A-20120130

Collection Date: 1/30/2012 01:40 PM

Work Order: 1202001

Lab ID: 1202001-03

Matrix: WATER

Analyses	Result Qual	SDL	MQL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D		Method: SW8270	A NE BIII	Prep: SW	3510 / 2/5/12	Analyst: JLJ
2-Methylnaphthalene	U	0.00050	0.0050	mg/L	1	2/6/2012 15:38
Acenaphthene	U	0.00050	0.0050	mg/L	1	2/6/2012 15:38
Acenaphthylene	U	0.00050	0.0050	mg/L	1	2/6/2012 15:38
Anthracene	U	0.00050	0.0050	mg/L	1	2/6/2012 15:38
Bis(2-ethylhexyl)phthalate	U	0.00050	0.0050	mg/L	1	2/6/2012 15:38
Dibenzofuran	U	0.00050	0.0050	mg/L	1	2/6/2012 15:38
Fluoranthene	U	0.00050	0.0050	mg/L	1	2/6/2012 15:38
Fluorene	U	0.00050	0.0050	mg/L	1	2/6/2012 15:38
Naphthalene	U	0.00050	0.0050	mg/L	1	2/6/2012 15:38
Phenanthrene	U	0.00050	0.0050	mg/L	1	2/6/2012 15:38
Pyrene	U	0.00050	0.0050	mg/L	1	2/6/2012 15:38
Surr: 2,4,6-Tribromophenol	56.8		42-124	%REC	1	2/6/2012 15:38
Surr: 2-Fluorobiphenyl	50.8		48-120	%REC	1	2/6/2012 15:38
Surr: 2-Fluorophenol	41.0		20-120	%REC	1	2/6/2012 15:38
Surr: 4-Terphenyl-d14	86.9		51-135	%REC	1	2/6/2012 15:38
Surr: Nitrobenzene-d5	46.9		41-120	%REC	1	2/6/2012 15:38
Surr: Phenol-d6	38.1		20-120	%REC	1	2/6/2012 15:38

Date: 07-Feb-12

Client:

Pastor, Behling & Wheeler, LLC

Project:

HWPW SWMU 1 1129-03 WG-1620-MW10B-20120130

Sample ID:

Collection Date: 1/30/2012 02:45 PM

Work Order: 1202001

Lab ID: 1202001-04

Matrix: WATER

Analyses	Result	Qual	SDL	MQL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D	THE PAS	Meth	nod;SW8270		Prep: SW3	3510 / 2/5/12	Analyst: JLJ
Acenaphthene	0.10		0.00050	0.0050	mg/L	1	2/6/2012 16:01
Acenaphthylene	0.0011	J	0.00050	0.0050	mg/L	1	2/6/2012 16:01
Anthracene	0.0057		0.00050	0.0050	mg/L	1	2/6/2012 16:01
Bis(2-ethylhexyl)phthalate	U		0.00050	0.0050	mg/L	1	2/6/2012 16:01
Dibenzofuran	0.038		0.00050	0.0050	mg/L	1	2/6/2012 16:01
Di-n-butylphthalate	U		0.00050	0.0050	mg/L	1	2/6/2012 16:01
Fluoranthene	0.0046	J	0.00050	0.0050	mg/L	1	2/6/2012 16:01
Fluorene	0.060		0.00050	0.0050	mg/L	1	2/6/2012 16:01
Naphthalene	0.084		0.00050	0.0050	mg/L	1	2/6/2012 16:01
Phenol	U	ŀ	0.00050	0.0050	mg/L	1	2/6/2012 16:01
Pyrene	0.0020	J	0.00050	0.0050	mg/L	1	2/6/2012 16:01
Surr: 2,4,6-Tribromophenol	69.0	1		42-124	%REC	1	2/6/2012 16:01
Surr:2-Fluorobiphenyl	75.7	•		48-120	%REC	1	2/6/2012 16:01
Surr: 2-Fluorophenol	59.8	}		20-120	%REC	1	2/6/2012 16:01
Surr: 4-Terphenyl-d14	90.2	?		51-135	%REC	1	2/6/2012 16:01
Surr: Nitrobenzene-d5	73.7	,		41-120	%REC	1	2/6/2012 16:01
Surr: Phenol-d6	58.1	1		20-120	%REC	1	2/6/2012 16:01

Date: 07-Feb-12

Client:

Pastor, Behling & Wheeler, LLC

Project:

Note:

HWPW SWMU 1 1129-03 WG-1620-MW02-20120130

Sample ID:

Collection Date: 1/30/2012 03:45 PM

Work Order: 1202001

Lab ID: 1202001-05

Matrix: WATER

Analyses	Result Qu	al SDL	MQL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D		Method:SW8270	12 A C	Prep: SW3	3510 / 2/5/12	Analyst: JLJ
2-Methylnaphthalene	U	0.00050	0.0050	mg/L	1	2/6/2012 16:24
Acenaphthene	U	0.00050	0.0050	mg/L	1	2/6/2012 16:24
Acenaphthylene	U	0.00050	0.0050	mg/L	1	2/6/2012 16:24
Anthracene	U	0.00050	0.0050	mg/L	1	2/6/2012 16:24
Bis(2-ethylhexyl)phthalate	U	0.00050	0.0050	mg/L.	1	2/6/2012 16:24
Dibenzofuran	U	0.00050	0.0050	mg/L	1	2/6/2012 16:24
Fluoranthene	U	0.00050	0.0050	mg/L	1	2/6/2012 16:24
Fluorene	U	0.00050	0.0050	mg/L	1	2/6/2012 16:24
Naphthalene	υ	0.00050	0.0050	mg/L	1	2/6/2012 16:24
Phenanthrene	U	0.00050	0.0050	mg/L	1	2/6/2012 16:24
Pyrene	U	0.00050	0.0050	mg/L	1	2/6/2012 16:24
Surr: 2,4,6-Tribromophenol	73.2		42-124	%REC	1	2/6/2012 16:24
Surr:2-Fluorobiphenyl	70.4		48-120	%REC	1	2/6/2012 16:24
Surr: 2-Fluorophenol	44.9		20-120	%REC	1	2/6/2012 16:24
Surr: 4-Terphenyl-d14	102		51-135	%REC	1	2/6/2012 16:24
Surr: Nitrobenzene-d5	54.0		41-120	%REC	1	2/6/2012 16:24
Surr: Phenol-d6	46.9		20-120	%REC	1	2/6/2012 16:24

Date: 07-Feb-12

Client:

Pastor, Behling & Wheeler, LLC

Project:

Note:

HWPW SWMU 1 1129-03

Sample ID:

WG-1620-MW01A-20120131

Collection Date: 1/31/2012 08:45 AM

Work Order: 1202001

Lab ID: 1202001-06

Matrix: WATER

Analyses	Result	Qual	SDL	MQL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D		Meti	hod: SW8270		Prep: SW3	3510 / 2/5/12	Analyst: JLJ
2-Methylnaphthalene	U		0.00050	0.0050	mg/L	1	2/6/2012 16:46
Acenaphthene	0.029		0.00050	0.0050	mg/L	1	2/6/2012 16:46
Acenaphthylene	U		0.00050	0.0050	mg/L	1	2/6/2012 16:46
Anthracene	U		0.00050	0.0050	mg/L	1	2/6/2012 16:46
Bis(2-ethylhexyl)phthalate	U		0.00050	0.0050	mg/L	1	2/6/2012 16:46
Dibenzofuran	0.0045	J	0.00050	0.0050	mg/L	1	2/6/2012 16:46
Fluoranthene	0.0012	J	0.00050	0.0050	mg/L	1	2/6/2012 16:46
Fluorene	0.0013	J	0.00050	0.0050	mg/L	1	2/6/2012 16:46
Naphthalene	U		0.00050	0.0050	mg/L	1	2/6/2012 16:46
Phenanthrene	U		0.00050	0.0050	mg/L	1	2/6/2012 16:46
Pyrene	U		0.00050	0.0050	mg/L	1	2/6/2012 16:46
Surr: 2,4,6-Tribromophenol	63.4			42-124	%REC	1	2/6/2012 16:46
Surr: 2-Fluorobiphenyl	69.9			48-120	%REC	1	2/6/2012 16:46
Surr: 2-Fluorophenol	59.2			20-120	%REC	1	2/6/2012 16:46
Surr: 4-Terphenyl-d14	80.3			51-135	%REC	1	2/6/2012 16:46
Surr: Nitrobenzene-d5	72.2	!		41-120	%REC	1	2/6/2012 16:46
Surr: Phenol-d6	59.3			20-120	%REC	1	2/6/2012 16:46

Client: Pastor, Behling & Wheeler, LLC

 Project:
 HWPW SWMU 1 1129-03

 Sample ID:
 WG-1620-FD01-20120131

Collection Date: 1/31/2012 08:45 AM

Date: 07-Feb-12

Work Order: 1202001

Lab ID: 1202001-07 **Matrix:** WATER

Analyses	Result	Qual	SDL	MQL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D		Meth	nod: SW8270		Prep: SW3	510 / 2/5/12	Analyst: JLJ
2-Methylnaphthalene	U		0.00050	0.0050	mg/L	1	2/6/2012 17:09
Acenaphthene	0.028		0.00050	0.0050	mg/L	1	2/6/2012 17:09
Acenaphthylene	U		0.00050	0.0050	mg/L	1	2/6/2012 17:09
Anthracene	U		0.00050	0.0050	mg/L	1	2/6/2012 17:09
Bis(2-ethylhexyl)phthalate	0.0013	J	0.00050	0.0050	mg/L	1	2/6/2012 17:09
Dibenzofuran	0.0044	j	0.00050	0.0050	mg/L	1	2/6/2012 17:09
Fluoranthene	0.0012	J	0.00050	0.0050	mg/L	1	2/6/2012 17:09
Fluorene	0.0013	J	0.00050	0.0050	mg/L	1	2/6/2012 17:09
Naphthalene	U		0.00050	0.0050	mg/L	1	2/6/2012 17:09
Phenanthrene	U		0.00050	0.0050	mg/L	1	2/6/2012 17:09
Pyrene	U		0.00050	0.0050	mg/L	1	2/6/2012 17:09
Surr: 2,4,6-Tribromophenol	62.7			42-124	%REC	1	2/6/2012 17:09
Surr:2-Fluorobiphenyl	62.8			48-120	%REC	1	2/6/2012 17:09
Surr: 2-Fluorophenol	47.6			20-120	%REC	1	2/6/2012 17:09
Surr: 4-Terphenyl-d14	85.3			51-135	%REC	1	2/6/2012 17:09
Surr: Nitrobenzene-d5	57.8			41-120	%REC	1	2/6/2012 17:09
Surr: Phenol-d6	48.5			20-120	%REC	1	2/6/2012 17:09

Date: 07-Feb-12

Client:

Pastor, Behling & Wheeler, LLC

Project:

HWPW SWMU 1 1129-03 WG-1620-P10-20120131

Sample ID:

Collection Date: 1/31/2012 10:00 AM

Work Order: 1202001

Lab ID: 1202001-08 **Matrix:** WATER

Analyses	Result (Qual SDL	MQL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D		Method:SW8270	35,3 pt	Prep: SW3	3510 / 2/5/12	Analyst: JLJ
Acenaphthene	υ	0.00050	0.0050	mg/L	1	2/6/2012 17:32
Acenaphthylene	U	0.00050	0.0050	mg/L	1	2/6/2012 17:32
Anthracene	υ	0.00050	0.0050	mg/L	1	2/6/2012 17:32
Bis(2-ethylhexyl)phthalate	U	0.00050	0.0050	mg/L	1	2/6/2012 17:32
Dibenzofuran	U	0.00050	0.0050	mg/L	1	2/6/2012 17:32
Di-n-butylphthalate	U	0.00050	0.0050	mg/L	1	2/6/2012 17:32
Fluoranthene	U	0.00050	0.0050	mg/L	1	2/6/2012 17:32
Fluorene	U	0.00050	0.0050	mg/L	1	2/6/2012 17:32
Naphthalene	U	0.00050	0.0050	mg/L	1	2/6/2012 17:32
Phenol	U	0.00050	0.0050	mg/L	1	2/6/2012 17:32
Pyrene	U	0.00050	0.0050	mg/L	1	2/6/2012 17:32
Surr: 2,4,6-Tribromophenol	72.9		42-124	%REC	1	2/6/2012 17:32
Surr:2-Fluorobiphenyl	70.9		48-120	%REC	1	2/6/2012 17:32
Surr: 2-Fluorophenol	51.5		20-120	%REC	1	2/6/2012 17:32
Surr: 4-Terphenyl-d14	107		51-135	%REC	1	2/6/2012 17:32
Surr: Nitrobenzene-d5	63.3		41-120	%REC	1	2/6/2012 17:32
Surr: Phenol-d6	51.4		20-120	%REC	1	2/6/2012 17:32

Client: Pastor, Behling & Wheeler, LLC

Project: HWPW SWMU 1 1129-03 **Sample ID:** WG-1620-FD02-20120131

Collection Date: 1/31/2012 10:00 AM

Date: 07-Feb-12

Work Order: 1202001

Lab ID: 1202001-09 **Matrix:** WATER

Analyses	Result	Qual	SDL	MQL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D	通工作表示	Met	hod:SW8270	EL TEN	Prep: SW3	3510 / 2/5/12	Analyst: JLJ
Acenaphthene	U		0.00050	0.0050	mg/L	1	2/6/2012 17:54
Acenaphthylene	U		0.00050	0.0050	mg/L	1	2/6/2012 17:54
Anthracene	U		0.00050	0.0050	mg/L	1	2/6/2012 17:54
Bis(2-ethylhexyl)phthalate	U		0.00050	0.0050	mg/L	1	2/6/2012 17:54
Dibenzofuran	U		0.00050	0.0050	mg/L	1	2/6/2012 17:54
Di-n-butylphthalate	U		0.00050	0.0050	mg/L	1	2/6/2012 17:54
Fluoranthene	U		0.00050	0.0050	mg/L	1	2/6/2012 17:54
Fluorene	U		0.00050	0.0050	mg/L	1	2/6/2012 17:54
Naphthalene	U		0.00050	0.0050	mg/L	1	2/6/2012 17:54
Phenol	U		0.00050	0.0050	mg/L	1	2/6/2012 17:54
Pyrene	U		0.00050	0.0050	mg/L	1	2/6/2012 17:54
Surr: 2,4,6-Tribromophenol	58.6	1		42-124	%REC	1	2/6/2012 17:54
Surr:2-Fluorobiphenyl	64.7			48-120	%REC	1	2/6/2012 17:54
Surr: 2-Fluorophenol	53.9	ı		20-120	%REC	1	2/6/2012 17:54
Surr: 4-Terphenyl-d14	78.9)		51-135	%REC	1	2/6/2012 17:54
Surr: Nitrobenzene-d5	63.2	!		41-120	%REC	1	2/6/2012 17:54
Surr: Phenol-d6	56.7	•		20-120	%REC	1	2/6/2012 17:54

Date: 07-Feb-12

Client:

Pastor, Behling & Wheeler, LLC

Project:

HWPW SWMU 1 1129-03

Sample ID: **Collection Date:** 1/31/2012 11:10 AM

WG-1620-MW07-20120131

Work Order: 1202001

Lab ID: 1202001-10

Matrix: WATER

Analyses	Result Q	ual SDL	MQL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D	w 1 by 1 by	Method: SW8270	-5/30/5/	Prep: SW:	3510 <i>/</i> 2/5/12	Analyst: JLJ
2-Methylnaphthalene	U	0.00050	0.0050	mg/L	1	2/6/2012 18:17
Acenaphthene	U	0.00050	0.0050	mg/L	1	2/6/2012 18:17
Acenaphthylene	U	0.00050	0.0050	mg/L	1	2/6/2012 18:17
Anthracene	U	0.00050	0.0050	mg/L	1	2/6/2012 18:17
Bis(2-ethylhexyl)phthalate	U	0.00050	0.0050	mg/L	1	2/6/2012 18:17
Dibenzofuran	υ	0.00050	0.0050	mg/L	1	2/6/2012 18:17
Fluoranthene	U	0.00050	0.0050	mg/L	1	2/6/2012 18:17
Fluorene	U	0.00050	0.0050	mg/L	1	2/6/2012 18:17
Naphthalene	U	0.00050	0.0050	mg/L	1	2/6/2012 18:17
Phenanthrene	U	0.00050	0.0050	mg/L	1	2/6/2012 18:17
Pyrene	U	0.00050	0.0050	mg/L	1	2/6/2012 18:17
Surr: 2,4,6-Tribromophenol	57.4		42-124	%REC	1	2/6/2012 18:17
Surr: 2-Fluorobiphenyl	64.7		48-120	%REC	1	2/6/2012 18:17
Surr: 2-Fluorophenol	51.8		20-120	%REC	1	2/6/2012 18:17
Surr: 4-Terphenyl-d14	78.4		51-135	%REC	1	2/6/2012 18:17
Surr: Nitrobenzene-d5	60.3		41-120	%REC	1	2/6/2012 18:17
Surr: Phenol-d6	49.8		20-120	%REC	1	2/6/2012 18:17

Date: 07-Feb-12

Client:

Pastor, Behling & Wheeler, LLC

Project:

Note:

HWPW SWMU 1 1129-03

Sample ID:

WG-1620-MW08-20120131 Collection Date: 1/31/2012 12:15 PM

Work Order: 1202001

Lab ID: 1202001-11

Matrix: WATER

Analyses	Result Qual	SDL	MQL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D	Me	ethod:SW8270		Prep: SW3	3510 / 2/5/12	Analyst: JLJ
2-Methylnaphthalene	υ	0.00050	0.0050	mg/L	1	2/7/2012 14:04
Acenaphthene	U	0.00050	0.0050	mg/L	1	2/7/2012 14:04
Acenaphthylene	υ	0.00050	0.0050	mg/L	1	2/7/2012 14:04
Anthracene	U	0.00050	0.0050	mg/L	1	2/7/2012 14:04
Bis(2-ethylhexyl)phthalate	U	0.00050	0.0050	mg/L	1	2/7/2012 14:04
Dibenzofuran	U	0.00050	0.0050	mg/L	1	2/7/2012 14:04
Fluoranthene	U	0.00050	0.0050	mg/L	1	2/7/2012 14:04
Fluorene	U	0.00050	0.0050	mg/L	1	2/7/2012 14:04
Naphthalene	Ū	0.00050	0.0050	mg/L	1	2/7/2012 14:04
Phenanthrene	U	0.00050	0.0050	mg/L	1	2/7/2012 14:04
Pyrene	U	0.00050	0.0050	mg/L	1	2/7/2012 14:04
Surr: 2,4,6-Tribromophenol	61.6		42-124	%REC	1	2/7/2012 14:04
Surr:2-Fluorobiphenyl	62.8		48-120	%REC	1	2/7/2012 14:04
Surr: 2-Fluorophenol	43.3		20-120	%REC	1	2/7/2012 14:04
Surr: 4-Terphenyl-d14	91.5		51-135	%REC	1	2/7/2012 14:04
Surr: Nitrobenzene-d5	52.5		41-120	%REC	1	2/7/2012 14:04
Surr: Phenol-d6	43.6		20-120	%REC	1	2/7/2012 14:04

Date: 07-Feb-12

Client:

Pastor, Behling & Wheeler, LLC

Project:

HWPW SWMU 1 1129-03 WG-1620-P12-20120131

Sample ID:

Collection Date: 1/31/2012 02:30 PM

Work Order: 1202001

Lab ID: 1202001-12

Matrix: WATER

Analyses	Result Qual	SDL	MQL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D	Me	thod: SW8270		Prep: SW3	3510 / 2/5/12	Analyst: JLJ
Acenaphthene	U	0.00050	0.0050	mg/L	1	2/6/2012 13:15
Acenaphthylene	U	0.00050	0.0050	mg/L	1	2/6/2012 13:15
Anthracene	U	0.00050	0.0050	mg/L	1	2/6/2012 13:15
Bis(2-ethylhexyl)phthalate	U	0.00050	0.0050	mg/L	1	2/6/2012 13:15
Dibenzofuran	U	0.00050	0.0050	mg/L	1	2/6/2012 13:15
Di-n-butylphthalate	U	0.00050	0.0050	mg/L	1	2/6/2012 13:15
Fluoranthene	U	0.00050	0.0050	mg/L	1	2/6/2012 13:15
Fluorene	U	0.00050	0.0050	mg/L	1	2/6/2012 13:15
Naphthalene	υ	0.00050	0.0050	mg/L	1	2/6/2012 13:15
Phenol	U	0.00050	0.0050	mg/L	1	2/6/2012 13:15
Pyrene	υ	0.00050	0.0050	mg/L	1	2/6/2012 13:15
Surr: 2,4,6-Tribromophenol	60.8		42-124	%REC	1	2/6/2012 13:15
Surr:2-Fluorobiphenyl	54.6		48-120	%REC	1	2/6/2012 13:15
Surr: 2-Fluorophenol	44.2		20-120	%REC	1	2/6/2012 13:15
Surr: 4-Terphenyl-d14	81.9		51-135	%REC	1	2/6/2012 13:15
Surr: Nitrobenzene-d5	54.2		41-120	%REC	1	2/6/2012 13:15
Surr: Phenol-d6	43.3		20-120	%REC	1	2/6/2012 13:15

Date: 07-Feb-12

WorkOrder:

1202001

InstrumentID:

SV-3

Test Code:

8270_W

Test Number:

SW8270

Test Name:

Semivolatiles - SW8270D

METHOD DETECTION /
REPORTING LIMITS

Matrix: Aqueous

Units: mg/L

Гурс	e Analyte	CAS	DCS	MDL	Unadjusted MQL
A	2-Methylnaphthalene	91-57-6	0.0025	0.0005	0.0050
A	Acenaphthene	83-32-9	0.0024	0.0005	0.0050
Α	Acenaphthylene	208-96-8	0.0023	0.0005	0.0050
A	Anthracene	120-12-7	0.0026	0.0005	0.0050
A	Bis(2-ethylhexyl)phthalate	117-81-7	0.0028	0.0005	0 0.0050
A	Dibenzofuran	132-64-9	0.0024	0.0005	0.0050
A	Di-n-butyl phthalate	84-74-2	0.0028	0.0005	0.0050
A	Fluoranthene	206-44-0	0.0025	0.0005	0.0050
Ā	Fluorene	86-73-7	0.0025	0.0005	0.0050
A	Naphthalene	91-20-3	0.0024	0.0005	0.0050
A	Phenanthrene	85-01-8	0.0025	0.0005	0.0050
A	Phenol	108-95-2	0.0026	0.0005	0.005
A	Pyrene	129-00-0	0.0024	0.0005	0.0050
S	Surr: 2,4,6-Tribromophenol	118-79-6	0	0.005	0.0050
S	Surr: 2-Fluorobiphenyl	321-60-8	0	0.005	0.0050
S	Surr: 2-Fluorophenol	367-12-4	0	0.005	0.005
S	Surr: 4-Terphenyl-d14	1718-51-0	0	0.005	0.005
S	Surr: Nitrobenzene-d5	4165-60-0	0	0.005	0.005
S	Surr: Phenol-d6	13127-88-3	0	0.005	0.0050

Date: 07-Feb-12

QC BATCH REPORT

Client:

Pastor, Behling & Wheeler, LLC

Work Order:

1202001

Project:

HWPW SWMU 1 1129-03

Batch ID: 58610	Instrument ID: SV-3		Method:	SW827	0					
MBLK Sample ID: \$	BLKW3-120205-58610)			Units: µg/l	-	Anal	ysis Date: 2	/6/2012 10	:13 AM
Client ID:		Run ID: SV-3_1	20206B		SeqNo: 267	9084	Prep Date: 2/5	5/2012	DF: 1	
Analyte	Resu	ilt MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qua
2-Methylnaphthalene		U 5.0								
Acenaphthene		U 5.0								
Acenaphthylene		U 5.0								
Anthracene		U 5.0								
Bis(2-ethylhexyl)phthalate		U 5.0								
Dibenzofuran		U 5.0								
Di-n-butylphthalate		U 5.0								
Fluoranthene		U 5.0								
Fluorene		U 5.0								
Naphthalene		U 5.0								
Phenanthrene		U 5.0								
Phenol		U 5.0								
Pyrene		U 5.0								
Surr: 2,4,6-Tribromopher	nol 83.4	48 5.0	100		0 83.5	42-124	ı	0		
Surr: 2-Fluorobiphenyl	94.0	55 5.0	100		0 94.7	48-120)	0		
Surr: 2-Fluorophenol	74.0	5.0	100		0 74.6	20-120)	0		
Surr: 4-Terphenyl-d14	109	.1 5.0	100		0 109	51-135	i	0		
Surr: Nitrobenzene-d5	91.:	27 5.0	100		0 91.3	41-120)	0		
Surr: Phenol-d6	75.	16 5.0	100		0 75.2	20-120)	0		

QC BATCH REPORT

Client:

Pastor, Behling & Wheeler, LLC

Work Order:

1202001

Project:

HWPW SWMU 1 1129-03

Batch ID: 58610	nstrument ID: SV-3	strument ID: SV-3 Method: SW8270									
LCS Sample ID: SL	CSW3-120205-58610				υ	nits: µg/L		Analysis Date: 2/6/2012 10:36 AM			
Client ID:	Run II); SV-3_12	20206B		SeqNo: 2679085		Prep Date: 2/5/2012		DF: 1		
Analyte	Result	MQL	SPK Val	SPK Ref Value		%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qua
2-Methylnaphthalene	44.33	5.0	50		0	88.7	55-120	0			
Acenaphthene	47.06	5.0	50		0	94.1	55-120	0			
Acenaphthylene	47.75	5.0	50		0	95.5	55-120	0			
Anthracene	50.16	5.0	50		0	100	55-120	0			
Bis(2-ethylhexyl)phthalate	51.7	5.0	50		0	103	50-125	0			
Dibenzofuran	48.51	5.0	50		0	97	55-120	C			
Di-n-butylphthalate	54.03	5.0	50		0	108	55-120				
Fluoranthene	50.41	5.0	50		0	101	55-120	C	l		
Fluorene	49.56	5.0	50		0	99.1	55-120	C			
Naphthalene	46.19	5.0	50		0	92.4	55-120	C)		
Phenanthrene	49.6	5.0	50		0	99.2	55-120	()		
Phenol	78.8	5.0	100		0	78.8	50-120	()		
Pyrene	47.08	5.0	50		0	94.2	55-120)		
Surr: 2,4,6-Tribromophenol	84.41	5.0	100		0	84.4	42-124	()		
Surr: 2-Fluorobiphenyl	91.28	5.0	100		0	91.3	48-120	()		
Surr: 2-Fluorophenol	82.86	5.0	100		0	82.9	20-120	()		
Surr: 4-Terphenyl-d14	89.29	5.0	100		0	89.3	51-135)		
Surr: Nitrobenzene-d5	88.28	5.0	100		0	88.3	41-120	•)		
Surr: Phenol-d6	77.69	5.0	100		0	77.7	20-120)		

Client: P

Pastor, Behling & Wheeler, LLC

Work Order:

1202001

Project:

HWPW SWMU 1 1129-03

QC BATCH REPORT

Batch ID: 58610 Ir	strument ID: SV-3		Method	: SW8270	0						
LCSD Sample ID: SLC	CSDW3-120205-58610				U	Inits: µg/L		Analysi	s Date: 2/6	6/2012 10:	58 AM
Client ID:	Run I	tun ID: SV-3_120206B			SeqNo: 2679086			Prep Date: 2/5/2012		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value		%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qua
	43.63	5.0	50		0	87.3	55-120	44.33	1.58	20	
2-Methylnaphthalene			50		0	92	55-120	47.06	2.28	20	
Acenaphthene	46	5.0	50 50		0	93.5	55-120	47.75	2.13	20	
Acenaphthylene	46.74	5.0	50		0	97.3	55-120	50.16	3.01	20	
Anthracene	48.67		50		0	99.9	50-125	51.7	3.46	20	
Bis(2-ethylhexyl)phthalate	49.94	5.0	50		0	92.2	55-120	48.51	5.07	20	
Dibenzofuran	46.11	5.0			-				3.3	20	
Di-n-butylphthalate	52.27	5.0	50		0	105	55-120	54.03		20	
Fluoranthene	48.76	5.0	50		0	97.5	55-120	50.41	3.32		
Fluorene	47.75	5.0	50		0	95.5	55-120		3.71	20	
Naphthalene	45.79	5.0	50		0	91.6	55-120		0.881	20	
Phenanthrene	48.04	5.0	50		0	96.1	55-120		3.19	20	
Phenol	78.35	5.0	100		0	78.4	50-120	78.8	0.576	20	
Pyrene	47.67	5.0	50		0	95.3	55-120	47.08	1.25	20	
Surr: 2,4,6-Tribromophenol	82.94	5.0	100		0	82.9	42-124	84.41	1.75	20	
Surr: 2-Fluorobiphenyl	89.44	5.0	100		0	89.4	48-120	91.28	2.03	20	
Surr: 2-Fluorophenol	80.87	5.0	100		0	80.9	20-120	82.86	2.43	20	
Surr: 4-Terphenyl-d14	91.65	5.0	100		0	91.6	51-135	89.29	2.6	20	
Surr: Nitrobenzene-d5	87.34	5.0	100		0	87.3	41-120	88.28	1.07	20	
Surr: Phenol-d6	74.2	5.0	100		0	74.2	20-120	77.69	4.59	20	

QC BATCH REPORT

Client:

Pastor, Behling & Wheeler, LLC

Work Order:

1202001

Project:

HWPW SWMU 1 1129-03

Batch ID: 58610 Instrument I		Method	: SW8270	0							
MS Sample ID: 1202001-12A	MS				L	Inits: µg/L		Analy	sis Date: 2	/6/2012 07	:25 PN
Client ID: WG-1620-P12-20120131	Run II	Run ID: SV-3_120206B			SeqNo: 2679099			Prep Date: 2/5/2012		DF: 1	
Analyte	Result	MQL	SPK Val	SPK Ref Value		%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qua
2-Methylnaphthalene	32.49	5.0	50		0	65	55-120	()		
Acenaphthene	40.25	5.0	50		0	80.5	55-120	()		
Acenaphthylene	40.82	5.0	50		0	81.6	55-120	()		
Anthracene	48.93	5.0	50		0	97.9	55-120	()		
Bis(2-ethylhexyl)phthalate	49.44	5.0	50		0	98.9	50-125	()		
Dibenzofuran	41.28	5.0	50		0	82.6	55-120	()		
Di-n-butylphthalate	51.54	5.0	50		0	103	55-120)		
Fluoranthene	49.73	5.0	50		0	99.5	55-120)		
Fluorene	43.99	5.0	50		0	88	55-120)		
Naphthalene	34.13	5.0	50		0	68.3	55-120	()		
Phenanthrene	49.6	5.0	50		0	99.2	55-120)		
Phenol	57.41	5.0	100		0	57.4	50-120		0		
Pyrene	48.74	5.0	50		0	97.5	55-120		0		
Surr: 2,4,6-Tribromophenol	74.2	5.0	100		0	74.2	42-124		D		
Surr: 2-Fluorobiphenyl	77.27	5.0	100		0	77.3	48-120		0		
Surr: 2-Fluorophenol	56.3	5.0	100		0	56.3	20-120		0		
Surr: 4-Terphenyl-d14	97.25	5.0	100		0	97.2	51-135		0		
Surr: Nitrobenzene-d5	62.44	5.0	100		0	62.4	41-120		0		
Surr: Phenol-d6	56.15	5.0	100		0	56.2	20-120		0		

QC BATCH REPORT

Client:

Pastor, Behling & Wheeler, LLC

Work Order:

1202001

Project:

HWPW SWMU 1 1129-03

MSD Sample ID: 1202001-12	AMSD				L	Jnits: µg/L		Analysis Date: 2/6/2012 07:48 PM				
Client ID: WG-1620-P12-20120131): SV-3_12	20206B		SeqNo: 2679100			Prep Date: 2/5/2	DF: 1			
Analyte	Result	MQL	SPK Val	SPK Ref Value		%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
2-Methylnaphthalene	29.92	5.0	50		0	59.8	55-120	32.49	8.24	20		
Acenaphthene	36.82	5.0	50		0	73.6	55-120	40.25	8.89	20		
Acenaphthylene	37.26	5.0	50		0	74.5	55-120	40.82	9.1	20		
Anthracene	42.58	5.0	50		0	85.2	55-120	48.93	13.9	20		
Bis(2-ethylhexyl)phthalate	43.37	5.0	50		0	86.7	50-125	49.44	13.1	20		
Dibenzofuran	38.31	5.0	50		0	76.6	55-120	41.28	7.47	20		
Di-n-butylphthalate	45.23	5.0	50		0	90.5	55-120	51.54	13	20		
Fluoranthene	43.19	5.0	50		0	86.4	55-120	49.73	14.1	20		
Fluorene	40.6	5.0	50		0	81.2	55-120	43.99	8.01	20		
Naphthalene	30.17	5.0	50		0	60.3	55-120	34.13	12.3	20		
Phenanthrene	44.21	5.0	50		0	88.4	55-120	49.6	11.5	20		
Phenol	56.63	5.0	100		0	56.6	50-120	57.41	1.36	20		
Pyrene	43.74	5.0	50		0	87.5	55-120	48.74	10.8	20		
Surr: 2,4,6-Tribromophenol	69.37	5.0	100		0	69.4	42-124	74.2	6.73	20		
Surr:2-Fluorobiphenyl	67.81	5.0	100		0	67.8	48-120	77.27	13	20		
Surr: 2-Fluorophenol	51.48	5.0	100		0	51.5	20-120	56.3	8.94	20		
Surr: 4-Terphenyl-d14	83.77	5.0	100		0	83.8	51-135	97.25	14.9	20		
Surr: Nitrobenzene-d5	55.48	5.0	100		0	55.5	41-120	62.44	11.8	20		
Surr: Phenol-d6	54.14	5.0	100		0	54.1	20-120	56.15	3.64	20		

The following samples were analyzed in this batch:

1202001-01A	1202001-02A	1202001-03A	
1202001-04A	1202001-05A	1202001-06A	
1202001-07A	1202001-08A	1202001-09A	
1202001-10A	1202001-11A	1202001-12A	

Date: 07-Feb-12

ALS Environmental

Client: Pastor, Behling & Wheeler, LLC

Project: HWPW SWMU 1 1129-03

WorkOrder: 1202001

QUALIFIERS,
ACRONYMS, UNITS

Qualifier Description Value exceeds Regulatory Limit Not accredited a Analyte detected in the associated Method Blank above the Reporting Limit В Value above quantitation range E Analyzed outside of Holding Time H Analyte detected below quantitation limit J Manually integrated, see raw data for justification M Not offered for accreditation n ND Not Detected at the Reporting Limit Sample amount is > 4 times amount spiked 0 P Dual Column results percent difference > 40% RPD above laboratory control limit R S Spike Recovery outside laboratory control limits Analyzed but not detected above the MDL U Description Acronym **Detectability Check Study DCS** DUP Method Duplicate LCS Laboratory Control Sample LCSD Laboratory Control Sample Duplicate Method Blank **MBLK** Method Detection Limit **MDL** Method Quantitation Limit MQL Matrix Spike MS **MSD** Matrix Spike Duplicate PDS Post Digestion Spike Practical Quantitation Limit PQL Serial Dilution SD SDL Sample Detection Limit Texas Risk Reduction Program TRRP Units Reported Description

Milligrams per Liter

mg/L

QF Page 1 of 1

Sample Receipt Checklist

Client Name:	<u>PBW</u>					Date/Tin	neRed	ceived: 31	-Jan-12	18:00	1		
Work Order:	120200	<u>1</u> .,				Receive	dby:	R	DH				
		Johnnie B. Dillen eSignature		01-Feb-12 Date	49	Reviewedby	r. 2	Patricia L. eSignature	. Lyne	R	1	01-Feb- Date	
Matrices: Carriername:	water Client												
Shipping contain	ner/coole	er in good condition?		Yes	V	No		Not Present					
Custody seals ir	ntact on s	shipping container/cooler?		Yes		No		Not Present					
Custody seals ir	ntact on s	sample bottles?		Yes		No		Not Present	~				
Chain of custod	y presen	t?		Yes	Y	No							
Chain of custod	y signed	when relinquished and rec	eived?	Yes	Y	No							
Chain of custod	y agrees	with sample labels?		Yes	\checkmark	No							
Samples in prop	erconta	iner/bottle?		Yes	✓	No							
Sample contain	ers intac	t?		Yes	✓	No							
Sufficient samp	le volum	e for indicated test?		Yes	~	No							
All samples rec	eived wit	hin holding time?		Yes	V	No							
Container/Tem	p Blank t	emperature in compliance?		Yes	V	No							
Temperature(s)	/Thermo	meter(s):		2.3 C/	3.6 C	/ 2.5 C		002					
Cooler(s)/Kit(s)	:			4700/4	1708/	4713							
Water-VOA via	als have	zero headspace?		Yes		No		No VOA vials su	ıbmitted	V			
Water-pH acc	eptable ι	ıpon receipt?		Yes	V	No		N/A 🗆					
pH adjusted? pH adjusted by	:			Yes_		No	V 1	N/A 🗆					
Login Notes:													
			====	===:		====	==	====	==		==:	===	
ClientContacte	ed:		Date Contacted	d:		Pe	ersonC	Contacted:					
Contacted By:			Regarding:										
Comments:						10.00							
СоггестічеАсті	on:	erre e									SRC I	Page 1	of 1

Chain of Custody Form	:ID: 46642 DF	ALS Project Manager:	Project Information	UPRR Houston Wood SWMU 1 SVOC (8270) Low-Level	1128-03 (B	Union Pacific Rallroad	Q	1400 Douglas Street		Omaha, NE 681790750 G	1			Matrix Pres. #Bottles A B C D E F G H	6W - 2 X	G50	6W -		6W -	GW -	5 66 1 2 X	5 GE 1 2 X	16W - 2X	6W - 8X	g	Notes: 10 Day TAT.	(Laboratory): Cooler Jamp. GC Package: (Check One Box Below) Cooler Jamp. Cooler Jamp. Check One Box Below) TRRP Check Is	
	*		Proje	Project Name UPR	Project Number 1129	Bill To Company Union	Invaice Attn	E 600	Address Stop	City/State/Zip Oma	Phone	Fax	e-Mail Address	Date Time	1-30-12 1115	1205	01240	Shh	5451	31-12 0845	5h80 1	0001	0001	011)	Shipment Method		Received by (Laboratory)	-
	ALS	Environmental	Customer Information			Pastor, Behling & Wheeler, LLC B		2201 Double Creek Drive	Suite 4004	Round Rock, TX 78664	(512) 671-3434	(512) 671-3446		Sample Description	021016	WG-1620-MW11A-20120130	46-1620-MUIDA-20120130	WG-1620 - MW108 - 20120130		_	WG-1620- FDOI- 20120131	- P10-20120131	•	7- MW07-20120131			Date: Time:	-
				Purchase Order	Work Order	Company Name	Sand Report To		Address	City/State/Zip	Phone	Fax	e-Mail Address	No.	4 WG-1620	2 WC 1620	-	4 WG-11,26	5 W. G-(626	6 WG-1620	7 WG 1620		3 -	10 1/2-162	Sampler(s) Please Print & Sign	Relinquened by:	Relinquished by:	

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.

Copyright 2011 by ALS Environmental.

Salt Lake City, UT +1 801 266 7700	5 Thing City, PA 5 +1 610 948 4903		たのかのの	r Analysis										Control of the state of the sta	7		35								Results Due Date:		e Box Below) ▼ TRRP CheckList	ew Data TRRP Level IV		Copyright 2011 by ALS Environmental.
Hofland, MI +1 513 733 5336	☐ Houston, TX ☐ +1 281 530 5656	Middletown, PA 1 717 944 5541	ALS Work Order #: /	Parameter/Method Request for Analysis	vel										F. G. H										24 Hour	E 1	OC Package: (Check One Box Below)	Level III Std OC/Rew Data	Other / EDD	
Cincinnati, OH +1 513 733 5336	U Everett, WA	For Callins, CO	A	Parameter/	SVOC (8270) Low-Level										G 9										Olher 2 WK Days	T-	Coaler ID Cooler Temp.		教を記する マルダース	ions stated on the reverse
Form		41	er		4	æ	ပ	O	Em.	W.	Ø.	T .			iles A	× ~	X	 ≺	X						ne: (Checi	1	0		35	and condit
Chain of Custody Form	Page A of A	Ë	ALS Project Manager:	Project Information	UPRR Houston Wood SWMU 1	1129-03	Union Pacific Railroad		1400 Douglas Street	Stop 0750	Omaha, NE 681790750				Time Matrix Pres. #Bottles	215 60 - 2	430 GW - 0	1430 CW - 9	2			7.			Method Required Turnaround Time: (Check Box)	E X	Received by (Laboratory):	Checked by (Laboratory):	6-NaHSO4 7-Other 8-4°C 9-5035	submitted to ALS Environmental.
					Project Name	Project Number	Bill To Company	Invoice Attn		Address	City/State/Zip.	Phone	Fax	e-Mail Address	Date	1-31-12 16		71	6		17				Shipment Method	100	Time. Rece	Time: Cha	OH 5-Na ₂ S ₂ O ₃	COC Form have been rovided by ALS Envir
•		ALS)	Environmental	Customer Information			Pastor, Behling & Wheeler, LLC	Eric Matzner	2201 Double Creek Drive	Suite 4004	Round Rock, TX 78664	(512) 671-3434	(512) 671-3446		Sample Description	1- MUIDB- 20120131	P13-0	Plams-	1 4						e Print & Sign	Date 31-12		Date:	Preservative Key: 1-HCI 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₃ O ₃ 6-NaHSO ₄ 7-Other	 Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
			Ent		Purchase Order	Work Order	Company Name	Send Report To		Address	City/State/Zip	Phone	Fax	e-Mail Address	No	1.12 1620	2 106-1620-	1	-	-	9	7	8	9 10	mpler(s) Plegs	7	Relinquished by:	Logged by (Laboratory):	Preservative Key:	Note: 1. Any change 2. Unless other

29 of 29



E-Mail Date: E-Mail To: c.c.: February 20, 2012

Eric Matzner, Pastor, Behling & Wheeler, LLC

Angela Bown

E-Mail and Hard Copy if Requested

DATA USABILITY SUMMARY UNION PACIFIC RAILROAD (UPRR) HOUSTON WOOD PRESERVING WORKS SEMIANNUAL GROUNDWATER MONITORING HOUSTON, TEXAS JANUARY 2012

PREPARED BY:

CONESTOGA-ROVERS & ASSOCIATES

9033 Meridian Way West Chester, Ohio 45069

Telephone: 513-942-4750 Fax: 513-942-8585

Contact:

Angela Bown (adh) & Bladh

Date:

February 20, 2012

www.CRAworld.com

Data Usability Summary

Reviewer:	Angela Bown - Conestoga-Rovers & Associates
Contract Laboratory:	ALS Laboratory Group – Houston, Texas
Project/Area of Interest:	UPRR Houston Wood Preserving Works - Houston, Texas
Description of Data Packages Reviewed:	Groundwater sample results in data packages: 1202001
Sample Collection Date(s):	January 30-31, 2012
Intended Use of Data:	To monitor the Chemicals of Concern (COCs) in groundwater at the Site and to evaluate whether migration of COCs could result in risk to human or ecological health.

1.0 SCOPE OF DATA USABILITY SUMMARY

Data were reviewed and validated in accordance with Title 30 of the Texas Administrative Code Section 350.54 (30 TAC 350.54) as described in *Review and Reporting of COC Concentration Data* (RG-366/TRRP-13), and the results of the review/validation are discussed in this Data Usability Summary (DUS). The review included examination of the reported data, the laboratory review checklist (LRC), and field/laboratory quality assurance/quality control (QA/QC) samples collected at the Site. Tables summarizing data qualifications discussed in this DUS can be found in Appendix A.

A sampling and analysis summary is presented in Table 1. This summary includes a cross-reference of field sample identification numbers and location codes. Each sample was assigned a unique field identification number.

Twelve groundwater samples including QC samples were analyzed for the parameters outlined in Table 2. The validated sample results are presented in Table 3.

2.0 <u>LABORATORY QUALIFICATIONS</u>

Analytical services were provided by ALS Laboratory Group (ALS) located in Houston, Texas. The laboratory's quality assurance program is consistent with the quality standards outlined in the National Environmental Laboratory Accreditation Program (NELAP). The laboratory was accredited under Texas Certification Number T104704231-11-5 at the time the analyses were performed.

3.0 PROJECT OBJECTIVES

3.1 LEVELS OF REQUIRED PERFORMANCE (LORP)

Prior to sampling, the LORP for each COC was established for the investigation. Standard available analytical methods were selected, and minimal detection limits that are at or below the Texas Risk Reduction Tier1 Residential Protective Concentration Levels (PCLs), GW GW ING for groundwater were sought.

3.2 SAMPLING/ANALYTICAL QA/QC OBJECTIVES

Pastor, Behling & Wheeler, LLC designed the QA/QC program to identify contamination resulting from sample collection, sample transport, and the analytical process.

- Field and equipment blanks are sample containers filled in the field with analyte-free water, which has been used to rinse sampling equipment to check effectiveness of the decontamination procedures. No field or equipment blanks were collected for this event.
- Method blanks of a similar matrix to that of the associated samples are prepared by the laboratory and analyzed to determine if laboratory contaminants are affecting the analytical results. Method blanks are prepared and analyzed with each batch.

Similarly, the QA/QC program was designed to evaluate the quality of the resulting data with respect to bias and precision. First, a laboratory control sample (LCS) or laboratory control sample duplicate (LCSD) was prepared and analyzed with each batch. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project. Second, a matrix spike/matrix spike duplicate (MS/MSD) was prepared and analyzed with each batch. The recovery ranges and Relative Percent Differences (RPDs) established by the laboratory are adopted as the acceptance criteria for the project. Third, field duplicates were collected and submitted for analysis. The RPD acceptance criterion for the water field duplicates is 30 percent. This RPD criterion is only used when sample concentrations are above the estimated regions of detection.

4.0 DATA REVIEW/VALIDATION RESULTS

4.1 ANALYTICAL RESULTS

Analytes with concentrations above the Sample Detection Limits (SDLs) but below the Method Quantitation Limits (MQL) have been qualified as estimated on the analytical tables per the TRRP-13 document.

4.2 <u>LORP</u>

All SDLs and unadjusted MQLs met the LORP for this investigation.

Detectability Check Standard (DCS) results did not support the laboratory Method Detection Limits (MDL).

4.3 PRESERVATION AND HOLDING TIMES

Samples were properly preserved in the field and cooled to 4° C ($\pm 2^{\circ}$ C). Samples were shipped with chains of custody, and the paperwork was filled out properly. All samples were shipped on ice. All samples were prepared and analyzed within the applicable holding times.

4.4 SAMPLE CONTAINERS

Sample containers were certified pre-cleaned glass provided by the laboratory. These containers meet or exceed analyte specifications established in the United States Environmental Protection Agency (USEPA) Specifications and Guidance for Contaminant-free Sample Containers.

4.5 <u>CALIBRATIONS</u>

According to the LRCs, instrument tuning, and initial calibration and continuing calibration data met the criteria for the selected methods.

4.6 BLANKS

<u>Method Blanks</u>: As these were not discrete samples handled in the field, the method blanks are not listed on the sample identification cross-reference list found in Table 1. Results are reported in the data packages on a laboratory-batch basis. All of the laboratory blank results were reported as ND (not detected).

4.7 INTERNAL STANDARD AND SURROGATE RECOVERIES

Recoveries of internal standards and surrogates are addressed in the LRCs of the laboratory data packages. All surrogate recoveries were within the acceptance limits.

All internal standard areas and retention limits were acceptable per the LRCs.

4.8 LABORATORY CONTROL SAMPLES (LCS)/ LABORATORY CONTROL SAMPLE DUPLICATES (LCSD)

LCS or LCS/LCSD data for all COCs were reported for each batch. LCS spike recoveries and RPDs for all COCs were within the project objectives.

4.9 MATRIX SPIKES

MS/MSD were prepared and analyzed with most batches for all requested parameters. The results are reported in the data package on a laboratory-batch basis.

All recoveries and RPDs met acceptance criteria indicating acceptable accuracy and precision for this sampling event.

The laboratory also performed MS/MSD on unrelated samples from other projects. The data for these unrelated samples cannot be used to assess accuracy and precision for the associated project samples.

4.10 FIELD DUPLICATE

Field duplicate samples were collected and analyzed for the target analytes as outlined in Table 1.

All RPDs were <30 percent for sample results greater than five times the MQL indicating acceptable precision above the estimated regions of detection.

4.11 FIELD PROCEDURES

Pastor, Behling & Wheeler, LLC collected groundwater samples in accordance with their Standard Operating Procedures (SOP) for sample collection.

4.12 **SUMMARY**

The analytical data in this report are usable to assess the impact of COCs in groundwater at the Site without qualification.

APPENDIX A TABLES

TABLE 1

SAMPLE AND ANALYSIS SUMMARY SEMIANNUAL GROUNDWATER MONITORING UNION PACIFIC RAILROAD (UPRR) HOUSTON WOOD PRESERVING WORKS HOUSTON, TEXAS JANUARY 2012

Analysis/Parameters

Сошпен							WG-1620-MW01A-20120131		WG-1620-P10-20120131			MS/MSD
SOIRCE SVOCS	×	×	×	×	×	×	×	×	×	×	×	×
Collection Time (hr:min)	11:15:00 AM	12:05:00 PM	1:40:00 PM	2:45:00 PM	3:45:00 PM	8:45:00 AM	8:45:00 AM	10:00:00 AM	10:00:00 AM	11:10:00 AM	12:15:00 PM	2:30:00 PM
Collection Date (mm/dd/yy)	1/30/2012	1/30/2012	1/30/2012	1/30/2012	1/30/2012	1/31/2012	1/31/2012	1/31/2012	1/31/2012	1/31/2012	1/31/2012	1/31/2012
Matrix	MG	WG	WG	WG	WG	WG	WG	WG	WG	WG	MG	MG
Location I.D.	MW-11B	MW-11A	MW-10A	MW-10B	MW-02	MW-01A	MW-01A	P-10	P-10	MW-07	MW-08	P-12
Sample I.D.	WG-1620-MW11B-20120130	WG-1620-MW11A-20120130	WG-1620-MW10A-20120130	WG-1620-MW10B-20120130	WG-1620-MW02-20120130	WG-1620-MW01A-20120131	WG-1620-FD01-20120131	WG-1620-P10-20120131	WG-1620-FD02-20120131	WG-1620-MW07-20120131	WG-1620-MW08-20120131	WG-1620-P12-20120131

Notes:

MS MSD SVOCs

Matrix Spike. Matrix Spike Duplicate. Semi-volatile Organic Compounds.

TABLE 2

SUMMARY OF ANALYTICAL METHODOLOGIES SEMIANNUAL GROUNDWATER MONITORING UNION PACIFIC RAILROAD (UPRR) HOUSTON WOOD PRESERVING WORKS HOUSTON, TEXAS JANUARY 2012

Parameter

Method

Select SVOCs

SW-846 82701

Notes:

"Test Methods for Solid Waste/Physical Chemical Methods," SW-846, 3rd Edition, September 1986 (with all

subsequent revisions).

SVOCs Semi-Volatile Organic Compounds.

TABLE 3

ANALYTICAL RESULTS SUMMARY
SEMIANNUAL GROUNDWATER MONITORING
UNION PACIFIC RAILROAD (UPRR)
HOUSTON WOOD PRESERVING WORKS
HOUSTON, TEXAS
JANUARY 2012

MW-10A 20-MW10A-20120130 1/30/2012			<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	N. S.	<0.00050	<0.00050	<0.00050	<0.00050		<0.00050
MW-08 WG-1620-MW08-20120131 WG-1620-MW10A-20120130 1/31/2012			<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	×	<0.00050	<0.00050	<0.00050	<0.00050	٠	<0.00050
MW-07 WG-1620-MW07-20120131 W 1/31/2012			<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	×	<0.00050	<0.00050	<0.00050	<0.00050		<0.00050
MW-02 WG-1620-MW02-20120130 WG-1620-MW07-20120131 1/302012			<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	k	<0.00050	<0.00050	<0.00050	<0.00050	ũ	<0.00050
MW-01A WG-1620-FD01-20120131 1/31/2012 Duplicate			<0.00050	0.028	<0.00050	<0.00050	0.0013 [0.0044 J	3	0.0012 J	0.0013 J	<0.00050	<0.00050	•	<0.00050
MW-01A WG-1620-MW01A-20120131 1/31/2012			<0.00050	0.029	<0.00050	<0.00050	<0.00050	0.0045 J	3 (1) (1)	0.00121	0.00131	<0.00050	<0.00050		<0.00050
_	Units	spim	me/L	me/I.	mø/I.	mø/L	FHP mo/L	mg/L	mg/L	mg/L	me/I.	me/I	mg/L	mo/I.	mg/L
Sample Location: Sample ID: Sample Date:	Parameters	Semi-volatile Organic Compounds	2-Methylnaphthalene	Acenanhihene	Acenanhthylene	Anthracene	his/2-Ethvlhexvlluhthalate (DEHP mg/l	Dibenzofuran	Di-n-butylohthalate (DBP)	Fluoranthene	Huggene	Manhthalone	Phenanthrene	Phenol	Pyrene

ANALYTICAL RESULTS SUMMARY SEMIANNUAL GROUNDWATER MONITORING UNION PACIFIC RAILROAD (UPRR) HOUSTON WOOD PRESERVING WORKS HOUSTON, TEXAS JANUARY 2012

Sample Location: Sample ID: Sample Date:	×	MW-10B WG-1620-MW10B-20120130 V 1/30/2012	MW-11A MW-11B P-10 P-10 WG-1620-MW11A-20120130 WG-1620-P10-20120131 WG-1620-FD02-20120131 1/30/2012 1/30/2012 1/31/2012 Duplicate	MW-11B 5-1620-MW11B-20120130 1/30/2012	P-10 WG-1620-P10-20120131 1/31/2012	P-10 WG-1620-FD02-20120131 1/31/2012 Duplicate	P-12 WG-1620-P12-20120131 1/31/2012
Parameters	Units						
Semi-volatile Organic Compounds						78	
2-Methylnaphthalene	mg/L	*	<0.00050		•	24	7/ a
Acenaphthene	mg/L	0.10	<0.00050	0.025	<0.00050	<0.00050	<0.00050
9	mg/L	0.0011 [<0.00050	0.0011 J	<0.00050	<0.00050	<0.00050
	mo/L	0.0057	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
his/2-Ethylbexyllphthalate (DEHP: mg/L	T/ou	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Dibenzofuran	mo/I.	0.038	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Di a-hutulahthalata (DRP)	mo/I	<0.00050		<0.000050	<0.00050	<0.00050	<0.00050
Fluoranthone	mo/L	0.0046 1	<0.00050	0.0013 J	<0.00050	<0.00050	<0.00050
Fliorene	ma/I.	0.060	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Naphthalene	mg/L	0.084	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Dhenanthrene	mo/I	,	<0.00050	¥	*		(*)
Dionol	1/00	<0.00050	•	<0.00050	<0.00050	<0.00050	<0.00050
Pyrene	ng/L	0.0020 J	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050

Notes: J - Estimated.


APPENDIX D WASTE MANIFEST


Form Approved. OMB No. 2050-0039 Please print or type. (Form designed for use on elite (12-pitch) typewriter. Manifest Tracking Number 1. Generator ID Number 2. Page 1 of 3. Emergency Response Phone UNIFORM HAZARDOUS 009467 WASTE MANIFEST ASA 780-3118 UUJ TYTYOOAS2026A 5. Generator's Name and Mailing Address UNION PAGIFIC RAILROAD 4910 Liberty Road 6/0 USA, P.O. Box 87687. Houston TX 77287 Housen, TA 77287 And the action of the residence of the second secon U.S. EPAID Number TXR000033045 HAYGU CITY ENVIRONMENTAL SERVICE U.S. EPA ID Number 8. Designated Facility Name and Site Address US ECOLOGY OF TEXAS TXD060462340 2.5 MILES S. ON PETRONILLA ROAD ROBSTOWN, IX 77297, the charge of the deep commences of the - Complete Services 10. Containers 9b, U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number) 11. Total 12. Unit 114 13. Waste Codes and Packing Group (if any)) Quantity Wt.Vol No. Type НМ o rop system RCRA, HAZ WASTE, SOLID, N.O.S. (FPE and Debris), 9, NA3077, PGIII. 200 p. 0915 301H F034 DM Approval # 090056383-0 GENERA 002 X RCRA HAZ WASTE, LIQUID, N.O.S., 8, NA3082, PGIII, Approval # DM 800 0914 10111 F034 1190073928-0 14. Special Handling Instructions and Additional Information USA Job Number 2469-TD-H156 FR # 866-780-3116 GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name; and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.


I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true. Month Day Generator's/Offeror's Printed/Typed Name GEOFFREY KEUDER 16, International Shipments Port of entry/exit: Export from U.S. Transporter signature (for exports only): Date leaving U.S.: 17. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Nam Transporter 2 Printed/Typed Name 18. Discrepancy 18a. Discrepancy Indication Space Туре Full Rejection Residue Partial Rejection Quantity Manifest Reference Number: U.S. EPA ID Number 18b. Alternate Facility (or Generator) Facility's Phone: Day 18c. Signature of Alternate Facility (or Generator) 19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste (realment, disposa), and recycling systems) 20. Designated Facility Owner or Operator, Certification of receipt of hazardous materials covered by the manifest except as noted in Printed/Typed Name Signature Day


EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.


APPENDIX E POC CONCENTRATIONS VS. TIME GRAPHS












APPENDIX F UPDATED COMPLIANCE SCHEDULE



APPENDIX G LABORATORY DATA QA/QC REPORT CHECKLIST

FORMER HOUSTON WOOD PRESERVING WORKS LABORATORY DATA QA/QC REPORT CHECKLIST ANALYTICAL REPORT 1202001 JANUARY 2012

Technically Complete Yes□ No□ NA□ For TCEQ Use Only Project Mgr: More in Case Narrative (Check Box) Yes⊠ No□ NA□ Yes□ No⊠ NA□ Yes□ No□ NA⊠ Yes⊠ No□ NA□ Yes⊠ No□ NA□ Yes⊠ No□ NA□ Yes⊠ No□ NA□ TCEQ Project Manager/Data Reviewer: Status Permit/ISW Reg No.: 50343 If not was an explanation given in the Case-Narrative (e.g., laboratory exemption, accreditation for 1. Were laboratory analyses performed by a laboratory accredited by TCEQ, whose accreditation included the matrix (ces), methods, and parameters associated with the data? 2. Was a Case Narrative from laboratory (QC data description summary) submitted with the data and analysis methods listed in the permit or other documents specifying criteria the ones used on 3. Are the sample collection, preparation and analyses methods listed in the permit, preparation 4. Were there any modifications to the sample collection, preparation and/or analytical EPA I.D. No.: 6. Were samples properly preserved according to method and QAPP requirements? Date: 5. Were all samples prepared and analyzed within required holding times? Facility Name: Former Houston Wood Preserving If so was the description included on the Case-Narrative? Description Laboratory Name: ALS Environmental method /parameter not available from TCEQ)? Reviewer Name: Jennifer Bush Date: April 26, 2012 Works SWMU 1 methodology (ies)? the final report?

Description	Status	More in Case Narrative (Check Box)	Technically Complete
7. Have the method detection limits (MDL) and/or practical quantitation limit (PQL) been defined in the final report? Note: NELAC uses terms limit of detection (LOD) and Limit of Quantitation respectively.	Yes⊠ No□ NA□		Yes□ No□ NA□
8. Do parameters listed on final report match regulatory parameters of concern (POC) specified in permit and/or Waste Analysis Plan or other required document? Note: POC may also be referred to chemicals of concern (COCs)	Yes⊠ No□ NA□		Yes□ No□ NA□
9. Are the POC's included within the analytical method's target analyte list?	Yes⊠ No□ NA□		Yes□ No□ NA□
10. Were the appropriate type(s) of blanks analyzed?	Yes⊠ No□ NA□		
11. Did any blank samples contain POC concentrations >5x or 10x of MDL? If so, please explain potential bias?	Yes□ No⊠ NA□		Yes□ No□ NA□
12. Were method blanks taken through the entire preparation and analytical process?	Yes⊠ No□ NA□		Yes□ No□ NA□
13. Did the calibration curve and continuing calibration verification meet regulatory (e.g. NELAC Standards) method specifications (No. of standards, acceptance criteria, etc.)?	Yes⊠ No□ NA□		Yes No NA
14. Do the initial calibration standards include a concentration below the regulatory limit/decision level? If not please explain?	Yes⊠ No□ NA□		Yes No NA
If an MDL and PQL are each used on a report then the relationship between the two must be defined for each method.	Yes□ No□ NA□		
15. Were manual peak integrations performed? If so pre and post chromatograms and method change histories may be requested?	Yes⊠ No□ NA□ Yes⊠ No□ NA□		Yes No NA
16. Were all results bracketed by a lower and upper range calibration standard?	Yes⊠ No□ NA□		Yes□ No□ NA□
17. Was any result reported outside of the range of the calibration standards?	Yes□ No⊠ NA□		Yes□ No□ NA□
18. Were all matrix spike (MS) and MS duplicate (MSD) recoveries within the data decision making goals of QC data in the RCRA/UIC QAPP and/or within the laboratories control charts? If not were data flagged with explanation in case narrative?	Yes⊠ No□ NA□ Yes□ No□ NA⊠		Yes□ No□ NA□
19. Were all of the MS and MSD relative percent differences (RPDs) within the data decision making goals of QC data in the RCRA/UIC QAPP? If not were data flagged with explanation in case narrative?	Yes⊠ No□ NA□		Yes□ No□ NA□
20. Were all laboratory control sample (LCS) recoveries at least within the MS and MSD ranges of recoveries and within laboratories control charts?	Yes⊠ No□ NA□ Yes□ No□ NA⊠		Yes□ No□ NA□
If not were data Hagged with explanation in Case Parlance?			

21. Were all POCs (COCs) in the LCS?	(Check Box)	Technically Complete
		Yes□ No□ NA□
22. Were the MS and MSD from samples collected for this work order or other samples in the analytical batch as defined by the NELAC Standards? This information is used to identify factors contributing to matrix interferences. It should not be assumed, unless it is understood by the laboratory, that samples relating to this report were the ones selected to be fortified with the POCs.		Yes□ No□ NA□
23. Were any of the samples diluted? If so were appropriate calculations made to the MDL and/or $Yes \square No \square NA \square$ PQL of the final report?		Yes□ No□ NA□

LABORATORY DATA REPORT QA/QC CHECKLIST LABORATORY CASE.NARRATIVE (To accompany laboratory checklist)

	Facility Name:	Permit/ISW Reg No.:
	Laboratory Name:	EPA I.D. No.:
Method No.	Non-conformance Description	Method Modification Description
	NA	